



## Database documentation

@2021 boyum IT Solutions A/S  
All Rights reserved.

**administration**

|   |                       |                          |
|---|-----------------------|--------------------------|
| + | BEAS_SYS_STATION      | Station List             |
| + | BEAS_SYS_STATIONSETUP | Station Settings         |
| + | BEAS_SYS_TEMPLATE     | Templates                |
| + | BEAS_SYS_WINPOS       | Window positions         |
| + | BEAS_USERPROTOKOLL    |                          |
| + | BEAS_SYS_WINDOW       | Window Extensions        |
| + | BEAS_SYS_WINSETUP     | Window Extensions        |
| + | BEAS_GG_VG            | Hazardous Material VG-Nr |
| + | BEAS_GG_UN_NR         | Hazardous Material UN-Nr |

**attendance**

|   |                         |  |
|---|-------------------------|--|
| + | BEAS_RGLARBZEIT         | Attendance Shift Definition            |
| + | BEAS_RGLARBZEIT_HEADEF  |  |
| + | BEAS_TIMEOPERATOR       | Time operator                          |
| + | BEAS_TAGMUSTER          | Attendance Day Model                   |
| + | BEAS_STUNDENREGEL       | Attendance Period rule                 |
| + | BEAS_MDE_MESSAGE        | MDE Message                            |
| + | BEAS_MDE_STATUS         | MDE Status                             |
| + | BEAS_PERS_ANWREPORT     |  |
| + | BEAS_PERS_ANWREPORT_I   |  |
| + | BEAS_PERS_DAY           |  |
| + | BEAS_PERS_SERVICEOUTPI  |  |
| + | BEAS_PERS_WAGETYPE      |  |
| + | BEAS_PRESENCETYPE       |  |
| + | BEAS_BONUS_ADDITION_LIN | Bonus Planning: Additional Costs Lines |
| + | BEAS_BONUS_CALC_DATA    | Bonus Calculation Daten                |
| + | BEAS_BONUS_PLANNING     | Bonus Calculatoin Planning             |
| + | BEAS_BONUS_PLANNING_AI  | bonus plannig area                     |
| + | BEAS_BONUS_PLANNING_AI  | keyfigure for area of planing          |
| + | BEAS_BONUS_PLANNING_AI  | bonus planning: personell for area     |
| + | BEAS_BONUS_PLANNING_AI  | bonus planning: rating from a area     |
| + | BEAS_BONUS_PLANNING_R   | bonus planning: report definition      |
| + | BEAS_WAGETYPE           | wage type                              |
| + | BEAS_ANWSTMP            | Attendance Clock in                    |
| + | BEAS_ANWZEIT            | Attendance                             |
| + | BEAS_ABWGRUND           | Absence Reason                         |
| + | BEAS_BONUS_CALC         | Bonus Calculation Scheduling           |
| + | BEAS_PERS               | Personnel                              |
| + | BEAS_PERS_STDKONTONR    | Personnel - Overtime Planning          |
| + | BEAS_PERS_SCHICHTPLAN   | Personnel - Shift Schedule             |
| + | BEAS_ABWZEIT            | Absence Times                          |

|   |                       |  |
|---|-----------------------|--|
| + | BEAS_PERS_RGLARBZEIT  | Personnel - Attendance Rules           |
| + | BEAS_PERS_MONAT       | Personnel - Monthly Values             |
| + | BEAS_PERS_EDITRIGHTS  | Erweiterte Personnel - Rights          |
| + | BEAS_PERSGRP          | Personnel - Group                      |
| + | BEAS_BENZING          | benzing definition                     |
| + | BEAS_BENZING_PROTOKOL | Benzing Report                         |
| + | BEAS_BONUS_ADDITION   | Bonus Planning: additional Costs       |
| + | BEAS_BONUS_KEYFIGURE  | Key Figure for Bonus Calculation       |
| + | BEAS_BONUS_PLANNING_R | bonus planning: report definition line |

#### bin warehouse

|   |                      |  |
|---|----------------------|--|
| + | BEAS_OWHS_BINDEF     | Warehouse Rule                             |
| + | BEAS_OWHS_BINDEFLINE | Warehosue Rule Lines                       |
| + | BEAS_WHS             | Warehouse location Bin location management |
| + | BEAS_WHSAREA         | Bin Location Warehouse area                |
| + | BEAS_WHSBIN          | Bin Location: bin definition               |
| + | BEAS_WHSBINITEM      | Bin Location Inventory                     |
| + | BEAS_WHSBINJOURNAL   | Bin Location Journal of Entries            |
| + | BEAS_WHSAREATYP      | Bin Location Type                          |

#### calculation

|   |                        |                             |
|---|------------------------|-----------------------------|
| + | BEAS_POSTCALC_HEADER   |                             |
| + | BEAS_POSTCALC_LINE     |                             |
| + | BEAS_PK_BATCHKALK      | Batch calculation Planning  |
| + | BEAS_PK_BATCHKALK_HEAI |                             |
| + | BEAS_PK_SCRIPT         |                             |
| + | BEAS_PK_HAUPT          | Calculation master data     |
| + | BEAS_PK_POS            | Calculation Columns         |
| + | BEAS_PK_SCHEMA         | Calculation Schemen         |
| + | BEAS_PK_TYPEN          | Calculation Objects         |
| + | BEAS_PK_CR             | Calculation Temporary Table |

#### costcenter

|   |                      |                                       |
|---|----------------------|---------------------------------------|
| + | BEAS_BAB_KA          | Cost Sheet Cost Elements              |
| + | BEAS_BAB_KA_DIR      | Cost Sheet Cost Elements Segmentation |
| + | BEAS_BAB_KA_GRDIR    | Cost Sheet Cost Element Groups-A      |
| + | BEAS_BAB_KA_GRK      | Cost Sheet Cost Element Groups-K      |
| + | BEAS_BAB_KA_GRP      | Cost Sheet Cost Element Groups        |
| + | BEAS_BAB_KA_ZU       | Cost Sheet Cost Elements Allocation   |
| + | BEAS_BAB_KST         | Cost Sheet Cost Center                |
| + | BEAS_BAB_KST_GRK     | Cost Sheet Cost Center Groups         |
| + | BEAS_BAB_KST_GRKFERT | Cost Sheet Cost Center Groups - F     |
| + | BEAS_BAB_KST_GRP     | Cost Sheet Cost Center Groups         |
| + | BEAS_BAB_KST_VGR     | Cost Sheet Distribution               |
| + | BEAS_BAB_KST_ZU      | Cost Sheet Cost Center Assignment     |

|   |                         |   |
|---|-------------------------|---|
| + | BEAS_BAB_LA_EINH        | Cost Sheet LA Unit                          |
| + | BEAS_BAB_LOHN           | Cost Sheet Wage Data                        |
| + | BEAS_BAB_MA             | Cost Sheet Machines                         |
| + | BEAS_BAB_MA_FERT        | Cost Sheet Machine - Non Material Service   |
| + | BEAS_BAB_MKV_POS        | Cost Sheet mkv Pos                          |
| + | BEAS_BAB_PRODGR         | Cost Sheet Production Groups                |
| + | BEAS_BAB_PRODGR_POS     | Cost Sheet Production Groups Position       |
| + | BEAS_BAB_SPARTE_BUCH    | Cost Sheet Sector                           |
| + | BEAS_BAB_STRUKT_ERGEB   |   |
| + | BEAS_BAB_STRUKT_LIST    |   |
| + | BEAS_BAB_STRUKT_LIST_C  |   |
| + | BEAS_BAB_STRUKT_LIST_KI |   |
| + | BEAS_BAB_VERDICHTUNG    | Cost Sheet Concentrate                      |
| + | BEAS_BAB_VERT           | Cost Sheet Distribution                     |
| + | BEAS_BAB_VGR            | Cost Sheet Distribution Groups              |
| + | BEAS_ABRBEREICH         | Cost Sheet Statement Cycle                  |
| + | BEAS_BAB_FIBU           | Cost Sheet Financial Data                   |
| + | BEAS_BAB_FIBUKST        | Cost Sheet Financial Data Split-up          |
| + | BEAS_BAB_KST_FERT       | Cost Sheet Cost Center Production           |
| + | BEAS_BAB_LA             | Cost Sheet LA                               |
| + | BEAS_BAB_LOHN_KST       | Cost Sheet Wage Data Cost Center Assignment |
| + | BEAS_BAB_MKV            | Cost Sheet mkv                              |
| + | BEAS_BAB_SPARTE         | Cost Sheet Sector                           |
| + | BEAS_BAB_VGR_MONAT      | Cost Sheet Distribution Months              |
| + | BEAS_BAB_WERTE          | Cost Sheet Values                           |

#### extra

|   |                         |              |
|---|-------------------------|--------------|
| + | BEAS_AENDERUNG          | Activity Log |
| + | BEAS_BENUTZER           | User (BEAS)  |
| + | BEAS_BENUTZER_RECHTE    | User Rights  |
| + | BEAS_HELPFILES          |              |
| + | BEAS_HELPTEXT           |              |
| + | BEAS_ICHANGELOG         |              |
| + | BEAS_IDOWNLOAD          |              |
| + | BEAS_INTELLUTION_IN     |              |
| + | BEAS_INTELLUTION_IN_GUT |              |
| + | BEAS_INTELLUTION_OUT    |              |
| + | BEAS_ITICKET            |              |
| + | BEAS_ITICKET_ACTION     |              |
| + | BEAS_ITICKET_ATTACHMEN  |              |
| + | BEAS_ITICKET_DISCUSS    |              |
| + | BEAS_ITICKET_DMS        |              |
| + | BEAS_ITICKET_QRESPONSE  |              |
| + | BEAS_ITICKET_TIMES      |              |

|   |                         |                              |
|---|-------------------------|------------------------------|
| + | BEAS_IWORKFLOW          |                              |
| + | BEAS_IWORKFLOW_LINE     |                              |
| + | BEAS_KALENDER           | Calendar                     |
| + | BEAS_LABEL              | Label System                 |
| + | BEAS_LG_DB              |                              |
| + | BEAS_LG_LINK            |                              |
| + | BEAS_LG_PROTOCOL        |                              |
| + | BEAS_LG_WORDID          |                              |
| + | BEAS_LIC_DATABASEINFO   |                              |
| + | BEAS_LIC_DEF            |                              |
| + | BEAS_LIC_DESCRIPTION    |                              |
| + | BEAS_LIC_POLINE         |                              |
| + | BEAS_LIC_PRICEDEF       |                              |
| + | BEAS_LIC_PRICEDEF_LIC   |                              |
| + | BEAS_LIC_PRICELIST      |                              |
| + | BEAS_LIC_PRICELIST_LINE |                              |
| + | BEAS_LICENSE            |                              |
| + | BEAS_LICENSE_LINE       |                              |
| + | BEAS_LICPERSTATION      |                              |
| + | BEAS_LIZENZ_INCOME      |                              |
| + | BEAS_COMMON_INPUT       |                              |
| + | BEAS_COMMON_INPUT_ARC   |                              |
| + | BEAS_COMMON_OUTPUT      |                              |
| + | BEAS_COMMON_STATISTIK   |                              |
| + | BEAS_FILEREF            |                              |
| + | BEAS_FILEREFFILE        |                              |
| + | BEAS_FORM               |                              |
| + | BEAS_DOWNLOAD_STATISTI  |                              |
| + | BEAS_DUMMY              | Table with one row           |
| + | BEAS_ERRORLOG           | error report                 |
| + | BEAS_EVENT              |                              |
| + | BEAS_EVENT_SETUP        |                              |
| + | BEAS_OPRC_DATUM         | oprc help table              |
| + | BEAS_PROTOKOLL          | Systemprotokol               |
| + | BEAS_SCRIPTE            | Userscripts and Procedures   |
| + | BEAS_SPRACHENTEXTE      | Translation                  |
| + | BEAS_SYNTAX_HISTORIE    | History Developement         |
| + | BEAS_SYS_ADDON          | addon administration         |
| + | BEAS_SYS_COL            | Column Definition Browser    |
| + | BEAS_SYS_COLUMNINFO     | Tables and Column Definition |
| + | BEAS_SYS_DEBUG          | Debug Temporary Table        |
| + | BEAS_SYS_DEVICE         | Station Type (Device)        |
| + | BEAS_SYS_LANGUAGE       | language                     |
| + | BEAS_SYS_LOCATION       | Location (WEB Printer)       |

|   |                       |  |
|---|-----------------------|--|
| + | BEAS_SYS_MENU         | Menu Extensions - not used -           |
| + | BEAS_SYS_SERVER       | Server Setup                           |
| + | BEAS_SYS_SETUP        | Program Setup                          |
| + | BEAS_SYS_SOURCE       |  |
| + | BEAS_SYS_SPRACHEN_WIN | translate type for own window or addon |
| + | BEAS_SYS_FORMDESCRIPT | Formdescription                        |
| + | BEAS_SYS_FORMDESCRIPT | windowdescription - objects            |
| + | BEAS_SYS_SPR          | Language Table                         |
| + | BEAS_SYS_OBJECTS      | objectdescription (Makro)              |
| + | BEAS_SYS_SPR_COL      | Translate for Tablevalues              |
| + | BEAS_SYS_OBJECTS_BEAS | beas-objects (Makro)                   |
| + | BEAS_SYS_SPR_TEXTE    | Translation Table Messages             |
| + | BEAS_SYS_SPRACHEN     | Translatetable                         |
| + | BEAS_ARTGEN           | Generate Item                          |
| + | BEAS_IMPORTKOPF       | Import Definition                      |
| + | BEAS_IMPORT_LOG       | Import Protocol                        |
| + | BEAS_IMPORT           | Import Column Assignment               |

#### item

|   |                         |  |
|---|-------------------------|--|
| + | BEAS_ITEM_VERSION       | Item version administration                  |
| + | BEAS_ITEM_VERSION_STATI | Item version administration status           |
| + | BEAS_QSVERWEIS          | QC-Cross reference                           |
| + | BEAS_DOCUMENTS          | Documents Item version                       |
| + | BEAS_OITM_PARAMETER     | Item parameter                               |
| + | BEAS_DOKUMENT           | Documents Item OP catalog etc                |
| + | BEAS_STL_HEADER         | Bill of Materials Header                     |
| + | BEAS_STL                | Bill of Materials Positions                  |
| + | BEAS_APL_HEADER         | Routing Header                               |
| + | BEAS_APL                | Routing Positions                            |
| + | BEAS_APL_WKZ            | Routing Tool, Alternative, Parallel Resource |
| + | BEAS_OITM_PRODUKTCONF   | Product Configurator definition              |
| + | BEAS_OITM_CALCPRICE     | calc price history                           |
| + | BEAS_ARTIKELTEXTE       | Item Text Languages                          |
| + | BEAS_OITM_MATERIAL      | item full structure - bom                    |
| + | BEAS_OITM_CALCPRICE_SC  |  |
| + | BEAS_OITM_PRODUCTCONF   |  |

#### master data

|   |                       |                   |
|---|-----------------------|-------------------|
| + | BEAS_COSTCARRIER      |                   |
| + | BEAS_OITM_RESOURCEN   | item resource     |
| + | BEAS_TIMETYPEGROUP    | Time types groups |
| + | BEAS_APATZGRUPPE      | Resource Group    |
| + | BEAS_APATZ            | Resources         |
| + | BEAS_APATZ_STILLSTAND | Standstill report |
| + | BEAS_APATZ_TYPE       | Resource Type     |

|   |                        |                                   |
|---|------------------------|-----------------------------------|
| + | BEAS_APLATZ_STL        | Work Center Material Requirements |
| + | BEAS_APLATZ_UEBGZEIT   | Resource Transfer Times           |
| + | BEAS_APLATZ_COSTRATEHI | Resources cost rates Description  |
| + | BEAS_APLATZ_COSTRATE   | Resources cost rates              |
| + | BEAS_ME                | Unit of M.                        |
| + | BEAS_ME_UMR            | Unit of M. Calculations           |
| + | BEAS_AG                | Operation Templates               |
| + | BEAS_MATGRP            | Material Group                    |
| + | BEAS_AG_WKZ            | Operation Templates resources     |
| + | BEAS_MATGRP_ZUSCHLAG   | Material group calculation        |
| + | BEAS_VERSCHNITT_WERTE  | Scrap Rate                        |
| + | BEAS_VERSCHNITT        | Scrap Table                       |
| + | BEAS_WKZ               | Tool Administration               |
| + | BEAS_WKZ_STL           | Tool Bill of material             |
| + | BEAS_WKZ_AENDERUNG     | Tool Activity Log                 |
| + | BEAS_WST               | Raw Material                      |
| + | BEAS_FRACHT_MAUT       | Shipping Maut                     |
| + | BEAS_FRACHT_HAUSSATZ   | Shipping Cost to Dest.            |
| + | BEAS_FRACHT_ENTFERNUN  | Shipping Distance Cost            |
| + | BEAS_TIMETYPE          | Time types                        |

#### materialmanagement

|   |                       |   |
|---|-----------------------|---|
| + | BEAS_VERSAND_CHARGE   | Shipping Batch Reserve                    |
| + | BEAS_SCM_R3P          |   |
| + | BEAS_RESERVATION_LINE | Resevation List                           |
| + | BEAS_RESOURCE_CALEND/ |   |
| + | BEAS_MRP_RESOURCE     |   |
| + | BEAS_MRP2_PLANUNG     | Resourcenplanung Planung (Kopf)           |
| + | BEAS_OINM             | Bin Warehouse Transaktion Protokoll       |
| + | BEAS_OINM_BATCHNUM    | bin warehouse batchnum transfer protokoll |
| + | BEAS_PLANDOCUMENT     |   |
| + | BEAS_PLANDOCUMENT_LIN | transaction plan lines                    |
| + | BEAS_PICKLIST_HEADER  |   |
| + | BEAS_CHARGENINVENTUR  | Inventory Details                         |
| + | BEAS_CHARGENINVENTUR_ | Inventory Definition                      |
| + | BEAS_CHARGENINVENTUR_ | Inventory Item                            |
| + | BEAS_BATCHNUMTRANSFEF |   |
| + | BEAS_MRP_PLANUNG      | MRP Planung (Kopf)                        |
| + | BEAS_MRP              | MRP Item                                  |
| + | BEAS_MRP_DETAIL       | MRP Bewegungen                            |
| + | BEAS_MRP_FAG          | MRP Fremdarbeitsgänge                     |
| + | BEAS_MRP_ORDER        | Purchase Request                          |
| + | BEAS_INVENTORY_HEADER | Inventory Kopf                            |
| + | BEAS_INVENTORY_ITEMS  | Inventory item entrys                     |

|   |                        |                            |
|---|------------------------|----------------------------|
| + | BEAS_INVENTORY_HISTORY | historie inventory         |
| + | BEAS_MRP_PLANUNG_PRO   | Planning MRP Forcast       |
| + | BEAS_RECLAMATION       | Complaint Work Order       |
| + | BEAS_RECLAMATION_CAUS  | Complaint origin           |
| + | BEAS_RECLAMATION_CAUS  | Complaint origin User      |
| + | BEAS_RECLAMATION_DOKU  | Complaint documents        |
| + | BEAS_RECLAMATION_TYP   | Complaint Work Order Typen |
| + | BEAS_RECLAMATION_MD_C  | Complaint origin           |
| + | BEAS_RECLAMATION_MD_T  | Complaint Type             |
| + | BEAS_RECLAMATION_REPAI | Complaint: Reparation      |

#### production

|   |                        |                             |
|---|------------------------|-----------------------------|
| + | BEAS_CONFIG_APL        |                             |
| + | BEAS_CONFIG_HEADER     |                             |
| + | BEAS_CONFIG_PARAMETER  |                             |
| + | BEAS_CONFIG_STL        |                             |
| + | BEAS_FTCAFT_VARENTRY   |                             |
| + | BEAS_FTPLANUNG         | APS workorder time planning |
| + | BEAS_FTPLANUNG_LINK    | APS workorder reference     |
| + | BEAS_FTPOS_PROFITCENT  |                             |
| + | BEAS_FTPOS_SCHEMA      |                             |
| + | BEAS_FTPOS_SCHEMA_HEA  |                             |
| + | BEAS_FTPOS_SCHEMA_JOU  |                             |
| + | BEAS_FTTYP             | Type of workorder           |
| + | BEAS_JOURNAL           |                             |
| + | BEAS_JOURNAL_HISTORIE  |                             |
| + | BEAS_ORDER_APL         | Produktconfig Arbeitsplan   |
| + | BEAS_ORDER_PARAMETER   | Produktkonfig Parameter     |
| + | BEAS_ORDER_STL         | Produktkonfig Stückliste    |
| + | BEAS_MILESTONE         |                             |
| + | BEAS_FA_BEISTELLIEFERS |                             |
| + | BEAS_RESOURCE_LAYERPL  |                             |
| + | BEAS_RESOURCE_LAYERPL  |                             |
| + | BEAS_RESOURCEN         | Reservced Resouces          |
| + | BEAS_RESOURCENPLANUN   |                             |
| + | BEAS_OWING_DELIVERY    |                             |
| + | BEAS_OWING_SUPPLIES    |                             |
| + | BEAS_XGANTT METHODE    | APS Methode                 |
| + | BEAS_XGANTT_PLANING    | APS Planing                 |
| + | BEAS_XGANTT_PLANING_SC | APS Planning Sort           |
| + | BEAS_FTHAUPT           | Work Order Header           |
| + | BEAS_FTPOS             | Work order Position         |
| + | BEAS_FTAPL             | Production Routing          |
| + | BEAS_FTAPL_WKZ         | Production Routing Tool     |

|   |                        |                                      |
|---|------------------------|--------------------------------------|
| + | BEAS_ARBZEIT           | Production Time Receipt              |
| + | BEAS_FTAPLCHARGE       | batchnum information per routing     |
| + | BEAS_ARBZEIT_SCRAP     | Production Time Receipt Scrap        |
| + | BEAS_FTSTMP            | Order Time Records                   |
| + | BEAS_FTPOOL            | Production Pool                      |
| + | BEAS_FTSTL             | Work order Bill of Materials Item    |
| + | BEAS_FTPOS_RESERVIERUI | Serial Number/Batch No.              |
| + | BEAS_FTPOS_WIP2        | WIP2 Information                     |
| + | BEAS_FTPOS_PARAMETER   | Fertigung Position Parameter         |
| + | BEAS_FTZUORDNUNG       | Production Customer Order Assignment |
| + | BEAS_FTPRIOR           | Production Priority                  |
| + | BEAS_REASONFORSCRAP    | Reason for scrap                     |
| + | BEAS_XGANTT_METHODE_S  | APS Methode step                     |
| + | BEAS_XGANTT_PLANING_MI | APS Planning Methode                 |
| + | BEAS_XGANTT_SETUP      | APS Planning Display setup           |
| + | BEAS_XGANTT_VIEW       | APS Planning Setup                   |

#### Project

|   |                         |  |
|---|-------------------------|--|
| + | BEAS_PRJ_ATTACHMENT     |  |
| + | BEAS_PRJ_BUDGET         |  |
| + | BEAS_PRJ_COSTTYPE       |  |
| + | BEAS_PRJ_LINE           |  |
| + | BEAS_PRJ_LINE_BUDGET    |  |
| + | BEAS_PRJ_LINETIMETYPE   |  |
| + | BEAS_PRJ_LINETYP        |  |
| + | BEAS_PRJ_LINETYP_BUDGE  |  |
| + | BEAS_PRJ_PLANNING       |  |
| + | BEAS_PRJ_RESULT         |  |
| + | BEAS_PRJSTATUS          |  |
| + | BEAS_PRJTEMPLATE        |  |
| + | BEAS_PRJTEMPLATE_LINE   |  |
| + | BEAS_PRJTEMPLATE_LINE_I |  |
| + | BEAS_PRODUCTVERSION     |  |
| + | BEAS_PROJECT_LINE       |  |
| + | BEAS_PROJECT_RES        |  |

#### qualitycontrol

|   |                     |                               |
|---|---------------------|-------------------------------|
| + | BEAS_QS             | QC Template                   |
| + | BEAS_QSARTIKELHAUPT | QC Plan Header                |
| + | BEAS_QSARTIKEL      | QC Plan Measurement positions |
| + | BEAS_QSARTIKELSUB   | QC sub qc orders              |
| + | BEAS_QSATTACHMENT   | QC Documents                  |
| + | BEAS_QSFTHAUPT      | QC Order                      |
| + | BEAS_QSFTPOS        | QC Order Results              |
| + | BEAS_QSFTMESSUNG    | QC Samples                    |

|   |                       |                              |
|---|-----------------------|------------------------------|
| + | BEAS_QSFTATTACHMENT   | QC Order Documents           |
| + | BEAS_QSFTATTACHMENT_C | QC Order Documents confirmed |
| + | BEAS_QSGROUP          | QC Groups                    |
| + | BEAS_QSSPERRGRUND     | QC Blockage Reason           |
| + | BEAS_QSSTICHPROBEN    | QC Samples Definition        |
| + | BEAS_QSVALUATION      |                              |

#### report

|   |                       |                                |
|---|-----------------------|--------------------------------|
| + | BEAS_REPORT_MAKRONAM  | report makro defintion         |
| + | BEAS_REPORT_MAKROSTEI | report makrostep               |
| + | BEAS_REPORT_MAKROSTEI | report outputdefinition        |
| + | BEAS_REPORT_MAKROSTEI | report variables               |
| + | BEAS_REPORT_TEXT      | report text                    |
| + | BEAS_REPORTAUSWERTUN  | Temporary Table for Analyses   |
| + | BEAS_TEMPREPORT       | temp. Table Reports            |
| + | BEAS_CRREPORT         |                                |
| + | BEAS_DOCUMENT_HEADER  | sale and purgatesreport header |
| + | BEAS_DOCUMENT_LINE    | sale and porgageserport line   |
| + | BEAS_BELEGE           | Sales Reports                  |
| + | BEAS_REPORT_MAKROSTEI | report printerdefinition       |

#### variants

|   |                        |                              |
|---|------------------------|------------------------------|
| + | BEAS_CAFT_BA           | Caft Components              |
| + | BEAS_CAFT_BA_POS       | Caft Components Positions    |
| + | BEAS_CAFT_FORMEL       | Caft Formulas                |
| + | BEAS_CAFT_FORMEL_VAR   | Caft Formel-Variablen        |
| + | BEAS_CAFT_HERKUNFT     | Caft Origin                  |
| + | BEAS_CAFT_TABELLE      | Caft Tables                  |
| + | BEAS_CAFT_TABELLE_DIM  | Caft Tables Dimensions       |
| + | BEAS_CAFT_TABELLE_WER  | Caft Tables Values           |
| + | BEAS_CAFT_VAR          | Caft Variables               |
| + | BEAS_CAFT_VARIANTE     | Caft Varianten               |
| + | BEAS_CAFT_VARIANTE_KOF | Caft Varianten Kopf          |
| + | BEAS_CAFT_VERWEIS      | Caft Table Link Header       |
| + | BEAS_CAFT_VERWEIS_POS  | Caft Eingabetabellenverweise |

#### web

|   |                  |            |
|---|------------------|------------|
| + | BEAS_MENU        |            |
| + | BEAS_MENU_ACCESS |            |
| + | BEAS_MENU_ENTRY  |            |
| + | BEAS_MENU_GROUP  |            |
| + | BEAS_MENU_PERS   |            |
| + | BEAS_WEBAPP      | web apps   |
| + | BEAS_WEBBALANCE  |            |
| + | BEAS_WEBDESIGN   | Web Design |

|   |                       |               |
|---|-----------------------|---------------|
| + | BEAS_WEBOBJECTS       | Web Objects   |
| + | BEAS_WEBPROGRAM       | Program group |
| + | BEAS_WEBSESSION       | Web Session   |
| + | BEAS_WEBUSER          | Web User      |
| + | BEAS_WEBUSER_DOCUMENT |               |
| + | BEAS_WEBUSER_GROUP    |               |
| + | BEAS_WEBUSER_GROUPEN  |               |
| + | BEAS_WEBUSER_MESSAGE  |               |
| + | BEAS_WEBUSER_SCACCES  |               |
| + | BEAS_WEBWINDOW        | Apps Source   |
| + | BEAS_WEBWINDOW_SETUP  | Apps Setup    |

| Column           | Description         |
|------------------|---------------------|
| ABR_ID           | Statement Cycle     |
| ABRMONAT         | Month               |
| AKTUELL          | Current             |
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| BEGINN_GESCHJAHR | Business year       |
| BEZEICHNUNG      | Description         |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Creation User       |
| KSTGRP_ID        | Cost Type           |
| RAUM_KOSTEN      | Occupancy Cost      |
| STROM_KOSTEN     | Electricity Cost    |
| WASSER_KOSTEN    | Water Cost          |

| Column          | Description             |
|-----------------|-------------------------|
| ABWGRND_ID      | Absence Reason          |
| ABWSTD          | Abwesenheitsstunden     |
| ADDSOLLSTD      | Plan Hrs hinzufügen     |
| ANDTSTAMP       | Date of Last Change     |
| ANDUSER         | Aenderer                |
| ANWBEACHTUNG    | Attendance beachten     |
| BEZ             | Description             |
| BEZ_PROZENT     | Percent Pay-out         |
| BITMAP_ID       | beas_abwgrund_bitmap_id |
| Color           | beas_abwgrund_color     |
| ERFTSTAMP       | Creation Date           |
| ERFUSER         | Creation User           |
| KRANK_PROZENT   | Percent Sickness        |
| KZ              | Code                    |
| SCHULUNG_PROZEN | Percent Training        |
| TAG_STD_ART     | Stundenberücksichtigung |
| URLAUB_PROZENT  | Percent Vacation        |
| ZEITBEACHTUNG   | Time beachten           |

| Column        | Description                       |   |
|---------------|-----------------------------------|---|
| ABWGRND_ID    | Reason Id                         |   |
| ABWSTD        | Absence hour                      |   |
| ADDSOLLSTD    | Add the time to Plan-/Actual Time | Yes=J<br>No=N   |
| ANDTSTAMP     | Date of last change               |   |
| ANDUSER       | User of last change               |   |
| ANWBEACHTUNG  | Consider attendance hours         | Yes=1<br>No=0   |
| BEZ           | Description                       |   |
| BIS           | To Date                           | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| BUCHNR_ID     | Accounting nu.                    |   |
| ERFTSTAMP     | Creation Date                     |   |
| ERFUSER       | Creation User                     |   |
| FREE_OF_WORK  | Day off                           | Yes=1<br>No=0   |
| IfAvailable   | Available                         | Yes=1<br>No=0   |
| PERS_ID       | Personnel Id                      |   |
| UDF1          | User Field f1                     |   |
| UDF2          | User Field f2                     |   |
| UDF3          | User Field f3                     |   |
| UDF4          | User Field f4                     |   |
| VON           | From Date                         | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| WAGETYPE1     | Wage type 1                       |   |
| WAGETYPE1PC   | Wage type 1 %                     |   |
| WAGETYPE2     | Wage type 2                       |   |
| WAGETYPE2PC   | Wage type 2 %                     |   |
| ZEITBEACHTUNG | Check time                        | Yes=1<br>No=0   |

| Column        | Description         |
|---------------|---------------------|
| AENDERUNGSTYP | Änderungstyp        |
| ALTINHALT     | old content         |
| ANDTSTAMP     | Date of Last Change |
| ANDUSER       | Aenderer            |
| ERFTSTAMP     | Creation Date       |
| ERFUSER       | Creation User       |
| FELD          | Column Name         |
| GRUND         | Reason for Eintrag  |
| KENNUNG1      | ID 1                |
| KENNUNG2      | ID 2                |
| KENNUNG3      | ID 3                |
| NEUINHALT     | new content         |
| NR            | Number              |
| TYP           | Meldungstyp         |
| TYP2          | Meldungstyp 2       |

| Column           | Description   |                      |
|------------------|---|----------------------|
| AG_ID            | Operation ID  |                      |
| AGTYP            | Operation type  |                      |
| AKTIVFORMEL      | Active formula  |                      |
| ANDTSTAMP        | Date of Last Change   |                      |
| ANDUSER          | User of Last Change   |                      |
| ANWEISUNGEN      | instructions  |                      |
| ANZAHL           | Work steps  |                      |
| ANZLS            | Number of pay slips   |                      |
| APLATZ_ID        | Resource  |                      |
| AUSSCHUSSFAKTOR  | Scrap factor  |                      |
| BA_ID            | Block identifier  |                      |
| BDE              | Clock mandatory   | Yes=J<br>No=N        |
| BEARBEITUNGS_ART | Edit Type   |                      |
| BEZ              | Description   |                      |
| BILD1            | Anhang 1  |                      |
| BILD2            | Anhang 2  |                      |
| BILD3            | Anhang 3  |                      |
| CAFTINFO         | Caft formula  |                      |
| CardCode         | Supplier  |                      |
| ERFTSTAMP        | Creation Date   |                      |
| ERFUSER          | Creation User   |                      |
| FAG              | External operation  | Yes=J<br>No=N        |
| FAG_CURRENCY     | External operation Currency   |                      |
| FAG_ITEMCODE     | External operation  |                      |
| FAG_MINPRICE     | External operation Minimum price  |                      |
| FAG_PRICE        | External operation Price  |                      |
| FAG_PRICEJE      | External operation Price per  |                      |
| FAG_TRANSPORTPRI | External operation Shipping price   |                      |
| FAG_TRANSPORTPRI | External operation Shipment Lot Size  |                      |
| Flags            | Additional Flags<br>Additional Flags, 6 Digits, Example/Default:<br>000000<br>Pos 1: in Precalculation unvisible: 1=unvisible,<br>0=visible<br>Pos 2: visible in Workorder: 1=unvisible, 0=visible<br>Pos 3: lock time receipt: 1=lock, 0=unlock<br>Pos 4: check plan quantity: 0=off, 1=on<br>Pos 5: post calculation visible: 1=unvisible,<br>0=visible<br>Pos 6: resourcen optimization: 0=on, 1=off |                      |
| FORMEL           | Formula   |                      |
| LOHNGRUPPE       | Wage Group  |                      |
| MatchCode        | Match code  |                      |
| MEHRMASCH_BED    | Machine Grouping  |                      |
| MEHRMASCHINENBE  | Machine Grouping allowed  |                      |
| MEHRMASCHINENBE  | Resource Allocation Type  |                      |
| MENGE_JE         | Quantity per time   |                      |
| MENGE_ZEITJE     | Time unit   | Minute=1<br>Hours=60 |
| MENGENAUSSCHUSS  | Scrap Factor Bill of Materials  |                      |
| MILESTONE        | Milestone   |                      |
| NUTZEN           | Use factor  |                      |
| PERSGRP_ID       | Personnel Group   |                      |
| PO_WHS           | Return address from warehouse   |                      |
| PTIMETYPE_ID     | Personell time type   |                      |

|               |                                       |
|---------------|---------------------------------------|
| QS_ID         | QC inspection plan                    |
| RM_FAKTOR     | Factor per production UoM             |
| RM_ME_ID      | Confirm in units                      |
| SCRIPTS       | Scripts                               |
| TEAPLATZ      | Mach+Labor Time/unit                  |
| TEPersGrp     | Mach+Labor Time/unit Personnel Grp    |
| THAPLATZ      | Machine Time / unit                   |
| THPersGrp     | Machine Time / unit Personnel Group   |
| THTIMETYPE_ID | Cost type main time                   |
| TIMETYPE_ID   | Time Type                             |
| TL            | Idle time                             |
| TNAPLATZ      | Labor Time / unit                     |
| TNPersGrp     | Labor Time / unit Personnel Group     |
| TNTIMETYPE_ID | Cost type second time                 |
| TR2APLATZ     | Setup time capacity                   |
| TR2PersGrp    | Setup for Sched+Cap. Personnel Grp    |
| TRAPLATZ      | Setup time for precalculation         |
| TRPersGrp     | Setup for Calculation Personnel Group |
| TRTIMETYPE_ID | Cost type tool time                   |
| UDF1          | Userfield 1                           |
| UDF10         | Userfield 10                          |
| UDF11         | Userfield 11                          |
| UDF12         | Userfield 12                          |
| UDF13         | Userfield 13                          |
| UDF14         | Userfield 14                          |
| UDF15         | Userfield 15                          |
| UDF2          | Userfield 2                           |
| UDF3          | Userfield 3                           |
| UDF4          | Userfield 4                           |
| UDF5          | Userfield 5                           |
| UDF6          | Userfield 6                           |
| UDF7          | Userfield 7                           |
| UDF8          | Userfield 8                           |
| UDF9          | Userfield 9                           |
| UEBLGRZ       | Overlap limit                         |
| ZEITAUFNDAT   | Date Time Recording                   |
| ZEITAUFNKZ    | Time recording indicator              |
| ZTART         | Time Type                             |

| Column               | Description                   |   |   |
|----------------------|-------------------------------|---|---|
| AG_ID                | Operation                     |   |   |
| AGTYP                | Operation Type                |   |   |
| AKTIV                | Active                        | only for tools.<br>only alternative resource:<br>If active, at the calculation the lead time will be checked, whether with this resource a faster processing is possible and if yes, the resource will be replaced automatically.   | activ=1<br>not activ=0<br>yes=1<br>no=0     |
| ALLOW_MANUAL_CH      | Allow manual selection        | only alternative resource:<br>This alternative resource can only be selected manually, if this option has been enabled. The event will be canceled and receipted with the error message "(aktivaplatz440)Resource cannot be selected when flag "allow manual change" is off" if this option has been disabled and an attempt has been made to select the resource.<br><br>Note: A change is only possible if a change has been allowed according to the production position (Production position - Allow change has to be allowed). | yes=1<br>no=0                               |
| ALTERNATIV           | alternative Parallel Resource |   |   |
| ANDTSTAMP            | Date of Last Change           |   |   |
| ANDUSER              | User of Last Change           |   |   |
| ANTEIL               | Time Reservation (%)          | If no setup and edit time was entered, the time of the main operation * time reservation is used as reference.<br><br>At which % shall the resource be scheduled?<br>Example: The parallel resource is an employee operating four machines at once. He need to be available for the machine at the whole time but only at 25%.<br><br>If the setup time or processing time is entered, in pre-calculation this input will be ignored.<br>See note above at Setup time.  |   |
| ANZAHL               | Number Factor                 |   |   |
| ERFTSTAMP            | Creation Date                 |   |   |
| ERFUSER              | Creation User                 |   |   |
| IgnoreOwnResourcePri | Cost not valuate              | only parallel resource:<br>If enabled, the resource costs of this parallel resource are ignored. Affected: pre-calculation and post-calculation. Costs created with time receipts are not taken into account as well.<br>Use this option, if you included the costs already with your main resource.<br>Default: disabled.  | allow=1<br>do not allow=0                   |
| LIEGEZEIT            | Idle time                     |   |   |
| LIEGEZEIT_TYP        | --                            |   |   |
| MENGE                | Quantity Tools                |   |   |
| MENGE_JE             | Quantity per                  |   |   |
| MENGE_ZEITJE         | Times Unit                    |   | per hour=60<br>per minute=1                 |
| NUTZEN               | Use Factor                    |   |   |
| OPTIMIZED_ID         | Activate Optimization         | only alternative resource:<br>If active, at the calculation the lead time will be checked, whether with this resource a faster processing is possible and if yes, the resource will be replaced automatically.  | yes=1<br>no=0                               |
| POS_ID               | position number visible       |   |   |
| RESOURCENTYP         | Resourcentyp                  | Type of Resource  | Tools/Utils=W<br>parallel=A<br>alternativ=R |
| TE                   | Mach+Labor Time/unit          |   |   |
| TIMETYPE_ID          | Time Type                     |   |   |
| TR                   | set-up time                   |   |   |
| UDF1                 | Userfield 1                   |   |   |

|            |   |
|------------|---|
| UDF10      | Userfield 10  |
| UDF11      | Userfield 11  |
| UDF12      | Userfield 12  |
| UDF13      | Userfield 13  |
| UDF14      | Userfield 14  |
| UDF15      | Userfield 15  |
| UDF2       | Userfield 2   |
| UDF3       | Userfield 3   |
| UDF4       | Userfield 4   |
| UDF5       | Userfield 5   |
| UDF6       | Userfield 6   |
| UDF7       | Userfield 7   |
| UDF8       | Userfield 8   |
| UDF9       | Userfield 9   |
| WKZ_ID     | Resource Id<br>This is the resource or tool id<br>linked with BEAS_APLATZ.APLATZ_ID or<br>BEAS_WKZ.WKZ_ID |
| WKZPOS_ID  | Internal Position   |
| ZUSATZINFO | Additional Information  |

| Column     | Description         |
|------------|---------------------|
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ART        | Item                |
| BUCHNR_ID  | Buchungsnummer      |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| PERS_ID    | Employee Number     |
| SCHICHT_ID | Shift               |
| STMPDATZT  | Beginn              |

| Column          | Description                     |   |
|-----------------|---------------------------------|---|
| ANDTSTAMP       | Date of last change             |   |
| ANDUSER         | User of last change             |   |
| BEWERTUNGDAT    | Valuation date                  | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| BISDAT          | To Date                         | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| BISRECHDAT      | To calculated                   |   |
| BPLId           | Branche                         |   |
| BPLName         | Branch                          |   |
| BUCHNR_ID       | internal number                 |   |
| DAUER           | Duration                        | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| DAUER_MIN       | Duration Minutes                |   |
| ERFTSTAMP       | Creation Date                   |   |
| ERFUSER         | Creation User                   |   |
| GEAENDERT       | Changed Entry                   |   |
| INFO            | Info                            |   |
| KSTST_ID        | Cost Center                     |   |
| MANUELL         | Manuel Entry                    | Please set to J, if this a manual entry. Only for information<br>Manual=M<br>No=N           |
| ORGINALZEIT     | Original Time Info              | if you change the original time, copy this in this field                                    |
| PERS_ID         | Employee Number                 |   |
| PRESENCETYPE    | Presence type                   |   |
| RECH_SCHICHT_ID | Shift                           |   |
| RECH_STDRGL_ID  | Period rule                     |   |
| RECHDAUER       | Duration calculated             |   |
| RECHDAUER_MIN   | Calculation: Duration in Minute |   |
| RECHWAGETYPE    | Wage type                       |   |
| SCHICHT_ID      | Allocated shift                 |   |
| STDRGL_ID       | Fix Period rule                 |   |
| UDF1            | User Field 1                    |   |
| UDF2            | User Field 2                    |   |
| UDF3            | User Field 3                    |   |
| UDF4            | User Field 4                    |   |
| VONDAT          | From Date                       | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| VONRECHDAT      | From calculated                 |   |
| WAGETYPE        | Wage type                       |   |

| Column           | Description                          |   |
|------------------|--------------------------------------|---|
| AG_ID            | Operation catalog number             | Reference to operation catalog number   |
| AGTYP            | Operation Type                       |   |
| AKTIVFORMEL      | Activ Formel                         | Define, if this position is active<br>Quantity > x: G=x<br>Quantity < x: K=x<br>Quantity between X and y: Z=x=y<br>not active=N<br>active=J   |
| ANDTSTAMP        | Modification Date                    |   |
| ANDUSER          | Modified by                          |   |
| ANWEISUNGEN      | instructions                         |   |
| ANZAHL           | Work Steps                           |   |
| ANZLS            | Number of Pay Slips                  |   |
| APLATZ_ID        | Resource                             |   |
| AUSSCHUSSFAKTOR  | Scrap Factor                         |   |
| BA_ID            | --                                   |   |
| BDE              | Labour Postings Mandatory            | Yes=J<br>No=N   |
| BEARBEITUNGS_ART | --                                   |   |
| BEZ              | Description                          | Description about the work  |
| BILD1            | Picture 1                            |   |
| BILD2            | Picture 2                            |   |
| BILD3            | Picture 3                            |   |
| BITMAPNAME       | Picture                              |   |
| CAFTINFO         | Formula definition Variant           | Define all Formulas for the current Routing Position<br>FieldName=F/T/V=Information=VariableTyp=VariableLen=Changeable=Unit=ChoseList=Instructions/Formulas<linefeed><br>F=Formula<br>T=Table<br>V=Variablelename   |
| CardCode         | Supplier                             |   |
| COLORID          | Color                                |   |
| ERFTSTAMP        | Creation DAte                        |   |
| ERFUSER          | Creator                              |   |
| FAG              | External operation                   | external=J<br>internal=N  |
| FAG_CURRENCY     | External operation Currency          |   |
| FAG_ITEMCODE     | External operation Item              | linked to an "non stock item"<br>you need this, if this an external operation   |
| FAG_MINPRICE     | External operation Minimum price     |   |
| FAG_PRICE        | External operation Price             |   |
| FAG_PRICEJE      | External operation Price per         |   |
| FAG_TRANSPORTPRI | External operation Shipping price    |   |
| FAG_TRANSPORTPRI | External operation Shipment Lot Size |   |
| Flags            | Additional flags                     | Additional Flags, 6 Digits, Example/Default:<br>000000<br>Pos 1: in Precalculation unvisible: 1=unvisible,<br>0=visible<br>Pos 2: visible in Workorder: 1=unvisible, 0=visible<br>Pos 3: lock time receipt: 1=lock, 0=unlock<br>Pos 4: check plan quantity: 0=off, 1=on<br>Pos 5: post calculation visible: 1=unvisible,<br>0=visible<br>Pos 6: resourcen optimization: 0=on, 1=off |
| FORMEL           | --                                   |   |
| GUELTIG_BIS      | Valid to                             | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |

|                  |                                  |  |
|------------------|----------------------------------|--|
| GUELIG_VON       | Valid from                       | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| ItemCode         | Item                             |  |
| KSTST_ID         | Cost Center                      |  |
| LOHNGRUPPE       | Wage Group                       |  |
| MASTER_POS_ID    | linked with Routing position     |  |
| MEHRMASCH_BED    | Machine Grouping                 |  |
| MEHRMASCHINENBEI | Resource Allocation Type         | Ressource allocation possible? Here you can define the type of quantity defintion<br>Single=N<br>Percent=P<br>Quantity=J   |
| MEHRMASCHINENBEI | Resource Allocation Quantity     | Define max. quantity of Resources which you can use for the resource<br>In field "Resource allocation Type" you define, if this number is percent or quantity  |
| MENGE_JE         | Times in per Quantity            |  |
| MENGE_ZEITJE     | Times per Hr. or. Minute         | Stunde=60<br>Minute=1<br>--  |
| MENGENAUSSCHUSS  | Scrap Factor Bill of Materials   |  |
| MILESTONE        | Milestone                        |  |
| MyLongText       | --                               |  |
| nonSynch         | Synchronization                  | At import or inserting a routing position, the routing is always deleted completely and re-imported.<br>Use the settings to manipulate the behavior on routing position level<br>yes: Position will be deleted before the import<br>do not delete: Position will not be deleted, but can be overwritten<br>no: Position will not be deleted and cannot be changed<br>Yes=0<br>Don not delete=1<br>No=2 |
| NUTZEN           | Use factor                       |  |
| PERSGRP_ID       | Personnel Group                  |  |
| PO_WHS           | Return address from warehouse    | The warehouse to send the purchase for external operation<br>Here you can define the warehouse for purchase order  |
| POS_ID           | internal Position                |  |
| POS_TEXT         | Routing Position                 |  |
| PTIMETYPE_ID     | labor costs Time Type            |  |
| QS_ID            | Inspection Plan (QC)             |  |
| RM_FAKTOR        | Factor per unit of warehouse     |  |
| RM_ME_ID         | Goods Receipt in Unit            |  |
| SCRIPTS          | Script Variant                   | Define beans scripts for define properties in current Routing Position<br>Changeable left icon from Routing Position   |
| SHORTVARIANTDEF  | Variantdefinition A-Z            | Variant Definition<br>A-Z, String with<br>JNJNNNNNNNNNNNNNNNNNNNNNNNNNNNN<br>J=Activ, N=not Activ<br>First Position=Version A<br>Second Position=Version B<br>and so on<br>Example<br>JNJNNNNNNNNNNNNNNNNNNNNNNNNNNNN =<br>A:Activ, B:not activ, C:Activ<br>Attention: The string need 26 letters. If you insert less then 26 letters, it's not working  |
| SortId           | Sorting                          |  |
| TEAPLATZ         | Mach+Labor Time duration /unit   |  |
| TEPERSGRP        | Personnel Mach+Labor Time/unit   |  |
| THAPLATZ         | Machine Time duration / unit     |  |
| THPERSGRP        | Personnel Machine Time / unit    |  |
| THTIMETYPE_ID    | Cost Element Machine Time / unit |  |
| TIMETYPE_ID      | Time Type Duration               |  |
| TL               | Idle Time in Hours               |  |
| TNAPLATZ         | Labor Time duration / unit       |  |

|               |                             |  |
|---------------|-----------------------------|--|
| TNPersGrp     | Personnel Labor Time / unit |  |
| TNTIMETYPE_ID | Cost Element Secondary time |  |
| TR2APLATZ     | Setup time Capacity         |  |
| TR2PersGrp    | Personnel 2. set-up time    |  |
| TRAPLATZ      | Setup time Calculation      |  |
| TRPersGrp     | Personnel set-up time       |  |
| TRTIMETYPE_ID | Cost Element setting up     |  |
| U_beas_ver    | -                           |  |
| UDF1          | Userfield 1                 |  |
| UDF10         | Userfield 10                |  |
| UDF11         | Userfield 11                |  |
| UDF12         | Userfield 12                |  |
| UDF13         | Userfield 13                |  |
| UDF14         | Userfield 14                |  |
| UDF15         | Userfield 15                |  |
| UDF2          | Userfield 2                 |  |
| UDF3          | Userfield 3                 |  |
| UDF4          | Userfield 4                 |  |
| UDF5          | Userfield 5                 |  |
| UDF6          | Userfield 6                 |  |
| UDF7          | Userfield 7                 |  |
| UDF8          | Userfield 8                 |  |
| UDF9          | Userfield 9                 |  |
| UEBLGRZ       | Overlap Limit               | Overlap limit to next routing position   |
| VersionArea   | Valid for Version           |  |
| VersionFrom   | Valid From Version          |  |
| VersionTo     | Valid To Version            |  |
| ZEITAUFNDAT   | Date Time Recording         | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| ZEITAUFNKZ    | Date Record Property        |  |
| ZTART         | --                          |  |

| Column           | Description   |
|------------------|---|
| AccessGroup      | authorization group   |
| ANDTSTAMP        | Date of last change   |
| ANDUSER          | User of last change   |
| BITMAPNAME       | Picture   |
| Block            | Blocked   |
| BlockDate        | Blocked Date<br>best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| BlockName        | Blocked Name  |
| BlockReason      | Blockage reason   |
| CanModify        | Allow changes   |
| COLORID          | Color   |
| DateFrom         | Valid from  |
| DateTo           | Valid to  |
| DESCRIPTION      | Description   |
| ERFTSTAMP        | Creation date   |
| ERFUSER          | Recorder  |
| ForItemCode      | Linked with Item<br>Linked to Items. It's only for information  |
| ItemCode         | Routing ID  |
| MatchCode        | Match code  |
| Release          | Release   |
| ReleaseDate      | Release Date<br>best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| ReleasePersName  | Release From  |
| ReleaseStationId | Release on Work station   |
| Remarks          | Information<br>Long description for this routing plan   |
| RevisionLevel    | Revision Nummmer  |
| Status           | Status  |
| TYP              | Routing Type<br>Type of routing. Current only "bom" allowed<br>bill of material=bom                         |
| UDF1             | Userfield 1   |
| UDF10            | Userfield 10  |
| UDF11            | Userfield 11  |
| UDF12            | Userfield 12  |
| UDF13            | Userfield 13  |
| UDF14            | Userfield 14  |
| UDF15            | Userfield 15  |
| UDF2             | Userfield 2   |
| UDF3             | Userfield 3   |
| UDF4             | Userfield 4   |
| UDF5             | Userfield 5   |
| UDF6             | Userfield 6   |
| UDF7             | Userfield 7   |
| UDF8             | Userfield 8   |
| UDF9             | Userfield 9   |
| Version          | Version<br>Version number. Is only for information. This function have not additional functionality.        |

| Column               | Description  |
|----------------------|--|
| AGTYP                | Operation Type   |
| AKTIV                | Active<br>yes=1<br>no=0  |
| ALLOW_MANUAL_CH      | Allow manual change<br>only alternative resource:<br>This alternative resource can only be selected manually, if this option has been enabled. The event will be canceled and receipted with the error message "(aktivaplatz440)Resource cannot be selected when flag "allow manual change" is off" if this option has been disabled and an attempt has been made to select the resource.<br>Note: A change is only possible if a change has been allowed according to the production position (Production position - Allow change has to be allowed). |
| ALTERNATIV           | alternative Parallel Resource<br>yes=1<br>no=0   |
| ANDTSTAMP            | Date of last change  |
| ANDUSER              | User of last change  |
| ANTEIL               | Time reservation %<br>only parallel resources:<br>If no setup and edit time was entered, the time of the main operation * time reservation is used as reference.<br>At which % shall the resource be scheduled?<br>Example: The parallel resource is an employee operating four machines at once. He need to be available for the machine at the whole time but only at 25%.<br>If the setup time or processing time is entered, in pre-calculation this input will be ignored.<br>See note above at Setup time.                                       |
| ANZAHL               | quantity<br>Anzahlfaktor   |
| ERFTSTAMP            | Creation date  |
| ERFUSER              | Creation user  |
| IgnoreOwnResourcePri | Cost not valuate<br>yes=1<br>no=0  |
| ItemCode             | Routing ID   |
| LIEGEZEIT            | Idle time  |
| LIEGEZEIT_TYP        | --   |
| MENGE                | Quantity Warehouse unit<br>Only for tools:<br>Needed quantity in warehouse unit of the tool  |
| MENGE_JE             | Quantity per Finished Item   |
| MENGE_ZEITJE         | Time by  |
| NUTZEN               | Use  |
| OPTIMIZED_ID         | Activate Optimization<br>only for alternative resources:<br>If active, at the calculation the lead time will be checked, whether with this resource a faster processing is possible and if yes, the resource will be replaced automatically<br>yes=1<br>No=0   |
| POS_ID               | Routing position (ID)<br>Link to internal position number from routing position (BEAS_APL.POS_ID)  |
| POS2_ID              | Position Number (visible)  |
| RESOURCENTYP         | Resource typ (Tool/Resource)<br>Tool=W<br>Parallel resource=A<br>Alternativ resource=R   |
| TE                   | Mach+Labor Time/unit   |
| TIMETYPE_ID          | Time Type  |
| TR                   | Setup time   |
| UDF1                 | Userfield 1  |
| UDF10                | Userfield 10   |
| UDF11                | Userfield 11   |
| UDF12                | Userfield 12   |

|            |                          |   |
|------------|--------------------------|---|
| UDF13      | Userfield 13             |   |
| UDF14      | Userfield 14             |   |
| UDF15      | Userfield 15             |   |
| UDF2       | Userfield 2              |   |
| UDF3       | Userfield 3              |   |
| UDF4       | Userfield 4              |   |
| UDF5       | Userfield 5              |   |
| UDF6       | Userfield 6              |   |
| UDF7       | Userfield 7              |   |
| UDF8       | Userfield 8              |   |
| UDF9       | Userfield 9              |   |
| WKZ_ID     | Resource / Tool Id       | Id of the resource<br>if resource type = W then link to<br><u>BEAS_WKZ.WKZ_ID</u><br>for all other link to resource<br><u>BEAS_APLATZ.APALTZ_ID</u> |
| WKZPOS_ID  | Resource Position Number | Position number for this resource position<br>Must be unique for all resource types (tools,<br>alternativ, parallel)                                |
| ZUSATZINFO | Additional Information   |   |

| Column            | Description                        |  |   |
|-------------------|------------------------------------|--|---|
| Active            | Active                             |  |   |
| ANDTSTAMP         | Änderungsdatum                     |  |   |
| ANDUSER           | Änderungsanwender                  |  |   |
| ANZMASCHPERS      | Number of Machine / person         |  |   |
| APLATZ_ID         | Resource                           | Resouce id   |   |
| APSVIEW           | View in APS                        | Yes=1<br>No=0  |   |
| AUSWAERTSBEARBE   | Service / register costs           | Yes=J<br>No=N  |   |
| BEMERKUNG         | Remark                             |  |   |
| BEZ               | Description                        |  |   |
| BILD1             | Picture 1                          |  |   |
| BILD2             | Picture 2                          |  |   |
| BILD3             | Picture 3                          |  |   |
| BITMAP_ID         | Picture                            |  |   |
| BPLId             | Branch                             |  |   |
| BPLName           | Branch                             |  |   |
| COLOR_ID          | Color                              |  |   |
| COSTEXTENDED      | Expand to costelements             | Define count of cost elements, which you want using for this resource                    | 1 cost element=0<br>2 cost elements=1<br>3 cost elements=2<br>4 cost elements=3 |
| DOCUMENTS         | Edit Documents                     |  |   |
| ERFTSTAMP         | Erfassungsdatum                    |  |   |
| ERFUSER           | Erfassungsanwender                 |  |   |
| FIX_ABSCHREIBUNG_ | Amortization Lohnkosten Fix        |  |   |
| FIX_DIREKT_LOHN   | Direkte Lohnkosten Fix             |  |   |
| FIX_INDIREKT_LOHN | Indirekte Lohnkosten Fix           |  |   |
| FIX SONSTIGES LOH | Sonstige Lohnkosten Fix            |  |   |
| FIX_UMLAGE_LOHN   | Umlage Lohn Fix                    |  |   |
| GKBED             | Marginal Cost                      |  |   |
| GKEINR            | Marginal Cost Einrichter           |  |   |
| GRENZ_ABSCHREIBU  | Amortization Marginal Cost         |  |   |
| GRENZ_DIREKT_LOH  | Direkte Lohnkosten Marginal Cost   |  |   |
| GRENZ_INDIREKT_LC | Indirekte Lohnkosten Marginal Cost |  |   |
| GRENZ SONSTIGES_  | sonstige Lohnkosten Marginal Cost  |  |   |
| GRENZ_UMLAGE_LOI  | Umlage Lohn Marginal Cost          |  |   |
| GRUPPE            | Group                              |  |   |
| GRUPPENPLATZ      | Resource group                     | If this resource a group definition, then this field is Yes (J) otherwise No (N or NULL) | Yes=J<br>No=N   |
| KAPACHECKLIMIT    | Consider resource limits           | While capacity planing for this resource: Notice resource limiting for this resource?    | Yes=J<br>No=N   |
| KAPAPLANUNG       | Capacity planning                  |  |   |
| KOSTEN_VOM        | Cost vom                           |  |   |
| KSTST_ID          | Cost Center                        |  |   |
| LAYERPLAN         | Shift schedule                     |  |   |
| LOSGR_MAX         | Lot Size Maximum                   |  |   |
| LOSGR_MIN         | Lot Size Minimal                   |  |   |

|                  |                                       |  |               |
|------------------|---------------------------------------|--|---------------|
| MEHRAUFTRAGSBED  | Work order grouping                   | Determines, whether several operations may be processed at once on that resource<br>several orders can be processed at once on on that resource  | Yes=J<br>No=N |
|                  |                                       | Enabled<br>Multiple orders can be processed in parallel on this resource.<br>The option is activated by default. This is only considered in the new FDC > Open Work Order or in Pool list with multiple selection.                         |               |
|                  |                                       | Disabled<br>If an order was already registered on a machine (Resource), a second one can not be registered.<br>In the logon screen on resource selection page a sign "no entry" is displayed.  |               |
| not_divide_time  | Do not split time receipt             |  |               |
| OPTIMIZED_ID     | Automatic optimization                |  |               |
| PCOSTAKTIV       | Labor costs Active                    | if activ, you can set personal costs   | yes=1<br>No=0 |
| PCOSTGK          | Labor costs Marginal Cost             |  |               |
| PCOSTVK          | Labor costs Full Cost                 |  |               |
| POOLGRENZE       | Pool limit in hrs.                    |  |               |
| PRAEMBER_ID      | Prämienvbereichzuordnung              |  |               |
| PROZERHZEIT      | prozentuale Erholungszeit             |  |               |
| PROZVERTZEIT     | prozentuale Verteilzeit               |  |               |
| PTIMETYPE_ID     | Labor costs Time Type                 |  |               |
| RESOURCETYPE     | Type of resource                      |  |               |
| SACHB_ID         | Employee planner                      |  |               |
| SAME_STARTENDTIM | same date for start and finish        |  |               |
| SINGLEUSER       | Single operation per operation sequer | If enabled, to the operation sequence, to which the resource has been assigned to, only one employee may logon. That means several orders may be registered to that resource, but per operation sequence only one employee may be working. | Yes=1<br>No=0 |
| SOLLKAPSTDTAG    | Planned Capacity hrs./day             |  |               |
| STANDORT         | Location                              |  |               |
| TETIMETYPE_ID    | Cost Element Mach+Labor Time/unit     |  |               |
| THGK             | Cost Machine Time / unit Marginal Co: |  |               |
| THTIMETYPE_ID    | Cost Element Machine Time / unit      |  |               |
| THVK             | Cost Machine Time / unit Full Cost    |  |               |
| TNGK             | Cost Secondary time Marginal Cost     |  |               |
| TNTIMETYPE_ID    | Cost Element Secondary time           |  |               |
| TNVK             | Cost Secondary time Full Cost         |  |               |
| TRGK             | Cost of setup Marginal Cost           |  |               |
| TRTIMETYPE_ID    | Cost Element setting up               |  |               |
| TRVK             | Cost of setup Full Cost               |  |               |
| UDF1             | Userfield 1                           |  |               |
| UDF10            | Userfield 10                          |  |               |
| UDF11            | Userfield 11                          |  |               |
| UDF12            | Userfield 12                          |  |               |
| UDF13            | Userfield 13                          |  |               |
| UDF14            | Userfield 14                          |  |               |
| UDF15            | Userfield 15                          |  |               |
| UDF2             | Userfield 2                           |  |               |
| UDF3             | Userfield 3                           |  |               |
| UDF4             | Userfield 4                           |  |               |
| UDF5             | Userfield 5                           |  |               |
| UDF6             | Userfield 6                           |  |               |
| UDF7             | Userfield 7                           |  |               |
| UDF8             | Userfield 8                           |  |               |

|                |                      |
|----------------|----------------------|
| UDF9           | Userfield 9          |
| UEBERGANGSZEIT | Transit time in days |
| VOLLKSTBED     | Full Cost            |
| VOLLKSTEINR    | Full Cost Einrichter |
| ZEITGRAD       | Efficiency Rate %    |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column    | Description        |
|-----------|--------------------|
| ANDTSTAMP | Änderungsdatum     |
| ANDUSER   | Änderungsanwender  |
| APLATZ_ID | Work Center        |
| BELNR_ID  | Document Number    |
| BELPOS_ID | Belegposition      |
| BIS       | To Date            |
| ERFTSTAMP | Erfassungsdatum    |
| ERFUSER   | Erfassungsanwender |
| KW        | Kalenderwoche      |
| POS_ID    | Position           |
| VON       | From Date          |
| ZEIT      | Time               |

| Column          | Description |
|-----------------|-------------|
| APLATZ_ID       | Work Center |
| aplatz_maschine | Machine     |
| signal          | Signal      |
| STATION         | Work Center |

| Column       | Description                  |
|--------------|------------------------------|
| ANDTSTAMP    | Änderungsdatum               |
| ANDUSER      | Änderungsanwender            |
| ANZMASCHPERS | Number Machine bzw. Personen |
| APLATZ_ID    | Work Center                  |
| DATUM        | Date                         |
| ERFTSTAMP    | Erfassungsdatum              |
| ERFUSER      | Erfassungsanwender           |
| GRUND        | Reason for Eintrag           |
| SOLLKAPSTDAG | Planned Capacity in Std.Tag  |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| APLATZ_ID | Work Center         |
| DATUM_BIS | Date To             |
| DATUM_VON | Date From           |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| GRUNDID   | Reason ID           |
| GRUNDINFO | Reason Information  |
| INTNR     | Internal No.        |
| PERS_ID   | Employee number     |

| Column    | Description        |
|-----------|--------------------|
| ANDTSTAMP | Änderungsdatum     |
| ANDUSER   | Änderungsanwender  |
| APLATZ_ID | Work Center        |
| ERFTSTAMP | Erfassungsdatum    |
| ERFUSER   | Erfassungsanwender |
| INFO      | Info               |
| ItemCode  | Item               |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column     | Description         |
|------------|---------------------|
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| APLATZ_ID  | Work Center         |
| APLATZ2_ID | For Work Center     |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| UEBGZEIT   | Transfer time       |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BEZ       | Description         |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| GRUPPE    | Group               |

| Column            | Description                              |   |  |
|-------------------|--|---|--|
| ABGKZ             | Closed                                   |   | Close Routing<br>Position=Y<br>Don't close Routing<br>Position=N |
| ADDITIONAL_COST_C | Additional Costs Amount Marginal Cost    |   |  |
| ADDITIONAL_COST_V | Additional Costs Amount Full Cost        |   |  |
| ADDITIONAL_PC_GK  | Additional Costs % Marginal Cost         |   |  |
| ADDITIONAL_PC_VK  | Additional Costs % Full Cost             |   |  |
| ADDITIONAL_PCOSTC | Additional Costs Personnel Marginal Cost |   |  |
| ADDITIONAL_PCOSTV | Additional Costs Personnel Full Cost     |   |  |
| ANDTSTAMP         | Date of Last Change                      |   |  |
| ANDUSER           | User of Last Change                      |   |  |
| ANFZEIT           | Start Date                               | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |  |
| APLATZ_ID         | Resource                                 |   |  |
| AUFTRAG           | Order                                    |   |  |
| AUSWAERTSBEARBE   | External Processing                      |   |  |
| BatchNum          | Batch Number                             |   |  |
| BELNR_ID          | Work order number                        |   |  |
| BELPOS_ID         | Work order position number               |   |  |
| BPLName           | Branche Name                             |   |  |
| BUCHNR_ID         | Booking No                               |   |  |
| CANCEL            | Cancel entry                             |   |  |
| CANCELD           | Time receipt message canceled            |   |  |
| DisplayName       | Personnel Name                           |   |  |
| DocDate           | Valuation date                           | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |  |
| ENDZEIT           | End Date                                 | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |  |
| ERFTSTAMP         | Creation Date                            |   |  |
| ERFUSER           | Creation User                            |   |  |
| EXTERNAL_COST     | External Cost                            | Cost (manual entry)   |  |
| GRUND             | Reason for Entry                         |   |  |
| KOSTEN_GK         | Cost to GrenzCost                        |   |  |
| KOSTEN_VK         | Cost to VollCost                         |   |  |
| KSTST_ID          | Cost Center                              |   |  |
| manualbooking     | Disable backflushing                     | Only Import field:<br>Disable this field, if you want use the backflush function.<br>Attention: beas can book only material which defined. If you use manual batchnumbers then beas can't receipt the assembly. | Disable backflush=Y<br>Use default backflush process=N           |
| MENGE_GUT         | First Quality Quantity                   |   |  |
| MENGE_GUT_RM      | Yield Quantity                           | Quantity im time receipt unit   |  |
| MENGE_SCHLECHT    | Scrap Quantity                           |   |  |
| MENGE_SCHLECHT_I  | Scrap Quantity                           | Scrap Quantity im time receipt unit   |  |
| PCOSTGK           | labor costs Marginal Cost                |   |  |
| PCOSTVK           | labor costs Full Cost                    |   |  |
| PERS_ID           | Employee number                          |   |  |
| POS_ID            | Routing position number                  |   |  |
| PostInBoMDocEntry | Post In DocEntry                         |   |  |
| PostInDocEntry    | Link to receipt                          |   |  |
| PostOutDocEntry   | Link to issue                            |   |  |

|                 |  |
|-----------------|--|
| PRJUID          | Project Task   |
| Project         | Project  |
| PTIMETYPE_ID    | Personel Time Type   |
| RESOURCENPOS_ID | Parallel Position<br>Internal position number of parallel resource linked to BEAS_FTAPL.WKZPOS_ID !                                  |
| RM_FAKTOR       | Factor per Timeunit  |
| RM_ME           | Timeunit   |
| RUEST_GK        | Cost of setup Marginal Cost  |
| RUEST_VK        | Cost of setup Full Cost  |
| STATIONNAME     | Work station Name  |
| TIMEFACTOR      | Time Factor  |
| TIMETYPE_ID     | Time Type  |
| TYP             | message typ<br><br>normal time=A<br>tool time=R<br>time 2 (H)=H<br>time 3 (N)=N  |
| UDF1            | Userfield 1  |
| UDF10           | Userfield 10   |
| UDF11           | Userfield 11   |
| UDF12           | Userfield 12   |
| UDF13           | Userfield 13   |
| UDF14           | Userfield 14   |
| UDF15           | Userfield 15   |
| UDF2            | Userfield 2  |
| UDF3            | Userfield 3  |
| UDF4            | Userfield 4  |
| UDF5            | Userfield 5  |
| UDF6            | Userfield 6  |
| UDF7            | Userfield 7  |
| UDF8            | Userfield 8  |
| UDF9            | Userfield 9  |
| WKZ_ID          | Tool Id<br><br>Which Tool id (from tool administration BEAS_WKZ) used for this time operation<br>Only for information. Not mandatory |
| ZEIT            | Time   |

| Column    | Description   |
|-----------|---------------|
| BUCHNR_ID | Booking No    |
| Quantity  | Quantity      |
| SCRAP_ID  | Scrap Reasons |

| Column        | Description             |
|---------------|-------------------------|
| AENDSCRIPT    | Change Aanweisung       |
| ART_ID        | Item                    |
| ART_IDVISIBLE | Item Number visible     |
| AUSWAHLSCRIPT | Selection Instruction   |
| BEZ           | Description             |
| BEZSCRIPT     | Description Instruction |
| BEZVISIBLE    | Description visible     |
| GRUPPE        | Group                   |
| GRUPPEAKTIV   | Group Active            |
| GRUPPEVISIBLE | Gruppeneintrag visible  |
| Level         | Step                    |
| NR            | Number                  |
| QUELL_ART_ID  | Source Item             |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| EKTEXT    | Text for Buying     |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| ItemCode  | Item Number         |
| LAND_ID   | Language            |
| VKTEXT    | Text for Selling    |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| F_AUFT    | Work Order          |
| F_BETRAG  | Amount              |
| F_DATUM   | Date                |
| F_KANR    | Cost Element        |
| F_LFDNR   | Consecutive No      |
| F_MEMO    | Information         |
| PRODGR_ID | Produktionsgruppe   |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| FK_BETRAG  | Amount              |
| FK_KSTNR   | Cost Center Group   |
| FK_LFDNR   | Consecutive No      |
| FK_PROZENT | Percent             |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BUDGET_JN | Budget in           |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| KA_BEZ    | Description         |
| KA_BUDGET | Budget              |
| KA_DV     | DV                  |
| KA_FIX    | Fix                 |
| KA_GE     | GE                  |
| KA_MKVR   | MKVR                |
| KA_NR     | Cost Element        |
| KA_PFK    | PFK                 |
| KA_VAR    | Var.                |
| KA_VGR    | vgr                 |
| KATEGORIE | Category            |
| LA_NR     | Primary             |
| STSCHL_ID | StSchl              |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| KAD_KANR  | Cost Element No.    |
| KAD_KSTNR | Cost Center No.     |
| KAD_MENGE | Quantity            |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ANTEIL_FIX | Share fix           |
| ANTEIL_VAR | Share var           |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| KAG_KANR   | Cost Element Number |
| KAG_KSTNR  | Cost Center Number  |
| KAG_MENGE  | Quantity            |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| KATEGORIE | Category            |
| KK_BEZ    | Description         |
| KK_KZDR   | KZDR                |
| KK_MKVNR  | MKVNR               |
| KK_NR     | Number              |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| KP_KANR   | Cost Element Number |
| KP_NR     | Number              |
| KP_POS    | Position            |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| NACH_NR   | to                  |
| VON_NR    | From                |

| Column          | Description           |
|-----------------|-----------------------|
| ABR_ID          | Statement Cycle       |
| ANDTSTAMP       | Date of Last Change   |
| ANDUSER         | User of Last Change   |
| ANTEIL_REP_FIX  | Share rep fix         |
| ANTEIL_REP_VAR  | Share rep Var.        |
| ERFTSTAMP       | Creation Date         |
| ERFUSER         | Typist                |
| HB_KOSTEN       | hb Cost               |
| ISTWERT_FIX     | Actual Value Fix      |
| ISTWERT_VAR     | Actual Value Var.     |
| KATEGORIE       | Category              |
| KST_BASIS       | basis                 |
| KST_BEZ         | Description           |
| KST_FK          | FC                    |
| KST_HK          | Product. Cost         |
| KST_HK2         | hk2                   |
| KST_KOSTS       | kosts                 |
| KST_KZLM        | kzlm                  |
| KST_NR          | Cost Center           |
| KST_SPARTE      | Sector                |
| KST_VGR         | vgr                   |
| KST_VGR_PRODGR  | vgr prodgr            |
| KST_VGR2        | vrg2                  |
| KST_VGRV        | vgrv                  |
| KST_VGRV2       | vgrv2                 |
| KST_ZUS         | Zus                   |
| LOHNG_KOSTEN    | Lohng Cost            |
| MANUELL_ISTWERT | Manually Actual Value |
| MANUELL_PLANWER | Manually Plan Value   |
| PLANWERT_FIX    | Plan Value Fix        |
| PLANWERT_VAR    | Plan Value Var.       |
| REP_KOSTEN      | rep Cost              |
| VERS_KOSTEN     | vers Cost             |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| EFF_STD    | eff. planned        |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| GEPL_STD   | planned hr.         |
| KST_NR     | Cost Center         |
| MONAT_JAHR | Month / Year        |

| Column            | Description         |
|-------------------|---------------------|
| ABR_ID            | Statement Cycle     |
| ANDTSTAMP         | Date of Last Change |
| ANDUSER           | User of Last Change |
| ERFTSTAMP         | Creation Date       |
| ERFUSER           | Typist              |
| KK_BASIS          | Basus               |
| KK_BEZ            | Description         |
| KK_KOSTS          | KOSTS               |
| KK_KTR_DRUCK      | Cost Object Print   |
| KK_KTR_VERDICHTEI | compress            |
| KK_NR             | Number              |
| KK_SORTIERUNG     | Sort                |
| KK_ZUS            | ZUS                 |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| EFF_STD    | eff. planned        |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| GEPL_STD   | planned hr.         |
| KK_NR      | Number              |
| MONAT_JAHR | Month / Year        |

| Column        | Description         |
|---------------|---------------------|
| ABR_ID        | Statement Cycle     |
| ANDTSTAMP     | Date of Last Change |
| ANDUSER       | User of Last Change |
| ERFTSTAMP     | Creation Date       |
| ERFUSER       | Typist              |
| KP_KSTNR      | Cost Center Number  |
| KP_NR         | Number              |
| KP_PLUS_MINUS | Plus / Minus        |
| KP_POS        | Position            |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| KV_KSTNR  | Cost Center Number  |
| KV_MENGE  | Quantity            |
| KV_MONAT  | Month               |
| KV_VGNR   | Op.No.              |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| NACH_NR   | to                  |
| VON_NR    | From                |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| LA_BEZ    | Description         |
| LA_EINH   | Unit                |
| LA_NR     | Primary             |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| LA_BEZ    | Description         |
| LA_EINH   | Unit                |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| F_AUFT    | Work Order          |
| F_BETRAG  | Amount              |
| F_DATUM   | Date                |
| F_KANR    | Cost Element        |
| F_LFDNR   | Consecutive No      |
| F_MEMO    | Information         |
| PRODGR_ID | Produktionsgruppe   |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| FK_BETRAG  | Amount              |
| FK_KSTNR   | Cost Center Group   |
| FK_LFDNR   | Consecutive No      |
| FK_PROZENT | Percent             |
| FK_ZEIT    | Time                |

| Column        | Description         |
|---------------|---------------------|
| ABR_ID        | Statement Cycle     |
| ANDTSTAMP     | Date of Last Change |
| ANDUSER       | User of Last Change |
| ANSCH_WERT    | Acquisition cost    |
| BEZ           | Description         |
| ERFTSTAMP     | Creation Date       |
| ERFUSER       | Typist              |
| FREI_DM_FIX   | Userfield 1 fix     |
| FREI_DM_VAR   | Userfield 1 Var.    |
| FREI2_DM_FIX  | Userfield 2 fix     |
| FREI2_DM_VAR  | Userfield 2 Var.    |
| HB            | hb                  |
| KST_NR        | Cost Center         |
| KWH           | kW/h                |
| LOHN          | Wage                |
| MA_ID         | Machine             |
| NUTZUNGSDAUER | Useful Life         |
| QM            | qm                  |
| TEXTFREI      | Userfield 1 Text    |
| TEXTFREI2     | Userfield 2 Text    |
| TEXTLOHN      | Text Wage           |
| UEBSTD_FIX    | Overtime Fix        |
| UEBSTD_VAR    | Overtime Var.       |
| WASSER        | Wasser              |
| WIEDERB_WERT  | Replenishment time  |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| EFF_STD    | eff. planned        |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| GEPL_STD   | planned hr.         |
| MA_ID      | Machine             |
| MONAT_JAHR | Month / Year        |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| MKV_BEZ1  | Description         |
| MKV_NR    | Primary             |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| MKV_MENGE | Quantity            |
| MKV_NR    | Primary             |
| MKV_POS   | Position            |

| Column      | Description         |
|-------------|---------------------|
| ABR_ID      | Statement Cycle     |
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| BEZ         | Description         |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| PRODGR_ID   | Produktionsgruppe   |
| VERDICHTUNG | compress            |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| POS_ID     | Position            |
| PRODGR_ID  | Production Group    |
| PRODGR_ID2 | Production Group 2  |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| SP_BEZ    | Description         |
| SP_NR     | Number              |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| SB_BETRAG | Amount              |
| SB_DATUM  | Date                |
| SB_GRUND  | Reason              |
| SB_LFDNR  | Primary             |
| SB_NACH   | by                  |
| SB_PREIS  | Price               |
| SB_STD    | Default             |
| SB_VON    | From                |

| Column      | Description         |
|-------------|---------------------|
| ABR_ID      | Statement Cycle     |
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| BEZ         | Description         |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| STUFE       | Strukturstufe       |
| VERDICHTUNG | compress            |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| V_FPRO    | Fix Percent         |
| V_KANR    | Kostanart           |
| V_KSTNR   | Cost Center         |
| V_VPRO    | Variable Percent    |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| VG_BEZ    | Description         |
| VG_EINH   | Unit                |
| VG_NR     | ID                  |

| Column    | Description         |
|-----------|---------------------|
| ABR_ID    | Statement Cycle     |
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| VG_BEZ    | Description         |
| VG_MONAT  | Month               |
| VG_NR     | ID                  |

| Column     | Description         |
|------------|---------------------|
| ABR_ID     | Statement Cycle     |
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| ART        | Item                |
| EFF_FIX    | effective fix       |
| EFF_VAR    | effective var       |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| GEPL_FIX   | planned fix         |
| GEPL_VAR   | planned var         |
| MONAT_JAHR | Month / Year        |
| NUMMER     | Number              |
| NUMMER2    | Number 2            |
| REL_MONAT  | Rel Month           |

| Column           | Description          |
|------------------|----------------------|
| belegende        | Belegendetext        |
| belegfuss        | Belegfusstext        |
| belegkopf        | Belegkopftext        |
| BEREICH          | Range                |
| bereichnummer    | Bereichnummer        |
| BEZEICHNUNG      | Description          |
| datei            | Crystal-Datei        |
| DRUCKKZ          | Druckkennzeichen Set |
| ENDSCRIPT        | Endanweisung         |
| firmenfuss       | footer text          |
| firmenkopf       | Firmenkopftext       |
| NR               | Number               |
| STARTSCRIPT      | Startanweisung       |
| tabellezuordnung | Tabellenzuordnung    |

| Column      | Description           |
|-------------|-----------------------|
| ADMIN       | Administration rights |
| ANDTSTAMP   | Änderungsdatum        |
| ANDUSER     | Änderungsanwender     |
| BENUTZER_ID | Benutzerkennung       |
| ERFTSTAMP   | Erfassungsdatum       |
| ERFUSER     | Erfassungsanwender    |
| GUELTIG_AB  | Valid from            |
| GUELTIG_BIS | Valid to              |
| MENUDATEI   | Menu File             |
| PASSWORT    | Password              |
| SACHB_ID    | Sachbearbeiterkennung |
| SPR_ID      | Language              |
| ZUSATZTEXT  | Additional Text       |

| Column      | Description        |
|-------------|--------------------|
| BENUTZER_ID | User ID            |
| FREIGABE    | Rights Value ID    |
| RECHT_ID    | Rights ID          |
| SCRIPT      | Rights Instruction |

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| DESCRIPTION | Description         |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| sourcefile  | File                |
| stream      | Stream              |

| Column         | Description         |
|----------------|---------------------|
| ANDTSTAMP      | Date of Last Change |
| ANDUSER        | User of Last Change |
| benzingcommand | BENZING Command     |
| DATUM          | Date                |
| ERFTSTAMP      | Creation Date       |
| ERFUSER        | Typist              |
| error          | Error ID            |
| INFO           | Info                |
| NR             | Number              |
| OK             | Ok - ID             |
| PERS_ID        | Employee number     |
| STATION        | Work Center         |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column         | Description |
|----------------|-------------|
| ADDITION_ID    | Extension   |
| DESCRIPTION_ID | Description |
| TYP            | Type        |

| Column      | Description |
|-------------|-------------|
| ADDITION_ID | Extension   |
| FROM_ID     | From ID     |
| PERCENT_ID  | Percent ID  |

| Column      | Description            |
|-------------|------------------------|
| ANDTSTAMP   | Date of Last Change    |
| ANDUSER     | User of Last Change    |
| CreateDate  | Date of Last Change    |
| DateFrom    | Calculation date From  |
| DateTo      | Calculation date To    |
| DESCRIPTION | Name Ausgabedefinition |
| ERFTSTAMP   | Creation Date          |
| ERFUSER     | Typist                 |
| ID_NR       | Primary                |
| MONEYPOOL   | Bonus Amount for Pool  |
| PLANNING_ID | ID                     |

| Column          | Description   |
|-----------------|---------------|
| AREA_ID         | Area          |
| DATA_ID         | Daten Value   |
| DECIMALVALUE_ID | Dezimal Value |
| ID_NR           | Primary       |
| STRINGVALUE_ID  | String Value  |
| TYP_ID          | Type          |

| Column           | Description            |
|------------------|------------------------|
| ANDTSTAMP        | Date of Last Change    |
| ANDUSER          | User of Last Change    |
| API_ID           | API                    |
| DESCRIPTION      | Name Ausgabedefinition |
| ERFTSTAMP        | Creation Date          |
| ERFUSER          | Typist                 |
| KEYFIGURE_ID     | ID                     |
| SCRIPT           | Freigabebeanweisung    |
| SCRIPTREPORTAREA | SQL for Group          |
| SCRIPTREPORTPERS | SQL for Personnel      |
| TYP              | Type                   |

| Column          | Description               |
|-----------------|---------------------------|
| ANDTSTAMP       | Date of Last Change       |
| ANDUSER         | User of Last Change       |
| BONUS_FROM_MONE | Bonus for Pool 1=yes,0=no |
| DESCRIPTION     | Description               |
| ERFTSTAMP       | Creation Date             |
| ERFUSER         | Typist                    |
| MONEYPOOL       | Bonus Amount for Pool     |
| PLANNING_ID     | ID                        |

| Column          | Description           |
|-----------------|-----------------------|
| ADDITION_ID     | Extension             |
| ANDTSTAMP       | Date of Last Change   |
| ANDUSER         | User of Last Change   |
| aplatz_ids      | Resource              |
| AREA_ID         | Area                  |
| CALCSUM         | Kalkulationssumme     |
| DESCRIPTION     | Description           |
| ERFTSTAMP       | Creation Date         |
| ERFUSER         | Typist                |
| GROUP_OR_PERSON | Persona oder Group    |
| MONEYPOOL       | Bonus Amount for Pool |
| pers_grps       | Personnel group       |
| pers_ids        | Personnel             |
| PERSBY          | Personnel at          |
| PLANNING_ID     | ID                    |

| Column       | Description |
|--------------|-------------|
| AREA_ID      | Area        |
| DESCRIPTION  | Description |
| KEYFIGURE_ID | ID          |
| NUMBER_ID    | Number      |
| PLANNING_ID  | ID          |
| TYP          | Type        |

## Column                      Description

|                |              |
|----------------|--------------|
| AREA_ID        | Area         |
| DESCRIPTION_ID | Description  |
| IDENTIFIER_ID  | ID Personnel |
| PLANNING_ID    | ID           |

## Column      Description

|                |                 |
|----------------|-----------------|
| ADDITION_ID    | Extension       |
| AREA_ID        | Area            |
| CALCSUM        | Calculation sum |
| DESCRIPTION_ID | Description     |
| FromValue      | From Value      |
| NUMBER_ID      | Number          |
| PLANNING_ID    | ID              |
| RATING_ID      | Rating          |
| ToValue        | to Value        |

| Column         | Description         |
|----------------|---------------------|
| ANDTSTAMP      | Date of Last Change |
| ANDUSER        | User of Last Change |
| DESCRIPTION_ID | Description         |
| ERFTSTAMP      | Creation Date       |
| ERFUSER        | Typist              |
| PLANNING_ID    | ID                  |
| ReportName     | Name from Reports   |
| TYP_ID         | Type                |

| Column      | Description       |
|-------------|-------------------|
| AREA_ID     | Area              |
| COLOR_ID    | Color             |
| Line_ID     | Line              |
| PLANNING_ID | ID                |
| RANGE_ID    | Range             |
| RCOLOR_ID   | Rectangle Color   |
| ReportName  | Name from Reports |
| RSTILE_ID   | Rectangle Style   |
| STYLE_ID    | Style             |
| TEXT_ID     | Text              |
| TYP_ID      | Type              |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BA_ID     | Baustein-Kennung    |
| BEZ       | Description         |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |

| Column    | Description           |
|-----------|-----------------------|
| AG_ID     | Operation ID          |
| ANDTSTAMP | Date of Last Change   |
| ANDUSER   | User of Last Change   |
| BA_ID     | Baustein-Kennung      |
| BEZ       | Description           |
| CAFTINFO  | Craftformel           |
| ERFTSTAMP | Creation Date         |
| ERFUSER   | Typist                |
| POS_ID    | Position              |
| TEAPLATZ  | Mach+Labor Time/unit  |
| THAPLATZ  | Machine Time / unit   |
| TNAPLATZ  | Labor Time / unit     |
| TR2APLATZ | Setup for Sched+Cap.  |
| TRAPLATZ  | Setup for Calculation |

| Column       | Description      |
|--------------|------------------|
| ANDTSTAMP    | Aenderungsdatum  |
| ANDUSER      | Aenderer         |
| BESCHREIBUNG | Description      |
| COLTYP       | Columns Type     |
| ERFTSTAMP    | Creation Date    |
| ERFUSER      | Creation User    |
| FORMEL       | Formula          |
| FORMELDEF    | Formeldefinition |

| Column       | Description       |
|--------------|-------------------|
| AENDERUNG    | Change erlaubt    |
| ARBEITSGANG  | Operation         |
| AUSWAHL      | Auswahlverweis    |
| BEZEICHNUNG  | Description       |
| COLLEN       | Dezimalstellen    |
| COLTYP       | Spaltentyp        |
| FORMEL       | Formula           |
| GUELTIGKEIT  | Validity          |
| HERKUNFTART  | Herkunftsart      |
| HERKUNFTNAME | Herkunfts kennung |
| ME           | Unit of M.        |
| VARIABLE     | Variablenkennung  |

| Column         | Description |
|----------------|-------------|
| HERKUNFTNAME   | Origin Name |
| HERKUNFTSCRIPT | Script      |
| HERKUNFTWERT   | Origin ID   |
| TYP            | Type        |
| VAREDIT        | Edit Type   |

| Column      | Description     |
|-------------|-----------------|
| ANDTSTAMP   | Aenderungsdatum |
| ANDUSER     | Aenderer        |
| BEZEICHNUNG | Description     |
| ERFTSTAMP   | Creation Date   |
| ERFUSER     | Creation User   |
| TABELLE     | Table           |

| Column       | Description               |
|--------------|---------------------------|
| AENDERUNG    | Change allowed            |
| ARBEITSGANG  | Operation                 |
| AUSWAHL      | Selection Cross Reference |
| BEZEICHNUNG  | Description               |
| COLLEN       | Decimal count             |
| COLTYP       | Column Type               |
| GUELTIGKEIT  | Validity                  |
| HERKUNFTART  | Origin Item               |
| HERKUNFTNAME | Origin ID                 |
| HERKUNFTTYP  | Origin Type               |
| ME           | Unit of M.                |
| POS          | Position                  |
| RUNDUNG      | Round Item                |
| TABELLE      | Table                     |
| VarName      | Variable Name             |

| Column       | Description               |
|--------------|---------------------------|
| AENDERUNG    | Change allowed            |
| AUSWAHL      | Selection Cross Reference |
| COLLEN       | Dezimal count             |
| COLTYP       | Column Type               |
| GUELTIGKEIT  | Validity                  |
| HERKUNFTART  | Origin Item               |
| HERKUNFTNAME | Origin ID                 |
| LFDNR        | Consecutive No            |
| ME           | Unit of M.                |
| TABELLE      | Table                     |
| WERT1        | Value Dimension 1         |
| WERT2        | Value Dimension 2         |
| WERT3        | Value Dimension 3         |
| WERT4        | Value Dimension 4         |
| WERT5        | Value Dimension 5         |
| WERT6        | Value Dimension 6         |

| Column       | Description               |
|--------------|---------------------------|
| AENDERUNG    | Change allowed            |
| ARBEITSGANG  | Operation                 |
| AUSWAHL      | Selection Cross Reference |
| BEZEICHNUNG  | Description               |
| COLLEN       | Decimal count             |
| COLTYP       | Column Type               |
| GUELTIGKEIT  | Validity                  |
| HERKUNFTART  | Origin Item               |
| HERKUNFTNAME | Origin Name               |
| ME           | Unit of M.                |
| VAREDIT      | Type                      |
| VARIABLE     | Variablenkennung          |

| Column      | Description |
|-------------|-------------|
| BEZEICHNUNG | Description |
| INHALT      | Contents    |
| Parameter   | Parameter   |
| VARIANTE    | Variant Id  |

| Column       | Description   |
|--------------|---------------|
| ANDTSTAMP    | Change Date   |
| ANDUSER      | Change User   |
| BESCHREIBUNG | Description   |
| BEZEICHNUNG  | Description   |
| DATUM        | Date          |
| ERFTSTAMP    | Creation Date |
| ERFUSER      | Creation User |
| ItemCode     | Item          |
| PREISLISTE   | price list    |
| VARIANTE     | Varianten Id  |

| Column       | Description       |
|--------------|-------------------|
| ANDTSTAMP    | Change Date       |
| ANDUSER      | Change User       |
| BEZEICHNUNG  | Description       |
| ERFTSTAMP    | Creation Date     |
| ERFUSER      | Creation User     |
| SELECTSCRIPT | Script for Select |
| VERWEIS      | Link Id           |

| Column      | Description |
|-------------|-------------|
| BEZEICHNUNG | Description |
| BILD1       | Picture 1   |
| INHALT      | Contents    |
| POS         | Position    |
| VERWEIS     | Link id     |

| Column          | Description            |
|-----------------|------------------------|
| BatchNum        | Batch Number           |
| bewertungspreis | Valuation Price        |
| DATUM           | Date                   |
| ExpDate         | Expdate                |
| GEBUCHT         | als booked highlighted |
| InDate          | Eingangsdatum          |
| IntrSerial      | Serial Number          |
| ItemCode        | Item                   |
| lagerbestand    | Inventory              |
| Located         | Location               |
| Notes           | Information            |
| PrdDate         | Date of Production     |
| Status          | Status                 |
| SuppSerial      | Supp-Seriennummer      |
| WHSCode         | Store                  |
| zaehlbestand    | Counted Inventory      |

| Column          | Description     |
|-----------------|-----------------|
| bewertungspreis | Valuation Price |
| DATUM           | Date            |
| INFO            | Info            |
| KONTO           | Buchungskonto   |
| Status          | Status          |
| whscode_bis     | Store Until     |
| whscode_von     | Store From      |

| Column          | Description                |
|-----------------|----------------------------|
| bewertungspreis | Valuation Price            |
| DATUM           | Date                       |
| GEBUCHT         | als booked highlighted     |
| ItemCode        | Item                       |
| lagerbestand    | Inventory                  |
| ManBtchNum      | Batch Management Y/N       |
| ManSerNum       | Seriennummerverwaltung Y/N |
| WhsCode         | Store                      |
| zaehlbestand    | Counted Inventory          |

|                 |                        |
|-----------------|------------------------|
| ANDTSTAMP       | Date of last Change    |
| ANDUSER         | user of last Change    |
| BENUTZERDEF     | Benutzerreport         |
| BEREICH         | Range                  |
| BEZ             | Description            |
| CONNECTVERIFY   | Connection Compare     |
| DATEINAME       | File Name              |
| ERFTSTAMP       | Creation Date          |
| ERFUSER         | Creation User          |
| EXTERNREPORT    | External Reports       |
| INFO            | Info                   |
| MODUL           | Active bei Module      |
| PARAMETERREQUES | interne parameters     |
| QUERY           | SQL-Query              |
| RECHTE          | only with rights Right |
| SCRIPT_ENDE     | Script End             |
| SCRIPT_START    | Script Start           |
| TYP             | Meldungstyp            |
| USEROBJECT      | internes Userobject    |
| VORGABEN        | Defaults               |

| Column           | Description                          |
|------------------|--------------------------------------|
| AddID            | Additional ID                        |
| Address          | Address                              |
| CardCode         | Card code                            |
| CardFName        | External Card Name                   |
| CardName         | Card Name                            |
| Comments         | Comments                             |
| COMPANYADDRESS_  | company adress as line               |
| COMPANYEMAIL     | company E-mail                       |
| COMPANYFAX       | company Fax                          |
| COMPANYFREEZONE  | company frezoneno                    |
| COMPANYMANAGER   | company manager                      |
| COMPANYNAME      | company Name                         |
| COMPANYPHONE1    | company phone 1                      |
| COMPANYPHONE2    | company phone 2                      |
| COMPANYPRINTHEAT | company print header                 |
| COMPANYREVOFFICE | company rev. office                  |
| COMPANYTAXIDNUM  | company tax ID number                |
| CONTACTADDRESS   | contact address                      |
| CONTACTCODE      | contact as code                      |
| CONTACTEMAIL     | contact E-mail                       |
| CONTACTFAX       | contact Fax number                   |
| CONTACTMOBILE    | contact mobile number                |
| CONTACTNAME      | contact Name                         |
| CONTACTPAGER     | contact pager                        |
| CONTACTPOSITION  | contact Position                     |
| CONTACTTEL1      | contact tel 1                        |
| CONTACTTEL2      | contact tel 2                        |
| CONTACTTITEL     | contact title                        |
| Country          | Country                              |
| Currency         | Currency as Format string            |
| DISCOUNT         | Discount as Format string            |
| DISCOUNTPERCENT  | Discount in Percent as Format string |
| DocDate          | Document Date                        |
| DocDueDate       | Document Due Date                    |
| DocEntry         | Objektbelegnummer                    |
| DocNum           | Document number Char                 |
| DocTotal         | total document sum as Format string  |
| DocType          | Document Type                        |
| DOCUMENT_END     | document end Text                    |
| DOCUMENTNAME     | Document Name                        |
| IBAN             | I - Ban                              |
| ID               | ID                                   |
| INVOICEADDRESS2  | invoice adress2                      |
| INVOICEADDRESS3  | invoice adress3                      |
| INVOICEBLOCK     | invoice block                        |
| INVOICECARDCODE  | invoice cardcode                     |
| INVOICECARDNAME  | invoice cardname                     |
| INVOICECITY      | invoice city                         |
| INVOICECOUNTRY   | invoice country                      |
| INVOICECOUNTRYNA | invoice country Name                 |
| INVOICECOUNTY    | invoice county                       |

|                    |                                   |
|--------------------|-----------------------------------|
| INVOICEEMAIL       | invoice E-mail                    |
| INVOICEFAX         | invoice Fax                       |
| INVOICEPHONE1      | invoice phone 1                   |
| INVOICESTATE       | invoice state                     |
| INVOICESSTREET     | invoice street                    |
| INVOICEZIPCODE     | invoice zip code                  |
| Language           | language                          |
| LANGUAGEFORMATDATE | Format for Date                   |
| LANGUAGEITEM       | language for Item                 |
| LANGUAGESEPARATOR  | Number-Separator for Number       |
| LANGUAGETHOUSAND   | Thousand-Separatur for Number     |
| LicTradNum         | Lic Date Number                   |
| NETTO              | Net as Format string              |
| NETTOSUM           | Net Sum as Format string          |
| NUM_DISCOUNT       | discount as number                |
| NUM_DISCOUNTPERC   | doscount percent as number        |
| NUM_DOCNUM         | Document number Int               |
| NUM_DOCTOTAL       | doc total as number               |
| NUM_FREIGHTSUM     | freight sum as number             |
| NUM_FREIGHTVAT     | freight vat as number             |
| NUM_NETTO          | Net as number                     |
| NUM_NETTOSUM       | Net sum as number                 |
| NUM_PREPAYMENTPI   | pre payment percent as number     |
| NUM_PREPAYMENTS    | pre payment sum as number         |
| NUM_PREPAYMENTV    | pre payment vat as number         |
| NUM_ROUNDDIF       | round difference as number        |
| NUM_VATSUM         | vat sum as number                 |
| NumAtCard          | Number of Card                    |
| ObjType            | Object type                       |
| OwnerCode          | owner code                        |
| OWNEREMAIL         | owner E-mail                      |
| OWNERFAX           | owner Fax                         |
| OWNERFIRSTNAME     | owner first Name                  |
| OWNERJOBTITLE      | owner job title                   |
| OWNERLASTNAME      | owner last Name                   |
| OWNERMIDDLENAME    | owner middle Name                 |
| OWNERMOBILE        | owner mobile                      |
| OWNEROFFICETEL     | owner office tel                  |
| OWNERPAGER         | owner pager                       |
| PAYMENTCONDITION   | payment conditional code          |
| PAYMENTCONDITION   | payment conditional Name          |
| PAYMENTCONDITION   | payment conditional Text          |
| PAYMENTDISCOUNTC   | payment discount code             |
| PAYMENTDISCOUNTN   | payment discount Name             |
| PayToCode          | pay to code                       |
| PrintDate          | Print Date                        |
| Project            | projectnumber                     |
| REPORT_END         | Reports end Text                  |
| REPORT_FOOTER      | Reports footer Text               |
| REPORT_HEADER      | Reports header Text               |
| REPORT_START       | Reports Start header Text         |
| RoundDif           | round difference as Format stinrg |
| SHIPADDRESS        | ship address                      |
| SHIPLICTRADNUM     | ship lic trad num                 |
| ShipToCode         | ship code                         |
| SHOWCATALOGNR      | Show Catalog No.                  |

|               |                          |
|---------------|--------------------------|
| SlpCode       | slp code                 |
| TaxDate       | Tax Date                 |
| TEXTFOOTER    | Text footer              |
| TEXTHEADER    | Text header              |
| TRANSPORTCODE | transport code           |
| VatIdUnCmp    | Vat ID un Cmp            |
| VatSum        | VAT sum as Format string |
| VOLUME_MM2    | volume in mm2            |
| WEIGHT_MG     | weight in mg             |

| Column             | Description                              |
|--------------------|--|
| BarCode            | Barcode                                  |
| BaseDocNum         | Base Document number                     |
| BaseLine           | Base Line                                |
| BASELINEPOS        | Base Line Position                       |
| BaseRef            | Base Reference                           |
| BaseType           | Base Type                                |
| BATCHNUMFLAG       | batch number flag                        |
| CATALOGNR          | Catalog - No.                            |
| Currency           | currency from document                   |
| CURRENCY_LINE      | currency in line                         |
| DISCOUNT           | Discount as Format string                |
| DISCOUNTPERCENT    | Discount in Percent as Format string     |
| DRAWINGNUMBER      | drawingnumber                            |
| Description        | Description of Item or Catalogue         |
| Factor1            | factor 1                                 |
| Factor2            | factor 2                                 |
| Factor3            | factor 3                                 |
| Factor4            | factor 4                                 |
| FreeTxt            | freetext from document line              |
| FREIGHT_LINETOTAL  | freight line total as number             |
| FREIGHT_VATSUM     | freight VAT sum as number                |
| HEIGHT_UNIT        | height unit                              |
| ID                 | ID                                       |
| ItemCode           | Item                                     |
| LENGTH_UNIT        | length unit                              |
| Line               | Line                                     |
| LineNum            | Objektzeile                              |
| LINEPOS            | Line Pos                                 |
| LineStatus         | Line Status                              |
| LineType           | Line Type                                |
| LONGTEXT           | longtext from item                       |
| MatchCode          | Match Code                               |
| NUM_DISCOUNT       | discount as number                       |
| NUM_DISCOUNTPERC   | discount percent as number               |
| NUM_HEIGHT         | height                                   |
| NUM_IN_PACK        | number in pack                           |
| NUM_IN_SALE        | number in sale unit                      |
| NUM_LENGTH         | length                                   |
| NUM_OPENQTY        | open quantity as number                  |
| NUM_PRICE          | price as number                          |
| NUM_PRICE_IN_LINE  | price in line currency as number         |
| NUM_PRICEAFTERDISC | price after discount as number           |
| NUM_PRICEAFTERDISC | price after discount in line currency as |
| NUM_PRICETOTAL     | price total as number                    |
| NUM_PRICETOTALAF   | price after vat as number                |
| NUM_QUANTITY       | quantity as number                       |
| NUM_VATPRCNT       | vat percent as number                    |
| NUM_VOLUME         | volume                                   |
| NUM_WEIGHT         | weight                                   |
| NUM_WIDTH          | width                                    |
| OcrCode            | ocr code                                 |

|                   |  |
|-------------------|--|
| OPENQUANTITY      | open quantity as Format string         |
| PACKUNIT          | package unit                           |
| POS               | Position                               |
| Price             | price                                  |
| PRICE_IN_LINECUR  | price in line currency Format string   |
| PRICEAFTERDISCOUI | price after discount as Format string  |
| PRICEAFTERDISCOUI | price in line currency Format string   |
| PRICETOTAL        | price total as Format string           |
| PRICETOTALAFTERV/ | price total after vat as Format string |
| Project           | project                                |
| Quantity          | quantity as Format string              |
| QUANTITYUNIT      | unit of quantity                       |
| SerialNum         | serial number                          |
| SERNUMFLAG        | serial number flag                     |
| ShipDate          | ship by date                           |
| SuppCatNum        | supp catalog number                    |
| Text              | Text field from document line          |
| TreeType          | Item type                              |
| U_beasprio        | Priority                               |
| U_znr             | Drawing Number                         |
| U_zollt           | Customs Tariff No                      |
| VatGroup          | VAT group                              |
| VatPrcnt          | vat in percent as Format string        |
| VATREPORTCODE     | VAT Reports code                       |
| VendorNum         | Vendor number                          |
| VOLUME_UNIT       | volume unit                            |
| WEIGHT_UNIT       | weight unit                            |
| WhsCode           | Warehousecode                          |
| WIDTH_UNIT        | width unit                             |

| Column              | Description          |  |  |
|---------------------|----------------------|--|--|
| ANDTSTAMP           | Date of last change  |  |  |
| ANDUSER             | User of last change  |  |  |
| BITMAPNAME          | Icon                 |  |  |
| Category            | Category             |  |  |
| COLORID             | Color                |  |  |
| DESCRIPTION         | Description          |  |  |
| DocumentTyp         | Document Type        | Describe the type of document<br>Link to a file = A<br>Show text, which you can save in this document<br>table: text   | Datei=A<br>Text=Text                             |
| ERFTSTAMP           | Creation date        |  |  |
| ERFUSER             | Recorder             |  |  |
| EXECUTESCRIPT       | execute Script       |  |  |
| FileName            | File Name (original) |  |  |
| FileNameInternal    | File Name (real)     | beas create a copy of the file name<br>In this field you see the name of the copied file.<br>Import: Save the name in this field. The document<br>must be in the attachment folder |  |
| FilePath            | File Directory       |  |  |
| LINEID              | Line ID              | Line Id.<br>Import: If 0 then next row   |  |
| QcReleased          | Plan Release         |  | yes=1<br>no=0                                    |
| QcReleasedDate      | Release Date         | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.   |  |
| QcReleasedFromUser  | Release by User ID   |  |  |
| QcReleasedFromUserN | Release by User Name |  |  |
| QcVersion           | Version              |  |  |
| RICHTEXT            | Rich Text            |  |  |
| SortId              | Sorting              |  |  |
| TYP                 | Link Type            | define the linked object   | link to item<br>Version=itemversion              |
| UDF1                | Userfield 1          |  |  |
| UDF2                | Userfield 2          |  |  |
| UDF3                | Userfield 3          |  |  |
| UDF4                | Userfield 4          |  |  |
| UNVISIBLE           | invisible            |  |  |
| Value2Id            | Reference 2          | Define the object<br>Itemversion: the A-Version number, linked to<br>BEAS_ITEM_VERSION   |  |
| Value3Id            | Reference 3          |  |  |
| ValueId             | Reference 1          | Define the object<br>Itemversion: the ItemCode number, linked to<br>BEAS_ITEM_VERSION  |  |
| ViewVariant         | View Type            | Describe the type of view  | Shell=0<br>Text=1<br>Bitmap Viewer=2<br>Script=3 |

| Column    | Description                 |  |                                      |
|-----------|-----------------------------|--|--------------------------------------|
| ANDTSTAMP | Date of last change         |  |                                      |
| ANDUSER   | User from last change       |  |                                      |
| ERFTSTAMP | Creation Date               |  |                                      |
| ERFUSER   | Creation User               |  |                                      |
| INFO      | Info                        |  |                                      |
| KENNUNG   | Object Id                   |  |                                      |
| NR        | unique number               | Unique Number<br>Import: if you set 0 then next number |                                      |
| TYP       | Object                      | Type of document object                                | item=ARTIKEL<br>operation catalog=AG |
| VERWEIS   | cross reference on Dokument | A file link (or internet link) with folder name        |                                      |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column       | Description         |
|--------------|---------------------|
| ANDTSTAMP    | Date of Last Change |
| ANDUSER      | User of Last Change |
| CURRENTUSER  | Current User        |
| ERFTSTAMP    | Creation Date       |
| ERFUSER      | Typist              |
| ERLEDIGT     | completed           |
| ErrorMessage | Errormessage        |
| INFO         | Info                |
| INTNR        | Internal No.        |
| PROGRAMDUMP  | Programdump         |
| STATIONNAME  | Work Center Name    |

| Column     | Description         |
|------------|---------------------|
| ANDTSTAMP  | last change         |
| ANDUSER    | user of last change |
| ENTFERNUNG | Distance            |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| GEWICHT    | Weight              |
| PREIS      | Price               |

| Column    | Description                      |
|-----------|----------------------------------|
| ANDTSTAMP | last change                      |
| ANDUSER   | user of last change              |
| ERFTSTAMP | Creation Date                    |
| ERFUSER   | Creation User                    |
| GEWICHT   | Weight                           |
| PREIS     | Price                            |
| SATZ      | Cost from carrier to destination |

| Column     | Description         |
|------------|---------------------|
| ANDTSTAMP  | Last change         |
| ANDUSER    | User of last change |
| ENTFERNUNG | Distance            |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Creation User       |
| GEWICHT    | Weight              |
| PREIS      | Price               |

| Column           | Description                          |
|------------------|--------------------------------------|
| ABGKZ            | Closed                               |
| AG_ID            | Default Operation ID                 |
| AGTYP            | Operation Type                       |
| AKTIV            | Active                               |
| ANDTSTAMP        | Aenderungsdatum                      |
| ANDUSER          | Aenderer                             |
| ANFZEIT          | Start Time                           |
| ANFZEIT_FIX      | Start Time fix                       |
| ANWEISUNGEN      | additional description               |
| ANZAHL           | Number                               |
| ANZLS            | Number of Pay Slips                  |
| APLATZ_ID        | Work Center                          |
| aplatz_maschine  | Machine                              |
| AUSSCHUSSFAKTOR  | Scrap Factor                         |
| BA_ID            | Edit Type                            |
| BDE              | Clock in/Clock out Mandatory         |
| BEARBEITUNGS_ART | Edit Type                            |
| BELNR_ID         | Document Number                      |
| BELPOS_ID        | Document Position                    |
| BEREITGESTELLT   | reserved                             |
| BEZ              | Description                          |
| BILD1            | Picture 1                            |
| BILD2            | Picture 2                            |
| BILD3            | Picture 3                            |
| BITMAPNAME       | Image                                |
| BOM_FIRSTSTART   | Material control first Start         |
| CAFTINFO         | Caft Formula                         |
| CardCode         | Supplier                             |
| COLORID          | Color                                |
| COSTEXTENTED     | Expand to cost elements              |
| ENDZEIT          | End                                  |
| ERFTSTAMP        | Creation Date                        |
| ERFUSER          | Typist                               |
| FAG              | External operation                   |
| FAG_CURRENCY     | External operation Currency          |
| FAG_ITEMCODE     | External operation                   |
| FAG_MINPRICE     | External operation Minimum price     |
| FAG_PRICE        | External operation Price             |
| FAG_PRICEJE      | External operation Price per         |
| FAG_TRANSPORTPRI | External operation Shipping price    |
| FAG_TRANSPORTPRI | External operation Shipment Lot Size |
| FI_aplatz        | Caft Number Work Center              |
| Flags            | additional Schalter                  |
| FREIGABE         | start id                             |
| Ft_aplatz        | Caft Work Center                     |
| GEBUCHT          | as booked highlighted                |
| GESAMT_ANFZEIT   | Total Start                          |
| GESAMT_ENDZEIT   | Total End                            |
| GRENZKOSTEN_MINL | Marginal Cost Rate                   |
| ISTZEIT          | Actual Time                          |
| KSTST_ID         | Cost Center                          |

|                   |                                    |
|-------------------|------------------------------------|
| LIEFERTERMINUEBEF | Deliv.Date Überschneidung          |
| LIEGEZEIT_ANFZEIT | Idle Time Start                    |
| LIEGEZEIT_ENDZEIT | Idle Time End                      |
| LOHNGRUPPE        | Wage Group                         |
| MASTER_POS_ID     | linked with Routing position       |
| MEHRMASCH_BED     | Machine Grouping                   |
| MEHRMASCHINENBE   | Machine Grouping allowed           |
| MEHRMASCHINENBE   | Resource Allocation Type           |
| MENGE_JE          | Quantity per Finished Item         |
| MENGE_ZEITJE      | Time in (hr/min)                   |
| MENGENAUSSCHUSS   | Scrap Factor Bill of Materials     |
| MILESTONE         | Milestone                          |
| NUMMER            | barcode number                     |
| NUTZEN            | Use                                |
| org_aplitz_id     | Original-Arbeitsplatz              |
| org_menge_je      | Original-Menge per                 |
| org_menge_zeitje  | Original-Menge Time per            |
| org_te            | Original-Stückzeit                 |
| org_tr            | Original-Rüstzeit                  |
| PCOSTAKTIV        | labor costs Active                 |
| PCOSTGK           | labor costs Marginal Cost          |
| PCOSTVK           | labor costs Full Cost              |
| PERS_ID           | Employee number                    |
| PERSGRP_ID        | Personnel Group                    |
| PO_WHS            | Return address from warehouse      |
| POS_ID            | Position                           |
| POS_ID_ORIGINAL   | Pos_ID_original                    |
| POS_TEXT          | Routing position                   |
| PRJUID            | Project Task                       |
| PROJECT_ANFZEIT_F | Project fix starttime              |
| PROJECT_APLATZ_ID | Project Resource                   |
| PROJECT_CONSTRAI  | Project constraint date            |
| PROJECT_CONSTRAI  | Project constraint type            |
| PROJECT_CRITCAL_N | Project critical Material          |
| PROJECT_DEADLINE  | Project deadline                   |
| PROJECT_DESCRIFT  | Project Description                |
| PROJECT_ENDZEIT   | Project end time                   |
| PROJECT_MANUAL    | Quantity (Import field)            |
| PROJECT_MILESTON  | Project milestone                  |
| PROJECT_OUTLINEL  | Project outline Level              |
| PROJECT_OUTLINEL  | Project outline Level Sum          |
| PROJECT_PREDECESS | Project predecessors               |
| PROJECT_PSP_CODE  | Project PSP Code                   |
| PROJECT_PSP_CODE  | Project PSP Code Sum               |
| PROJECT_TASKTYPE  | Project task type                  |
| PTIMETYPE_ID      | labor costs Time Type              |
| QS_ID             | Inspection Plan                    |
| RM_FAKTOR         | Factor per unit of warehouse       |
| RM_ME_ID          | Goods Receipt in Unit              |
| RoutingId         | Routing                            |
| SCHEINBAUGRUPPE   | Phantom Assembly Group             |
| SortId            | Sorting                            |
| STRUKTURINFO      | Strukturinformation                |
| TEAPLATZ          | Mach+Labor Time/unit Work Center   |
| TEPersGrp         | Mach+Labor Time/unit Personnel Gro |
| TERMINUEBERSCHN   | Termin Überscheidung               |

|                  |                                       |
|------------------|---------------------------------------|
| THAPLATZ         | Machine Time / unit Work Center       |
| THGK             | Cost Machine Time / unit Marginal Co: |
| THPersGrp        | Machine Time / unit Personnel Group   |
| THTIMETYPE_ID    | Cost Element Machine Time / unit      |
| THVK             | Cost Machine Time / unit Full Cost    |
| TIMETYPE_ID      | Time Type                             |
| TL               | Idle Time                             |
| TNAPLATZ         | Labor Time / unit Work Center         |
| TNGK             | Cost Secondary time Marginal Cost     |
| TNPersGrp        | Labor Time / unit Personnel Group     |
| TNTIMETYPE_ID    | Cost Element Secondary time           |
| TNVK             | Cost Secondary time Full Cost         |
| TR2APLATZ        | Setup for Sched+Cap. Work Center      |
| TR2PersGrp       | Setup for Sched+Cap. Personnel Gro    |
| TRAPLATZ         | set-up time Work Center               |
| TRGK             | Cost of setup Marginal Cost           |
| TRPersGrp        | set-up time Personnel Group           |
| TRTIMETYPE_ID    | Cost Element setting up               |
| TRVK             | Cost of setup Full Cost               |
| UDF1             | userfield 1                           |
| UDF10            | Userfield 10                          |
| UDF11            | Userfield 11                          |
| UDF12            | Userfield 12                          |
| UDF13            | Userfield 13                          |
| UDF14            | Userfield 14                          |
| UDF15            | Userfield 15                          |
| UDF2             | userfield 2                           |
| UDF3             | Userfield 3                           |
| UDF4             | Userfield 4                           |
| UDF5             | Userfield 5                           |
| UDF6             | Userfield 6                           |
| UDF7             | Userfield 7                           |
| UDF8             | Userfield 8                           |
| UDF9             | Userfield 9                           |
| UEBERGABE_ANFZEI | Transfer Time Start                   |
| UEBERGABE_ENDZEI | Transfer Time End                     |
| UEBLGRZ          | Overlap Limit                         |
| VOLLKOSTEN_MINUT | Full Cost Rate                        |
| ZEILENNUMMER     | Line No.                              |
| ZEITAUFNDAT      | Date Time Recording                   |
| ZEITAUFNKZ       | Time Start Id                         |
| ZEITGRAD         | Efficiency Rate %                     |
| ZTART            | Time Type                             |

| Column           | Description                |
|------------------|----------------------------|
| AKTIV            | Active                     |
| ANDTSTAMP        | Aenderungsdatum            |
| ANDUSER          | Aenderer                   |
| ANFZEIT          | Start Date                 |
| ANZAHL           | Number                     |
| BELNR_ID         | Document Number            |
| BELPOS_ID        | Belegposition              |
| ENDZEIT          | End Date                   |
| ERFTSTAMP        | Erfassungsdatum            |
| ERFUSER          | Erfasser                   |
| GRENZKOSTEN_MINL | Marginal Cost Rate         |
| MENGE            | Quantity                   |
| MENGE_JE         | Quantity per Finished Item |
| MENGE_ZEITJE     | Times in (hr/min)          |
| NUTZEN           | Use                        |
| POS_ID           | Position                   |
| RESOURCENTYP     | Resourcentyp               |
| TE               | Mach+Labor Time/unit       |
| TIMETYPE_ID      | Time Type                  |
| TR               | setup time                 |
| VOLLKOSTEN_MINUT | Full Cost Rate             |
| WKZ_ID           | Tool ID                    |
| WKZPOS_ID        | Werkzeugposition           |
| ZUSATZINFO       | Additional Text            |

| Column       | Description                |
|--------------|----------------------------|
| Active       | Active                     |
| BASEBATCHNUM | Base Batch Number          |
| BaseEntry    | Base Number                |
| Baseline     | Base Line                  |
| BatchNum     | Batch Number               |
| BELNR_ID     | Document No                |
| BELPOS_ID    | Doc. Position              |
| LFDNR        | Consecutive No             |
| POS_ID       | Position                   |
| STLPOS_ID    | Bill of Materials Position |

| Column           | Description           |   |
|------------------|-----------------------|---|
| ABGKZ            | Closed                | Yes=J<br>No=N   |
| ANDTSTAMP        | Date of last change   |   |
| ANDUSER          | User of last change   |   |
| ANFZEIT          | Start Time            | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.       |
| APSSTATUS        | APS: Planned          | Yes=1<br>No=0   |
| AUFTRAG          | Order Number          |   |
| AUFTRAGINT       | Base Order Number     |   |
| AUFTRAGPOS       | Base Order line       |   |
| BELDAT           | Order date            | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.       |
| BELNR_ID         | Document no           | Document number (numeric)<br>import: insert "0" as default value                                  |
| BITMAPCLOSE      | Icon                  |   |
| BITMAPLOCK       | Bitmap lock           |   |
| BPLId            | bplid                 |   |
| BPLName          | Branch                |   |
| COLORNR          | Color                 |   |
| DocEntry         | Base Order            |   |
| DOCUMENTS        | documents             |   |
| DRUCKKZ          | Printed               | Yes=J<br>No=N   |
| ENDZEIT          | End                   | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.       |
| ERFTSTAMP        | Creation Date         |   |
| ERFUSER          | Creation User         |   |
| FLAG_ERROR       | Error log available?  | if active, an error log in the log table is available and linked to this work order Yes=1<br>No=0 |
| GEMEINKOSTEN     | Overhead order        | Yes=1<br>No=0   |
| INFORMATION2     | information 2         |   |
| ISTZEIT          | Last Message          |   |
| ItemCode         | Item Number           |   |
| KALKBELNR_ID     | Calc Number           |   |
| KND_ID           | Customer Id           | The Customer, Lead or Vendor  |
| KND_SHIPTOCODE   | Customer Delivery     |   |
| KNDLAND          | Customer Country      |   |
| KNDNAME          | Customer Name         |   |
| KNDORT           | Customer Location     |   |
| KNDPLZ           | Customer ZIP / City   |   |
| KNDSTRASSE       | Customer Street       |   |
| KNDTELEFON1      | Customer Telephone    |   |
| LASTCALCULATE_DA | Last calculation date |   |
| LFGDAT           | Delivery Date         | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.       |
| PLANNEDCOSTS     | Cost                  |   |
| PLANNEDHOURS     | Time                  |   |
| PLANNINGORDER    | Planned order         | Yes=1<br>No=0   |
| PRIOR_ID         | Priority              |   |
| PRJINFO1         | Info 1                |   |
| PRJINFO2         | Info 2                |   |

|                   |  |
|-------------------|--|
| PRJUDF1           | Project UDF 1  |
| PRJUDF2           | Project UDF 2  |
| PRJUDF3           | Project UDF 3  |
| PRJUDF4           | Project UDF 4  |
| PRJUID            | Task   |
| Project           | Project  |
| PROJECT_ANFZEIT_F | Project fix starttime  |
| PROJECT_APLATZ_ID | Project Resource   |
| PROJECT_CONSTRAI  | Project constraint date  |
| PROJECT_CONSTRAI  | Project constraint type  |
| PROJECT_CRITCAL_N | Project critical Material  |
| PROJECT_DEADLINE  | Project deadline   |
| PROJECT_DESCRIPT  | Project description  |
| PROJECT_ENDZEIT   | Project end time   |
| PROJECT_FILE      | Project file   |
| PROJECT_MANUAL    | Quantity (import) only for import:<br>You can define in this field the quantity to produce |
| PROJECT_MILESTON  | Project milestone  |
| PROJECT_OUTLINEL1 | Project outline level  |
| PROJECT_OUTLINEL1 | Project outline level sum  |
| PROJECT_PREDECESS | Project predecessors   |
| PROJECT_PSP_CODE  | Project PSP Code   |
| PROJECT_PSP_CODE  | Project PSP Code sum   |
| PROJECT_STARTZEIT | Project start time   |
| PROJECT_TASKTYPE  | Project task type  |
| PROJECTSTATE      | Project Status   |
| PROJECTUSER1      | Project manager 1  |
| PROJECTUSER2      | Project manager 2  |
| REALCOSTS_GK      | realcosts_gk   |
| REALCOSTS_VK      | realcosts_vk   |
| REALHOURS         | realhours  |
| SAMMELAUFRAG      | Summarized Order<br>if 1, then the work order is created as summarized<br>work order       |
| SPERRUNG          | Block<br>Yes=J<br>No=N   |
| STATUS_ID         | Status   |
| TIMECALCULATE     | Schedule automatically<br>Yes=1<br>No=0  |
| TYP               | Work order type  |
| UDF1              | User Field 1   |
| UDF10             | User Field 10  |
| UDF11             | User Field 11  |
| UDF12             | User Field 12  |
| UDF13             | User Field 13  |
| UDF14             | User Field 14  |
| UDF15             | User Field 15  |
| UDF2              | User Field 2   |
| UDF3              | User Field 3   |
| UDF4              | User Field 4   |
| UDF5              | User Field 5   |
| UDF6              | User Field 6   |
| UDF7              | User Field 7   |
| UDF8              | User Field 8   |
| UDF9              | User Field 9   |
| UNVISIBLE         | Invisible<br>Yes=1<br>No=0   |
| ZUSATZTEXT        | Information  |

| Column            | Description                |
|-------------------|----------------------------|
| ANFZEIT           | Start Date                 |
| BELNR_ID          | Document No                |
| BELPOS_ID         | Doc. Position              |
| DAUER             | Duration                   |
| ENDZEIT           | End Date                   |
| GESAMT_ANFZEIT    | Total Start                |
| GESAMT_ENDZEIT    | Total End                  |
| LIEFERTERMINUEBEF | Deliv.Date Cut             |
| MATERIALBEDARF    | Material Requirements Date |
| NUMMER            | barcode number             |
| PLANNING_ID       | ID                         |
| POS_ID            | Position                   |
| POS2_ID           | Position 2                 |
| RESOURCE_ID       | Resource                   |
| RESOURCETYP       | Resource Type              |
| STRUKTURINFO      | structure information      |
| TERMINUEBERSCHNf  | Date Cut                   |
| ZEILENNUMMER      | Line No.                   |

| Column      | Description   |
|-------------|---------------|
| BELNR_ID    | Document No   |
| BELPOS_ID   | Doc. Position |
| LINKTYP     | Link Type     |
| PLANNING_ID | ID            |
| VON_NUMMER  | From Number   |
| ZU_NUMMER   | to Number     |

| Column    | Description       |
|-----------|-------------------|
| APLATZ_ID | Resource ID       |
| BELNR_ID  | Document Number   |
| BELPOS_ID | Document Position |
| BEZ       | Description       |
| BIS       | Erdzeit           |
| POOL_ID   | Pool ID           |
| POS_ID    | Position          |
| VERF      | Available         |
| VON       | Start Time        |
| ZEIT      | Duration          |

| Column           | Description                      |  |
|------------------|----------------------------------|--|
| ABGKZ            | Closed                           | Yes=J<br>No=N  |
| ABGKZ_DATE       | closing date                     | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| ABGKZ_USER       | closing user                     |  |
| ACCOUNT_ITEM     | account_item                     |  |
| ACCOUNT_VARIANCE | Account Variance                 |  |
| ACCOUNT_WIP      | Account WIA                      |  |
| ANDTSTAMP        | Date of last change              |  |
| ANDUSER          | User of last change              |  |
| ANFZEIT          | Start Time                       | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| ANFZEIT_FIX      | Start Time fix                   |  |
| AUFRAGHERKUNFT   | Base type                        | Base Type<br>SalesOrder = K<br>PreInvoice = R  |
| AUFRAGINT        | Base Number                      | Base Entry<br>To Sales Order: RDR1.DocEntry<br>To PreInvoice: INV1.DocEntry  |
| AUFRAGPOS        | Base Linenum                     | Line number (linenum) from base document<br>RDR1.LineNum<br>INV1.LineNum   |
| BarCode          | Barcode                          |  |
| BaseDocNum       | Base Document number             |  |
| Baseline         | Base Line                        |  |
| BASELINE2        | Base Line 2                      |  |
| BaseType         | Basic report                     | Kundenauftrag=K<br>Vorausrechnung=V<br>Fertigung=F<br>nein=  |
| BELNR_ID         | Document Number                  | Work order document number (internal counter)<br>Import: insert value "0" for create new entry.<br>You can't define the number for new work orders |
| BELPOS_ID        | Line Number                      | Work order position  |
| BINCODE          | Bin Location                     |  |
| BOM_FIRSTDATE    | Material Requirements Start Date |  |
| BOM_ITEMS        | Material Requirements Item       |  |
| BOM_OK           | Material Requirements ok         |  |
| BOM_TOLATE       | Material Requirements Shortage   |  |
| BOM_VERZUG       | Material Requirements Verzug     |  |
| BPLId            | bplid                            |  |
| BPLName          | Branch                           |  |
| CanModifyWo      | Allow changes                    | Yes=1<br>No=0  |
| CHARGE_ID        | Batch                            | only for information. No functionality!  |
| Confirmed        | Approved                         | Yes=1<br>No=0  |
| DIN              | DIN                              |  |
| DocEntry         | Base doc entry                   |  |
| DOCUMENTS        | documents                        |  |
| DRUCKKZ          | Printed?                         | Yes=J<br>No=N  |
| ENDZEIT          | End                              | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| ERFTSTAMP        | Creation Date                    |  |
| ERFUSER          | Creation User                    |  |
| EXPANDALL        | Always breakdown subassemblies   | Yes=1<br>No=0  |

|                   |                                    |   |
|-------------------|------------------------------------|---|
| FAG_GK_IST        | External operation MC Actual       | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FAG_GK_SOLL       | External operation MC Plan         | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FAG_VK_IST        | External operation FC Actual       | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FAG_VK_SOLL       | External operation FC Plan         | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FERTIGUNG_GEBUCHT | routing booked                     | If you create a receipt, the system add the costs<br>from routing position, example time receipts from<br>the calculation on this field |
| FERTIGUNG_GK_IST  | Production MC Actual               | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FERTIGUNG_GK_SOL  | Production MC Plan                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FERTIGUNG_VK_IST  | Production FC Plan                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FERTIGUNG_VK_SOL  | Production FC Plan                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| FromWhsCode       | For Warehouse                      |   |
| GEL_MENGE         | Complete                           |   |
| GRUPPE            | Group                              |   |
| HERSTELLUNG_GK_I  | Production MC Actual               | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| HERSTELLUNG_GK_S  | Production MC Plan                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| HERSTELLUNG_VK_I  | Production FC Actual               | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| HERSTELLUNG_VK_S  | Production FC Plan                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| InvntItem         | invntitem                          |   |
| ISTZEIT           | Last Message                       | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.  |
| ItemCode          | Item                               |   |
| ItemName          | Description                        |   |
| KALKBELNR_ID      | Precalculation                     |   |
| KALKPOS           | Number of calculation position     |   |
| LETZTE_NAKA       | Date Product Costing Analysis      |   |
| LIEFERDATUM       | Delivery Date                      | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.  |
| LK_BEWERTUNGSZEI  | last calculate time                |   |
| LOHNZUSCHLAG_GK   | Wage Allowance MC Actual           |   |
| LOHNZUSCHLAG_VK   | Wage Allowance FC Actual           |   |
| Match             | Match code                         |   |
| MATERIAL_GEBUCHT  | bom booked                         | If you create a receipt, the system add the cost of<br>booked material from the calculation on this field                               |
| MATERIAL_GK_IST   | Material MC Actual                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| MATERIAL_GK_SOLL  | Material MC Plan                   | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| MATERIAL_VK_IST   | Material FC Actual                 | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| MATERIAL_VK_SOLL  | Material FC Plan                   | Result from last batch calculation.<br>Only for compatibility. Don't use it   |
| MATZUSCHLAG_GK_I  | Allowance for material MC Actual   |   |
| MATZUSCHLAG_VK_I  | Allowance for material FC Actual   |   |
| ME_LAGER          | Unit of Store                      |   |
| ME_UMR            | unit factor                        |   |
| ME_VERBRAUCH      | Unit of Usage                      |   |
| MENGE             | Qty. to produce in Whs Store unit  |   |
| MENGE_BESTELLT    | Quantity ordered                   |   |
| MENGE_FERTIG_MAL  | Manually Finished Message Quantity |   |
| MENGE_VERBRAUCH   | Qty. to produce in Usage inut      |   |
| MENGE_VERSCHNITT  | Cut-Off Quantity                   |   |
| MIN_IST           | Actual Time                        |   |
| MIN_SOLL          | Plan Time                          |   |

|                   |                          |  |
|-------------------|--------------------------|--|
| PrintDate         | Print Date               | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| PRJUID            | Task                     |  |
| Project           | Project                  |  |
| QS_ID             | QC Inspection plan       |  |
| RevisionLevel     | Revision                 |  |
| RoutingId         | Routing                  |  |
| SCHEMA_ID         | Schema                   |  |
| SELBSTKOSTEN_GK_  | Cost of Sales MC Actual  | Result from last batch calculation.<br>Only for compatibility. Don't use it  |
| SELBSTKOSTEN_GK_  | Cost of Sales MC Plan    | Result from last batch calculation.<br>Only for compatibility. Don't use it  |
| SELBSTKOSTEN_VK_  | Cost of Sales FC Actual  | Result from last batch calculation.<br>Only for compatibility. Don't use it  |
| SELBSTKOSTEN_VK_  | Cost of Sales FC Plan    | Result from last batch calculation.<br>Only for compatibility. Don't use it  |
| SHORTVARIANT      | Variant                  | A=A<br>B=B<br>C=C<br>D=D<br>E=E<br>F=F<br>G=G<br>H=H<br>I=I<br>J=J<br>K=K<br>L=L<br>M=M<br>N=N<br>O=O<br>P=P<br>Q=Q<br>R=R<br>S=S<br>T=T<br>U=U<br>V=V<br>W=W<br>X=X<br>Y=Y<br>Z=Z |
| SIMULATIONSSTART  | Simulation Start Time    |  |
| SORTIERUNG        | Sort                     |  |
| STANDARDCOST_NR   | Standard price valuation |  |
| STARTBOOKING      | Material posting         | Yes=1<br>No=0  |
| STARTCAPACITYPLAN | Capacity Planning        | Yes=1<br>No=0  |
| STARTDISPOSITION  | Material planning        | Yes=1<br>No=0  |
| STARTTIMEREQUEST  | Login to work order      | Yes=1<br>No=0  |
| STARTZEIT         | Start date               | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| STARTZEIT_STRUKT  | Start Structure          | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| STATUS_ID         | Status                   | =<br>Start Status Position<br>(0%)=Start   |
| StlItemCode       | Bill of Materials        |  |
| STRUCTURESORT     | Sort by Structure        |  |
| STUFE             | Structure Level          | Level from position<br>First Level=0<br>Sub Level (Sib Assembly) 1 and so on. Max=20   |
| U_beas_ver        | I-Version                |  |
| U_znr             | Drawing no.              |  |
| UDF1              | User Field 1             |  |
| UDF10             | User Field 10            |  |

|                  |                                    |   |
|------------------|------------------------------------|---|
| UDF11            | User Field 11                      |   |
| UDF12            | User Field 12                      |   |
| UDF13            | User Field 13                      |   |
| UDF14            | User Field 14                      |   |
| UDF15            | User Field 15                      |   |
| UDF2             | User Field 2                       |   |
| UDF3             | User Field 3                       |   |
| UDF4             | User Field 4                       |   |
| UDF5             | User Field 5                       |   |
| UDF6             | User Field 6                       |   |
| UDF7             | User Field 7                       |   |
| UDF8             | User Field 8                       |   |
| UDF9             | User Field 9                       |   |
| VALUE1ZUSCHLAG_G | Value 1 Allowance MC Actual        |   |
| VALUE1ZUSCHLAG_V | Value1 Allowance FC Actual         |   |
| VARIANTE         | Variant ID                         |   |
| VKPREIS          | Sales Price                        |   |
| VRI              | Configuration                      |   |
| WhsCode          | Warehouse                          |   |
| WMS_PRODLINE     | Production Line                    |   |
| WST_ID           | Raw material                       |   |
| ZU_BELPOS_ID     | To workorder position              | Linked to father item<br>Example:<br>A1 (Level = 1, BEAS_FTPOS.BELPOS_ID=10)<br> - Material A2 (BEAS_FTSTL.BELPOS_ID=10,<br>BEAS_FTSTL.POS_ID=50)<br> - Assembly A2 (Level = 2,<br>BEAS_FTPOS.BELPOS_ID=20,<br>ZU_BELPOS_ID=10, ZU_POS_ID=50) |
| ZU_POS_ID        | To Bill of Materials Item position | Link to POS_ID from BEAS_FTSTL  |
| ZUSATZTEXT       | Info                               |   |
| ZUSCHLAG_GEBUCH  | Allowance booked                   | If you create a receipt, the system add the allowance from the calculation on this field  |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BELNR_ID  | Document No         |
| BELPOS_ID | Doc. Position       |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| INHALT    | Contents            |
| Parameter | Parameter           |

| Column    | Description   |
|-----------|---------------|
| BELNR_ID  | Document No   |
| BELPOS_ID | Doc. Position |
| ITEM      | Item          |
| OpenQty   | Open Quantity |
| Quantity  | Quantity      |

| Column            | Description                  |
|-------------------|------------------------------|
| AUSGLEICH         | Ausgleich                    |
| BELNR_ID          | Document No                  |
| BELPOS_ID         | Doc. Position                |
| DocEntry          | Document                     |
| FERTIGUNG_VK_IST  | Production FC Plan           |
| LOHN              | Wage                         |
| LOHNZUSCHLAG_VK   | Wage Allowance FC Actual     |
| MATERIAL          | Material                     |
| MATZUSCHLAG_VK_I! | Material Allowance FC Actual |
| Quantity          | Quantity                     |
| TOTALPRICE        | Total Price                  |

| Column           | Description           |
|------------------|-----------------------|
| ANDTSTAMP        | Aenderungsdatum       |
| ANDUSER          | Aenderer              |
| AUSLASTPZ        | Utilization Percent   |
| ERFTSTAMP        | Erfasungsdatum        |
| ERFUSER          | Erfasser              |
| POOLFAKTOR       | Pool Factor           |
| PRIOR_ID         | Priority ID           |
| SOFORTAUFTRAG    | Sofortauftrag         |
| UEBERGANGSZEITPZ | Übergangszeit Percent |
| UserText         | Description           |

| Column          | Description                           |   |
|-----------------|---------------------------------------|---|
| ABGKZ           | Closed                                | Yes=J<br>No=N   |
| ABM1            | Length                                |   |
| ABM2            | Width / o.d                           |   |
| ABM3            | H / i.d                               |   |
| ad              | ad                                    |   |
| ANDTSTAMP       | Date of last change                   |   |
| ANDUSER         | User of last change                   |   |
| APLANPOS_ID     | Routing-position                      | Link to Routing position<br>Database - NULL: Related to first or last routing position (related to setting) |
| ART1_ID         | Itemcode                              |   |
| AUSSCHUSS       | Calculated Scrap                      |   |
| b               | b                                     |   |
| BASEDOCENTRY    | base docentry                         |   |
| BaseDocNum      | base document                         |   |
| BaseLine        | base line                             |   |
| BASELINE2       | base line 2                           |   |
| BaseType        | base type                             |   |
| BELNR_ID        | Work order Number                     |   |
| BELPOS_ID       | Work order Position                   |   |
| BEREITGESTELLT  | reserved                              |   |
| BINCODE         | Bin Location                          |   |
| BITMAPNAME      | Picture                               | bmp=bmp   |
| BookedQty       | Booked Quantity                       | Booked quantity in Warehouse unit   |
| CAFTINFO        | caftinfo                              |   |
| COLORID         | Color                                 |   |
| DELIVERYDATE    | Delivery Date                         |   |
| DICHTE          | Density                               |   |
| DIN             | DIN                                   |   |
| DISPO           | dispo                                 |   |
| DontBookScrap   | Don't post scrap                      | Yes=1<br>No=0   |
| ERFTSTAMP       | Creation Date                         |   |
| ERFUSER         | Creation User                         |   |
| FORM            | Shape                                 |   |
| GK_ZUSCHLAG     | Surcharge MargCosts %                 |   |
| GRUPPE          | Material Group                        |   |
| h               | h                                     |   |
| ID              | id                                    |   |
| INFO            | Info                                  |   |
| INPUT_FACTOR    | Factor between Input and prodiction u |   |
| INPUT_QTY       | Quantity in input unit                |   |
| INPUT_UNIT      | Unit for Input Quanitity              | define separate Input unit id   |
| ItemName        | Description                           |   |
| I               | I                                     |   |
| Match           | Match code                            |   |
| MATERIALKOSTEN  | Material Costs                        |   |
| ME_LAGER        | Qty Store Unit                        |   |
| ME_UMR          | unit factor                           | Conversion factor between Production unit and Warehouse unit  |
| ME_VERBRAUCH    | Unit BOM                              |   |
| MENGE_GEBUCHT_L | Booked Quantity                       |   |
| MENGE_JE        | Per                                   |   |

|                      |                             |   |
|----------------------|-----------------------------|---|
| MENGE_LAGER          | Quantity in Store Unit      |   |
| MENGE_VERBRAUCH      | Quantity in Production unit | In production BOM the quantity is always provided in consumption units.   |
| MENGE_VERSCHNITT     | Cut-Off in Warehouse Unit   |   |
| MENGE_VERSCHNITT1    | Fixed quantity surcharge    |   |
| NUMMER               | Barcode                     |   |
| OnlyReservation      | Only Reservation Booking    | Yes=1<br>No=0   |
| PlaningSysNoSubMatei | Planning method             | Automatically=0<br>No=1   |
| POS_ID               | internal bom position       | <p>Internal Position number. You can't change it.<br/>This is not the sort number. Sorting is defined by SortId</p> <p>Integration hub<br/>           - use POS_ID=0 - beas create the next number<br/>           - if you define a POS_ID, beas update the existing position number or create a new line, if not existing</p> <p>ue_api_wobom<br/>           - the object don't check, if the pos-id is existing. if you insert a existing pos_id a second time, you create a primary key error.</p>                 |
| POS_ID_ORIGINAL      | pos_id_original             |   |
| POS_TEXT             | Bill of Material Position   |   |
| PrjCode              | Project Code                |   |
| PRJUID               | Task                        |   |
| RestChargeOff        | Issue remains from qty      |   |
| ROUND_DEC            | Rounding dec.               |   |
| ROUND_TYPE           | Rounding type               | Rounding at .5=0<br>Rounding up=1<br>Rounding Down=2<br>Multiple of=3<br>No rounding=-1   |
| SCHEINBAUGRUPPE      | created by Phantom ItemCode |   |
| SCHEINBAUGRUPPE_     | created by Phantom Position |   |
| SCHEINBAUGRUPPE_     | created by Phantom quantity |   |
| SCHEINBAUGRUPPE_     | created by Phantom IVersion |   |
| ScrapPercent         | Scran %                     |   |
| SHORTVARIANT         | Variant                     |   |
| SortId               | Sort                        | <p>Internal sort id. beas sort the bom list by this number</p> <p>Integration hub<br/>           -1 = sort by POS_ID, fast solution<br/>           -2 = sort by POS_ID, beas sort the complete bill of material list<br/>           -3 = sort by Position Text - alphanumeric<br/>           -4 = sort by Position Text - Numeric<br/>           More information see documentation</p> <p>object ue_api_wobom<br/>           - beas check the sortid and all special rules too, if you save this with wobom.save</p> |
| StillItemCode        | Created by Bom              |   |
| TOTALQUANTITY_WH     | Total                       |   |
| U_beas_ver           | Version                     |   |
| U_znr                | Drawing number              |   |
| UDF1                 | User Field 1                |   |
| UDF10                | User Field f10              |   |
| UDF11                | User Field f11              |   |
| UDF12                | User Field f12              |   |
| UDF13                | User Field f13              |   |
| UDF14                | User Field f14              |   |
| UDF15                | User Field f15              |   |
| UDF2                 | User Field 2                |   |
| UDF3                 | User Field 3                |   |

|              |                               |
|--------------|-------------------------------|
| UDF4         | User Field 4                  |
| UDF5         | User Field f5                 |
| UDF6         | User Field f6                 |
| UDF7         | User Field f7                 |
| UDF8         | User Field f8                 |
| UDF9         | User Field f9                 |
| UserText     | Additional text               |
| VK_ZUSCHLAG  | Surcharge Full Costs %        |
| VRI          | Configuration                 |
| WhsCode      | Warehouse                     |
| WST_ID       | Raw material                  |
| ZU_BELPOS_ID | linked to work order position |

| Column      | Description         |
|-------------|---------------------|
| AB          | From Date           |
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| APLATZ_ID   | Work Center         |
| BarCode     | Barcode             |
| BatchNum    | Batch Number        |
| BELNR_ID    | Document No         |
| BELPOS_ID   | Doc. Position       |
| BEM         | Remark              |
| BUCHNR_ID   | Booking No          |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| PERS_ID     | Employee number     |
| POS_ID      | Position            |
| TIMETYPE_ID | Time Type           |
| TYP         | Message Type        |

| Column         | Description         |
|----------------|---------------------|
| ANDTSTAMP      | Date of Last Change |
| ANDUSER        | User of Last Change |
| DESCRIPTION_ID | Description         |
| ERFTSTAMP      | Creation Date       |
| ERFUSER        | Typist              |
| FTTYP          | Production Type     |

| Column        | Description       |
|---------------|-------------------|
| BASEDOCENTRY  | Base Docentry     |
| BaseLine      | Base Line         |
| BELNR_ID      | Document No       |
| BELPOS_ID     | Doc. Position     |
| BUCHNR_ID     | Consecutive No    |
| DocDate       | Valuation date    |
| DocEntry      | Document Number   |
| FROM_ITEM     | Batchnumber from  |
| From_ItemCode | Item from         |
| From_Version  | Version from      |
| LFDNR         | Consecutive No    |
| LineNum       | Document Line     |
| PERS_ID       | Personal number   |
| POS_ID        | Position          |
| Quantity      | Quantity          |
| STATIONNAME   | not available     |
| STATIONNAME   | Work station Name |
| TO_ITEM       | Batchnumber to    |
| To_ItemCode   | item to           |
| To_Version    | Version to        |
| TYP           | Message Type      |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column        | Description        |
|---------------|--------------------|
| KONVERTIERUNG | conversion         |
| LAENGE        | Length             |
| QUELLFELD     | Source Column      |
| QUELLTYP      | Source Type        |
| REIHE         | Row                |
| TestScript    | Test Script        |
| TYP           | Message Type       |
| ZIELFELD      | destination Column |

| Column  | Description  |
|---------|--------------|
| DATUM   | Date         |
| INFO    | Info         |
| NR      | Number       |
| PRIOR   | Prior        |
| REIHE   | Import Id    |
| SQLINFO | SQL Info     |
| TYP     | Import table |

| Column          | Description                   |
|-----------------|-------------------------------|
| ANF             | Begin                         |
| ASCII_ANSI      | Ascii to Ansii Convert Script |
| BEZ             | Description                   |
| CHECKDB         | Check DB Script               |
| CONVERTDB       | Convert DB Script             |
| DATEINAME       | File Name                     |
| DSN             | DSN                           |
| ENDSCRIPT       | End Script                    |
| FILTER          | definition Filter             |
| KOPFZEILE       | Kopf Line                     |
| LINESCRIPT      | Line Script                   |
| quellprimary    | Source primary                |
| QUELLSORTIERUNG | Source Sort                   |
| quellsq1        | Source SQL                    |
| quelltable      | Spurce table                  |
| REIHE           | Row                           |
| ROWS            | Rows                          |
| SORTIERUNG      | Sort                          |
| SPALTEN         | Columns                       |
| STARTSCRIPT     | Script for Start              |
| TABELLE         | Table                         |
| TRENNER         | Separator                     |
| TYP             | Import Type                   |
| UEBERSETZUNG    | Translate                     |
| UPDATETYP       | Update Type                   |

| Column            | Description                |
|-------------------|----------------------------|
| ACCOUNTCODE_IN    | Account Entry              |
| ACCOUNTCODE_OUT   | Account Debit              |
| ACCOUNTDATE       | Booking Date               |
| ANDTSTAMP         | Date of Last Change        |
| ANDUSER           | User of Last Change        |
| BINAREAS          | Bin Location               |
| BOOKINGCOMMENTS   | Booking Information        |
| BOOKINGDATE       | booked Date                |
| BOOKINGNAME       | booked User                |
| BOOKINGREF2       | Booking Reference          |
| CloseDate         | Close Date                 |
| CLOSENAME         | Close User                 |
| CycleCode         | Cycle - Code               |
| DESCRIPTION       | Name Inventory             |
| ERFTSTAMP         | Creation Date              |
| ERFUSER           | Typist                     |
| INVENTORYID       | ID                         |
| INVENTORYPRICING  | Warehouse Pricing          |
| INVENTORYSTATUS   | Inventory Status           |
| INVENTORYTYP      | Inventory Type             |
| INVENTORYVISIBLE  | Warehouse visible          |
| PRICING           | Pricing                    |
| StartDate         | Start Date                 |
| STARTNAME         | Name Inventory             |
| SYSTEMQUANTITYVIS | Warehouse Quantity visible |
| WHSCODES          | Warehouse                  |

| Column           | Description        |
|------------------|--------------------|
| BatchNum         | Batch Number       |
| BINCODE          | Bin Location       |
| BINCODESORT      | Bin Location Sort  |
| COUNTLISTNUMBER  | Number Change      |
| COUNTNAME        | Counter Name       |
| COUNTQUANTITY    | Counting amount    |
| ENTRYDATE        | INPUT Date         |
| INFO             | Info               |
| INVENTORYCURRENC | Inventory Currency |
| INVENTORYID      | ID                 |
| INVENTORYITEMID  | Count number       |
| INVENTORYPRICE   | Inventory Price    |
| ItemCode         | Item               |
| LISTNUMBER       | Line No.           |
| RFID             | RFID               |
| SysSerial        | Internal No.       |
| TYPISTNAME       | Typist Name        |
| WhsCode          | Warehouse          |

| Column           | Description          |
|------------------|----------------------|
| AREACODE         | Bin Location Range   |
| BASEDOCENTRY     | Base Docentry        |
| BASEDOCLINE      | base doc line        |
| BaseNum          | base Number          |
| BatchId          | Batch Number         |
| BatchNum         | Batch Number         |
| BEASBOOKINGOK    | Booking beas ok      |
| BINCODE          | Bin Location         |
| BINCODESORT      | Bin Location Sort    |
| BOOKINGCURRENCY  | Booking Currency     |
| BOOKINGERRORTEX  | Booking Error        |
| BOOKINGOK        | Booking ok           |
| BOOKINGPRICE     | Booking Price        |
| BOOKINGQUANTITY  | Booking Quantity     |
| BSTATUS          | B Status             |
| CHANGEDSTATUS    | Change Status        |
| COUNTLISTNUMBER  | Number Change        |
| COUNTNAME        | Counter Name         |
| COUNTQUANTITY    | Counting amount      |
| DocNum           | document number      |
| ENTRYDATE        | INPUT Date           |
| ExpDate          | Exdate               |
| GrntExp          | Garantie End         |
| GrntStart        | Guarantee start      |
| InDate           | Input date           |
| INFO             | Info                 |
| IntrSerial       | Serial Number        |
| INVENTORYCURRENC | Inventory Currency   |
| INVENTORYID      | ID                   |
| INVENTORYITEMID  | Zähllistennummer     |
| INVENTORYPRICE   | Inventory Price      |
| ItemCode         | Item                 |
| LISTNUMBER       | Line No.             |
| LISTNUMBERSORT   | Sort                 |
| Located          | Location             |
| ManBtchNum       | Batch Management Y/N |
| ManSerNum        | Serialnumber Y/N     |
| Notes            | Information          |
| ObjType          | Object type          |
| PrdDate          | Date of Production   |
| PrintDate        | Print Date           |
| RFID             | RFID                 |
| SuppSerial       | Supp-Seriennummer    |
| SysSerial        | Internal No.         |
| SYSTEMQUANTITY   | System Quantity      |
| TYPISTNAME       | Typist Name          |
| WhsCode          | Warehouse            |
| WHSLOCKED        | Warehouse Blocked    |
| WHSUNIT          | Warehouse Unit       |

| Column           | Description  |
|------------------|--|
| ANDTSTAMP        | Date of last change  |
| ANDUSER          | User of last change  |
| BILD1            | Attachment 1   |
| BILD2            | Attachment 2   |
| BILD3            | Attachment 3   |
| BITMAPNAME       | Picture  |
| Block            | Blocked<br>Yes=1<br>No=0   |
| BlockDate        | Blocked Date<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.           |
| BlockName        | Blocked Name   |
| BlockReason      | Blocked Reason   |
| COLORID          | Color  |
| DateFrom         | Valid from<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.             |
| DateTo           | Valid to<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.               |
| DESCRIPTION      | Description  |
| ERFTSTAMP        | Creation date  |
| ERFUSER          | Recorder   |
| ItemCode         | Item   |
| Release          | Release<br>Yes=1<br>No=0   |
| ReleaseDate      | Release Date<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.           |
| ReleasePersName  | Release From   |
| ReleaseStationId | Release on Work station  |
| Remarks          | Information  |
| RevisionLevel    | Revision Nummmer   |
| RoutingId        | --   |
| Status           | Status<br>Status of this Version. This field is mandatory  |
| StlItemCode      | Bill of Materials<br>Link to bill of material<br>Only, if item administration is setted to "separat bill<br>of material" |
| UDF1             | Userfield 1  |
| UDF10            | Userfield 10   |
| UDF11            | Userfield 11   |
| UDF12            | Userfield 12   |
| UDF13            | Userfield 13   |
| UDF14            | Userfield 14   |
| UDF15            | Userfield 15   |
| UDF2             | Userfield 2  |
| UDF3             | Userfield 3  |
| UDF4             | Userfield 4  |
| UDF5             | Userfield 5  |
| UDF6             | Userfield 6  |
| UDF7             | Userfield 7  |
| UDF8             | Userfield 8  |
| UDF9             | Userfield 9  |
| Version          | I-Version  |
| ZNR              | Drawing number   |

| Column             | Description                 |  |                                  |
|--------------------|-----------------------------|--|----------------------------------|
| ANDTSTAMP          | Date of last change         |  |                                  |
| ANDUSER            | User of last change         |  |                                  |
| BITMAPNAME         | Picture                     |  |                                  |
| Block              | Locked                      | Yes=1<br>No=0<br>do not change=2   |                                  |
| CanCreateWo        | Work order can be created   | A work order can only be created for this item version if this option is active.<br><br>Note: If the status is blocked the work order is created but blocked if it is a sub-item.<br><br>The work order is also be blocked if it is created in an automatic process (via integration hub).<br><br>The blocking can be avoided by using Production types eg. for a sample production. | Yes=1<br>No=0                    |
| CanDeliver         | Delivery note               | Yes=1<br>No=0  |                                  |
| CanGRPO            | Purchase delivery note      | Define, if a Goods Receipt PO can be created   | Yes=1<br>No=0                    |
| CanIssueWo         | Issue for wo can be created | Defines whether the item version is to be considered in material planning.<br><br>If a work order has already been created, this option affects the same option in the work order position.<br><br>See Update Status. Yes / No / None change are selectable.   | Yes=1<br>No=0<br>None Chagen=2   |
| CanModify          | Change allow                | If this option is deactivated, the stored routing cannot be changed.<br><br>But the fields in the item version are still changeable.   | Yes=1<br>No=0                    |
| CanModifyWo        | Work order change allowed   | Defines whether for this item version, changes may be executed in the work order. This option affects the same option in the work order position.  | Yes=1<br>No=0<br>do not change=2 |
| CanPurchaseInvoice | Purchase Invoice            | Describe, if a PO Invoice can be created   | Yes=1<br>No=0                    |
| CanPurchaseOrder   | PO Order can be created     |  | Yes=1<br>No=0                    |
| CanReservationWo   | Reservation for Wo          |  | Yes=1<br>No=0                    |
| CanSaleInvoice     | Sales Invoice               |  | Yes=1<br>No=0                    |
| CanSaleOrder       | Sales order                 |  | Yes=1<br>No=0                    |
| ChangeOpenWorkorde | Status update               |  |                                  |
| COLORID            | Color                       |  |                                  |
| Confirmed          | Work order approved         | Defines whether for this item version the work order position may be approved. This option affects the same option in the work order position  | Yes=1<br>No=0<br>do not change=2 |
| Deleted            | Entry deleted / blocked     |  |                                  |
| DESCRIPTION        | Description                 |  |                                  |
| ERFTSTAMP          | Creation date               |  |                                  |
| ERFUSER            | Recorder                    |  |                                  |
| Release            | Release                     | yes=1<br>No=0<br>do not change=2   |                                  |
| SortId             | Sorting                     |  |                                  |
| STARTBOOKING       | Work order material posting | Defines whether material postings may be created for this item version. This option affects the same option in the work order position.  | Yes=1<br>No=0<br>do not change=2 |
| STARTCAPACITYPLAN  | Capacity planining          | Defines whether the item version is to be considered in capacity planning (APS). This option affects the same option in the work order position  | Yes=1<br>No=0<br>do not change=2 |

|                  |                    |   |                                  |
|------------------|--------------------|---|----------------------------------|
| STARTDISPOSITION | Material planning  | <p>Related to work order setting "Disposition"<br/>         Defines whether the item version is to be considered in material planning.<br/>         If a work order has already been created, this option affects the same option in the work order position.<br/>         See Update Status. Yes / No / None change are selectable</p> <p>None change means: The status don't change the setting in the work order</p> | Yes=1<br>No=0<br>do not change=2 |
| STARTTIMEREQUEST | Login to workorder | <p>Defines whether order time receipts may be created for this item version. This option affects the same option in the work order position. See Update Status.</p>   | Yes=1<br>No=0<br>do not change=2 |
| Status           | Status Id          |   |                                  |
| UDF1             | Userfield 1        |   |                                  |
| UDF2             | Userfield 2        |   |                                  |
| UDF3             | Userfield 3        |   |                                  |
| UDF4             | Userfield 4        |   |                                  |

| Column         | Description         |
|----------------|---------------------|
| ANDTSTAMP      | Date of Last Change |
| ANDUSER        | User of Last Change |
| ARBEITSTAG     | Workday             |
| DATUM_ID       | Date                |
| ERFTSTAMP      | Creation Date       |
| ERFUSER        | Typist              |
| INFO           | Info                |
| KAPATAGPROZENT | Capacity per Day    |
| KW_ID          | Calendar Week       |
| LFD_TAG_ID     | Tag ID              |
| TAGMUSTER_ID   | Day Model           |
| WOCHENTAG      | Week Day            |

| Column       | Description        |
|--------------|--------------------|
| ABFRAGEN     | Query              |
| BatchNum     | Batch Number       |
| CardCode     | Supplier           |
| DATEINAME    | File Name          |
| DocEntry     | Dokument           |
| ENDBATCH     | Batch Script       |
| ENDSCRIPT    | End Script         |
| ItemCode     | Item               |
| LineNum      | Line               |
| Name         | Name               |
| SCRIPT       | Script 1           |
| SCRIPT2      | Script 2           |
| SCRIPT3      | Script 3           |
| SENDTYP      | Send Type          |
| SQL          | SQL script         |
| STARTSCRIPT  | Start Script       |
| TYP          | Type               |
| WhsCode      | Warehouse          |
| ZAEHLERSRIPT | Script for Counter |

| Column         | Description         |
|----------------|---------------------|
| ANDTSTAMP      | Date of Last Change |
| ANDUSER        | User of Last Change |
| ERFTSTAMP      | Creation Date       |
| ERFUSER        | Typist              |
| GEKOZUSCHLAGGK | IMC Marginal Cost   |
| GEKOZUSCHLAGVK | IMC Full Cost       |
| GRUPPE         | Group ID            |
| ZUSATZINFO     | Additional Info     |

| Column          | Description                  |
|-----------------|------------------------------|
| ANDTSTAMP       | Date of Last Change          |
| ANDUSER         | User of Last Change          |
| BUCHNR_ID       | Booking No                   |
| ERFTSTAMP       | Creation Date                |
| ERFUSER         | Typist                       |
| GEKOZUSCHLAGVK  | Overhead Allowance Full Cost |
| GRENZKOSTEN_PZ  | Marginal Cost Percent        |
| GRENZKOSTEN_WER | Marginal Cost Value          |
| GRUPPE          | Group                        |
| MARKTKST_PZ     | M Percent                    |
| SCHEMA_ID       | Schema                       |
| VOLLKOSTEN_PZ   | Full Cost Percent            |
| VOLLKOSTEN_WERT | Full Cost Value              |

| Column       | Description           |
|--------------|-----------------------|
| afobbarcode  | Routing Barcode nmber |
| bad          | Bad Counter           |
| Counter      | Counter               |
| createTime   | Date of Creation      |
| DAUER        | Duration              |
| FROM_ID      | From Date             |
| good         | Good Counter          |
| grund_id     | Reason ID             |
| INFO         | Info                  |
| maschine     | Machine               |
| nutzenfaktor | Use Factor            |
| sbad         | second Bad Counter    |
| sgood        | Second Good Counter   |
| STATUS_ID    | Status                |
| status_input | Status Input          |
| time_id      | Time ID               |
| to_id        | To Date               |

| Column       | Description           |
|--------------|-----------------------|
| afobbarcode  | Routing Barcode nmber |
| APLATZ_ID    | Resource              |
| bad          | Bad Counter           |
| change_id    | Change                |
| DID          | DID Address BENZING   |
| error_from   | Error from            |
| GID          | GID Address BENZING   |
| good         | Good Counter          |
| lbad         | last Bad Counter      |
| lgood        | last Good Counter     |
| lstatus_id   | last Status ID        |
| maschine     | Machine               |
| nutzenfaktor | Use Factor            |
| sbad         | second Bad Counter    |
| sgood        | Second Good Counter   |
| STATUS_ID    | Status                |
| status_text  | Status Text           |
| time_id      | Time ID               |

| Column         | Description                           |
|----------------|---------------------------------------|
| ANDTSTAMP      | Date of Last Change                   |
| ANDUSER        | User of Last Change                   |
| ANZDEZ         | Number Decimalstellen only for displa |
| ERFTSTAMP      | Creation Date                         |
| ERFUSER        | Typist                                |
| ME_ID          | Unit of M. ID                         |
| MRPRUNDUNGDEC  | Round Decimal for Forcast MRP         |
| MRPRUNDUNGTYPO | Round Typ for Forcast in MRP          |
| TEXTPLURAL     | Description Mehrzahl                  |
| TEXTSINGULAR   | Description Einzahl                   |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| ME1_ID    | From Unit           |
| ME2_ID    | to Unit             |
| U_form    | Shape               |
| UMRFORMEL | Formula             |

| Column           | Description                                       |
|------------------|---|
| AUFTRAEGE        | Quantity Sales Order                              |
| AUFTRAGSMENGE    | Work Order Quantity                               |
| BEASPRIO         | Priority  |
| BEDARFSDATUM     | Date of requirement                               |
| BESTELLUNGEN     | Quantity Order                                    |
| CardCode         | Supplier  |
| Currency         | Currency  |
| FERTIGUNG_ABGANG | Quantity Production Debit                         |
| FERTIGUNG_ZUGANG | Quantity Production Credit Menge Fertigungszugang |
| ItemCode         | Item  |
| KW1              | CW 1  |
| KW2              | CW 2  |
| KW3              | CW 3  |
| KW4              | CW 4  |
| KW5              | CW 5  |
| KW6              | CW 6  |
| KW7              | CW 7  |
| KW8              | CW 8  |
| KW9              | CW 9  |
| LeadTime         | Pretime   |
| LETZTESDATUM     | last Date   |
| LIEFERDATUM      | Delivery Date                                     |
| MinLevel         | Minimum Inventory                                 |
| NR               | Number  |
| OnHand           | Warehouse stock                                   |
| Price            | Price   |
| Project          | Project   |
| SALDO            | Balance   |
| UNTERSCHREITUNG  | Unterschreitung                                   |
| USER1            | User 1  |
| USER2            | User 2  |
| USER3            | User 3  |

| Column           | Description                |
|------------------|----------------------------|
| ART              | Item                       |
| AUFTRAG_ABGANG   | Work Order Debit           |
| BEASPRIO         | Priority                   |
| BEDARFSDATUM     | Date of requirement        |
| BELNR_ID         | Document No                |
| BELPOS_ID        | Doc. Position              |
| BESTELLUNG_ZUGAN | Purchase Order Credit      |
| BEWERTET         | Bewertet                   |
| BMPNAME          | Bitmap Name                |
| DATUM            | Date                       |
| DocEntry         | Document Entry             |
| DocType          | Document Type              |
| eingabe          | INPUT                      |
| FERTIGUNG_ABGANG | Quantity Production Debit  |
| FERTIGUNG_ZUGANG | Quantity Production Credit |
| INFO             | Info                       |
| INFO2            | Info2                      |
| INFOTEXT         | Info Text                  |
| ItemCode         | Item                       |
| LIEFERANT        | Purchase                   |
| LineNum          | Document Line              |
| Name             | Name                       |
| NR               | Number                     |
| OnHand           | Warehouse stock            |
| ONHAND2          | Warehouse stock 2          |
| POS              | Position                   |
| POS_ID           | Position                   |
| Project          | Project                    |
| S_LEVEL          | Structure Level            |
| SHORTVARIANT     | Variant ID                 |
| TABLEREF         | Table reference            |
| USER1            | User 1                     |
| USER2            | User 2                     |
| USER3            | User 3                     |
| USER4            | User 4                     |
| VRI              | Configuration ID           |

| Column       | Description    |
|--------------|----------------|
| AFO          | Position       |
| BELNR_ID     | Document No    |
| BELPOS_ID    | Doc. Position  |
| BESCHREIBUNG | Description    |
| DocEntry     | Docentry       |
| DocType      | Objektyp       |
| ItemCode     | Item           |
| LFGDATE      | Delivery Date  |
| Line         | Line           |
| LineNum      | Linenum        |
| NR           | Number         |
| ORDERQTY     | Order Quantity |
| POS_ID       | Position       |
| Quantity     | Quantity       |
| TAETIGKEIT   | Activity       |
| TYP          | Type           |

| Column       | Description               |
|--------------|---------------------------|
| ANDTSTAMP    | Date of Last Change       |
| ANDUSER      | User of Last Change       |
| BASEDOCENTRY | Base Docentry             |
| BaseDocNum   | Base Document number      |
| BaseLine     | Base Line                 |
| BASELINE2    | Base Line 2               |
| BaseType     | Base Type                 |
| CardCode     | Supplier                  |
| Currency     | Currency as Format string |
| DELIVERYDATE | Delivery Date             |
| ERFTSTAMP    | Creation Date             |
| ERFUSER      | Typist                    |
| FATYP        | Workorder Type            |
| Height       | Height                    |
| INFO         | Info                      |
| INTNR        | Internal No.              |
| ItemCode     | Item                      |
| LENGTH       | Length                    |
| Price        | price                     |
| Project      | projectnumber             |
| Quantity     | Quantity                  |
| SHORTVARIANT | Variant ID                |
| TYP          | Type                      |
| UDF1         | Userfield 1               |
| UDF2         | Userfield 2               |
| UDF3         | Userfield 3               |
| UDF4         | Userfield 4               |
| VRI          | Configuration ID          |
| WhsCode      | Warehouse                 |
| Width        | Width                     |
| ZUSATZTEXT   | Additional text           |

| Column                           | Description                |
|----------------------------------|----------------------------|
| AUFRAG                           | Work Order                 |
| AUFRAG_POS                       | Position                   |
| BERECHNENSCHALT <small>E</small> | Calculation Automatically  |
| BEZEICHNUNG                      | Description                |
| bruttobedarf                     | Bruttobedarf               |
| citems                           | prüfende Item              |
| FILTER                           | definierter Filter         |
| ITEMCODE_BIS                     | Item To                    |
| ITEMCODE_VON                     | Item From                  |
| itemName                         | Description                |
| LETZTEBERECHNUNG                 | last Calculation           |
| LIEFERDATUM_BIS                  | To Delivery Date Days      |
| LIEFERDATUM_BIS_D                | To Delivery Date Date      |
| NR                               | Number                     |
| PROGNOSE_ANSICHT                 | Forecast View              |
| PROGNOSE_CODE                    | Forecast Code              |
| PROGNOSE_ID                      | Forecast ID                |
| PROGNOSE_NAME                    | Forecast Name              |
| SACHB_ID                         | Sachbearbeiterkennung      |
| TEILEKONTO                       | Gilt als Teilekontovorgabe |
| U_ke                             | Kaufteil/Eigenfertigung    |
| vorgang                          | transaction                |
| ZNR                              | Drawing Number             |

| Column           | Description   |
|------------------|---------------|
| NR               | Number        |
| PROGNOSE_ANSICHT | Forecast View |
| PROGNOSE_CODE    | Forecast Code |
| PROGNOSE_ID      | Forecast ID   |
| PROGNOSE_NAME    | Forecast Name |

| Column | Description |
|--------|-------------|
|--------|-------------|

|                  |                     |
|------------------|---------------------|
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| BEREICH          | Range               |
| bereich_beta     | beta                |
| bereich_intern   | Internal            |
| bereich_kunde    | customer            |
| bereich_partner  | Partner             |
| DATUM            | Date                |
| dokumentiert     | documentation       |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Typist              |
| geaendertesource | change source       |
| geprueft1        | check 1             |
| geprueft2        | check 2             |
| kompiliert       | compiled            |
| kurz             | short message       |
| kurz_en          | short message en    |
| lang             | long message        |
| lang_en          | long message en     |
| Link             | link                |
| NR               | Number              |
| uebersetzt       | translate           |
| Version          | Version             |

| Column     | Description          |
|------------|----------------------|
| ANDTSTAMP  | Date of Last Change  |
| ANDUSER    | User of Last Change  |
| BASE_REF   | Base Reference       |
| Comments   | Comments             |
| DocDate    | Document Date        |
| DocLineNum | Document Line Number |
| ERFTSTAMP  | Creation Date        |
| ERFUSER    | Typist               |
| IN0OUT1    | in (0) or out (1)    |
| Instance   | instance             |
| ItemCode   | Item                 |
| OpenQty    | Offene Quantity      |
| Quantity   | Quantity             |
| Ref2       | Reference 2          |
| TransNum   | transaktion number   |
| TransType  | transaktion Type     |
| Warehouse  | Warehouse            |

| Column   | Description        |
|----------|--------------------|
| BatchNum | Batch Number       |
| Instance | instance           |
| LineNum  | Line Number        |
| TransNum | transaktion number |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column         | Description            |
|----------------|------------------------|
| ANDTSTAMP      | Date of Last Change    |
| ANDUSER        | User of Last Change    |
| CALCDATE       | Calculate Date         |
| COSTOFSALES_FC | Cost of Sales FC       |
| COSTOFSALES_MC | Cost of Sales MC       |
| DESCRIPTION    | Name Ausgabedefinition |
| ERFTSTAMP      | Creation Date          |
| ERFUSER        | Typist                 |
| GROSSPRICE_FC  | Gross Price FC         |
| GROSSPRICE_MC  | Gross Price MC         |
| ItemCode       | Item                   |
| ItemName       | Description            |
| LABOUR_FC      | Labour FC              |
| LABOUR_MC      | Labour MC              |
| MATERIAL_FC    | Material FC            |
| MATERIAL_MC    | Material MC            |
| NETPRICE_FC    | Net Price FC           |
| NETPRICE_MC    | Net Price MC           |
| NR             | Number                 |
| PriceList      | Price List             |
| PRODUCTION_FC  | Production FC          |
| PRODUCTION_MC  | Production MC          |
| SCHEMA_ID      | Schema                 |
| TYP            | Meldungstyp            |

| Column       | Description   |
|--------------|---------------|
| BASEItemCode | base itemcode |
| Quantity     | full quantity |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| INHALT    | Contents            |
| ItemCode  | Item                |
| Parameter | Parameter           |
| SortId    | SortId              |
| UDF1      | Userfield 1         |
| UDF2      | Userfield 2         |
| UDF3      | Userfield 3         |
| UDF4      | Userfield 4         |
| VERWEIS   | Verweiskennung      |
| VORGABE   | Default             |
| ZWINGEND  | Urgent              |

| Column       | Description         |
|--------------|---------------------|
| ANDTSTAMP    | Date of Last Change |
| ANDUSER      | User of Last Change |
| AUSGABEFORM  | Output Shape        |
| BEDINGUNG    | Condition           |
| BEZEICHNUNG  | Description         |
| BILD1        | Anhang 1            |
| BILD1GROESSE | Picture 1 Size      |
| EINGABETYP   | INPUT Type          |
| ERFTSTAMP    | Creation Date       |
| ERFUSER      | Typist              |
| ItemCode     | Item                |
| LANGTEXT     | Long text           |
| NR           | Number              |
| Parameter    | Parameter           |
| PREIS1       | Price 1             |
| PREISFORMEL  | Price Formula       |
| PREISLISTE   | Price List          |
| REGEL        | Rule                |
| STUFE        | structure level     |
| TEXT1        | Text 1              |
| TEXT2        | Text 2              |
| TEXT3        | Text 3              |
| TYP          | Type                |
| VERWEIS      | Reference           |
| VORGABE      | Default             |
| ZWINGEND     | Urgent              |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column      | Description         |   |                              |
|-------------|---------------------|---|------------------------------|
| ANDTSTAMP   | Date of last change |   |                              |
| ANDUSER     | User of last change |   |                              |
| BinGroup    | Rule Group          | The Group Id of the rule<br>Can be the ItemCode or ItemGroup Code |                              |
| BinType     | Group By            | Define the Group by   | I=By Item<br>G=By Item Group |
| DESCRIPTION | Description         |   |                              |
| ERFTSTAMP   | Creation date       |   |                              |
| ERFUSER     | Recorder            |   |                              |

| Column       | Description         |   |  |
|--------------|---------------------|---|--|
| ANDTSTAMP    | Date of last change |   |  |
| ANDUSER      | User of last change |   |  |
| BinGroup     | GroupId             | The Group Id of the rule<br>Can be the ItemCode or ItemGroup Code       |  |
| BinType      | Group Type          | Type of Group (Item, ItemGroup)   | I=By Item<br>G=By Item Group   |
| BITMAPNAME   | Image               |   |  |
| CardCode     | Business Partner    |   |  |
| COLORID      | Color               |   |  |
| DESCRIPTION  | Description         |   |  |
| DocType      | Document Type       | Rule for document type  | Release Material (QC<br>Transfer process)<br>=QCGOOD<br>Lock Material (QC<br>Transfer process)<br>=QCBAD<br>Create new work<br>order=WONEW |
| ERFTSTAMP    | Creation date       |   |  |
| ERFUSER      | Recorder            |   |  |
| FromWhsCode  | From Warehouse      |   |  |
| LINEID       | Line Id             |   |  |
| OnlyPostOut  | Only for postout    | QC transfer process:<br>Use this rule only for Issue / post out process | yes=1<br>no=0  |
| OnlyQC       | Only with QC Order  | Use this rule only, if QC Order is existing for this<br>transaction     | Yes=1<br>No=0  |
| PrjCode      | Project             |   |  |
| RuleId       | Rule Id             |   |  |
| SortId       | Sorting             |   |  |
| TOBINCODE    | To bin              | use this Bin Code   |  |
| TOWHSCODE    | To warehouse        | use this Warehouse Id   |  |
| WhsCode      | Warehouse           |   |  |
| WMS_PRODLINE | to Production Line  | use this production Line  |  |

| Column            | Description                           |  |               |
|-------------------|---------------------------------------|--|---------------|
| AKTIV             | Active                                |  | Yes=1<br>No=0 |
| ALLESANMELDBAR    | Allow logon to op. sequ. of all pools | if active, the employee can also log on to positions by barcode which are not in the active pool.<br>Only affects Terminal > work order logon. | Yes=1<br>No=0 |
| ANDTSTAMP         | Date of Last Change                   |  |               |
| ANDUSER           | User of Last Change                   |  |               |
| ANGESTELLTENSTATI | Status                                |  |               |
| APLATZ_ID         | Resource 1                            | Define, on which resource the user can work.<br>Special characters not allowed. The defined resource must exist.                               |               |
| APLATZ_ID2        | Resource 2                            | Define, on which resource the user can work.<br>Special characters as % and _ are allowed.   |               |
| APLATZ_ID3        | Resource 3                            | Define, on which resource the user can work.<br>Special characters as % and _ are allowed.   |               |
| APLATZ_ID4        | Resource 4                            | Define, on which resource the user can work.<br>Special characters as % and _ are allowed.   |               |
| APLATZ_ID5        | Resource 5                            | Define, on which resource the user can work.<br>Special characters as % and _ are allowed.   |               |
| APLATZ_ID6        | Resource 6                            | Define, on which resource the user can work.<br>Special characters as % and _ are allowed.   |               |
| ASRESOURCE        | ASRESOURCE                            |  |               |
| AUSTRDAT          | Exit Date                             | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |               |
| BPLId             | BPLId                                 |  |               |
| BPLIds            | BPLIds                                |  |               |
| BPLName           | BPLName                               |  |               |
| CardCode          | cardcode                              |  |               |
| CARDNUMBER        | Card Number                           |  |               |
| DisplayName       | DisplayName                           |  |               |
| EINTRDAT          | Date of Hire                          | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |               |
| empID             | Employer ID                           |  |               |
| ERFTSTAMP         | Creation Date                         |  |               |
| ERFUSER           | Typist                                |  |               |
| FLAG_ERROR        | FLAG_ERROR                            |  |               |
| GEBDAT            | Date of birth                         | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |               |
| INFO              | Remarks                               |  |               |
| INTERNAL_K        | internal_k                            |  |               |
| KARTENNR          | Card Number                           |  |               |
| KOSTENFAKTOR      | Cost Rate on time receipt             |  |               |
| KOSTENSATZ        | Cost rate                             |  |               |
| KOSTENSATZ_VERWF  | use own Cost rate                     |  |               |
| KOSTENSTELLENWE   | Cost center selectable                | Determines whether the "Charge to Cost Center" field is displayed and can be changed for Close Work Order (and only there)                     | Yes=1<br>No=0 |
| KSTST_ID          | Cost Center                           |  |               |
| MAART             | Job Category                          |  |               |
| MEHRAUFTRAGSBED   | Work Order Grouping                   | If active, the employee can log on to multiple orders at once  | Yes=1<br>No=0 |
| MEHRMASCHINENBE   | Machine Grouping                      | If active, the employee can work on multiple machines in parallel (beas_pers.machine grouping)   | Yes=1<br>No=0 |
| MENUGROUP         | Access group                          |  |               |
| MENUGROUPWEB      | Web terminal group                    |  |               |
| NAME1             | First Name                            |  |               |
| NAME2             | Last Name                             |  |               |

|                    |                         |   |  |
|--------------------|-------------------------|---|--|
| NAME3              | Middle name             |   |  |
| PERS_ID            | Employee number         |   |  |
| PERSGRP_ID         | Personnel group         |   |  |
| pocketpC           | pocketpC                |   |  |
| pocketpwd          | pocketpwd               |   |  |
| PRAEMBER_ID        | - without function -    |   |  |
| QCMeasurementRelea | QC Release              |   |  |
| ReportName         | Evaluation by report    |   |  |
| RESSOURCENWECHSEL  | Resource selectable     | Time receipt<br>define, if the employee can change the default resource<br>- if current resource is a resource group, then it's always allowed to change<br>- if yes, only resource, which allowed for current user | No=0<br>Yes=1<br>Alternativ Resource=2 |
| SCHICHT1_ID        | Default Shift           |   |  |
| SPR_ID             | Language                |   |  |
| STANDORT           | Location                |   |  |
| STDRLGL_ID         | Period rule             |   |  |
| UDF1               | Userfield 1             |   |  |
| UDF2               | Userfield 2             |   |  |
| UDF3               | Userfield 3             |   |  |
| UDF4               | Userfield 4             |   |  |
| URLAUB             | Standard annual holiday |   |  |
| WAGETYPE           | WAGETYPE                |   |  |
| WEBPWD             | Weblogin Password       |   |  |
| WEBPWD_DateTo      | Weblogin Valid to       | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |  |
| WEBUSER            | Weblogin Name           |   |  |
| ZEITART_ID         | Time Type               |   |  |
| ZEITARTWECHSEL     | Cost element selectable | Determines whether the "Time Type" field is displayed and can be changed for Work order logoff  | yes=1<br>No=0                          |
| ZEITEDITIERUNG     | - without function -    |   |  |
| ZEITTYP_TE         | processing              |   |  |
| ZEITTYP_TH         | quality control         |   |  |
| ZEITTYP_TN         | Rework                  |   |  |
| ZEITTYP_TR         | setting up              |   |  |

| Column          | Description             |
|-----------------|-------------------------|
| ABSENCE         | Edit Absence            |
| ANDTSTAMP       | Date of Last Change     |
| ANDUSER         | User of Last Change     |
| ATTENDANCE      | Edit Attendance         |
| DOCUMENTS       | Edit Documents          |
| ERFTSTAMP       | Creation Date           |
| ERFUSER         | Typist                  |
| MASTERDATA      | Edit Master Data        |
| MONTHLYQUOTA    | Edit Monthly Quota      |
| PERS_ID         | Employee number         |
| SHIFTSCHEDULE   | Edit Shift Schedule     |
| STANDARDWORKHOL | Edit Default Work Hours |
| USER_CODE       | User Code               |
| WORKORDERS      | Edit Workorders         |

| Column           | Description            |
|------------------|------------------------|
| ANDTSTAMP        | Date of Last Change    |
| ANDUSER          | User of Last Change    |
| ERFTSTAMP        | Creation Date          |
| ERFUSER          | Typist                 |
| FEIERTAG_STD     | Holidays Hours         |
| FEIERTAG_TAG     | Holidays Days          |
| HALB_STD         | Halbtags Hours         |
| INFO             | Info                   |
| IST_DIFF         | Actual Difference      |
| IST_STD          | Actual Hours           |
| IST_TG           | Actual Days            |
| JAHR             | Year                   |
| KONTO_AUSZAHLUNG | Account Pay-out        |
| KONTO_NEU        | Account New            |
| KONTO_REST       | Account Carry Over     |
| KONTO_UEBER      | Account Balance        |
| KONTO2_NEU       | Account 2 New          |
| KONTO2_REST      | Account 2 Balance      |
| KONTO2_UEBER     | Account 2 Balance      |
| KR_STD           | Sick Hours             |
| KR_TG            | Sick Days              |
| MONAT            | Month                  |
| NACHTARBEIT_STD  | Night Shift Hours      |
| NORMAL_STD       | normally Hours         |
| PERS_ID          | Employee number        |
| SAMSTAG_STD      | Saturday Hours         |
| SCHICHT_STD      | Shift Hours            |
| SCHULE_STD       | School Hours           |
| SCHULE_TG        | School Days            |
| SOLL_STD         | Plan Hours             |
| SOLL_TG          | Plan Days              |
| SONNTAG_STD      | Sunday Hours           |
| SPAETZUSCHLAG_ST | Late shift prem. Hours |
| URL_REST         | Vacation Balance       |
| URL_STD          | Vacation Hours         |
| URL_TG           | Vacation Days          |
| URL_ZUSCHLAG     | Vacation Allowance     |

| Column            | Description         |
|-------------------|---------------------|
| ABW_DI            | Absence Tuesday     |
| ABW_DO            | Absence Thursday    |
| ABW_FR            | Absence Friday      |
| ABW_MI            | Absence Wednesday   |
| ABW_MO            | Absence Monday      |
| ABW_SA            | Absence Saturday    |
| ABW_SO            | Absence Sunday      |
| ANDTSTAMP         | Date of Last Change |
| ANDUSER           | User of Last Change |
| BIS_DATUM         | To Date             |
| ERFTSTAMP         | Creation Date       |
| ERFUSER           | Typist              |
| MAXKONTO          | max. Account        |
| PERS_ID           | Employee number     |
| RGL_ART           | Rule Item           |
| RGL_AUSW1         | Rule Selection 1    |
| RGL_AUSW2         | Rule Selection 2    |
| RGL_AUSW3         | Rule Selection 3    |
| RGL_AUSW4         | Rule Selection 4    |
| RGL_AUSW5         | Rule Selection 5    |
| RGL_AUSW6         | Rule Selection 6    |
| RGL_DI            | Rule Tuesday        |
| RGL_DO            | Rule Thursday       |
| RGL_FR            | Rule Friday         |
| RGL_MI            | Rule Wednesday      |
| RGL_MO            | Rule Monday         |
| RGL_ROTIER_DATUM  | Rotierung Date      |
| RGL_ROTIER1       | Rotierung 1         |
| RGL_ROTIER2       | Rotierung 2         |
| RGL_ROTIER3       | Rotierung 3         |
| RGL_SA            | Rule Samstag        |
| RGL_SO            | Rule Sunday         |
| SOLLSTUNDEN       | Plan Hours          |
| SOLLTGSTUNDEN1    | Plan Days Hours 1   |
| SOLLTGSTUNDEN2    | Plan Days Hours 2   |
| SOLLTGSTUNDEN3    | Plan Days Hours 3   |
| STDRLG_ID         | Period rule         |
| UEBER1_BIS_PROZEI | From 1: Percent     |
| UEBER1_BIS_STD    | From 1: Hours       |
| UEBER1_ZEIT       | From 1: Time        |
| UEBER2_BIS_PROZEI | From 2: Percent     |
| UEBER2_BIS_STD    | From 2: Hours       |
| UEBER3_BIS_PROZEI | From 3: Percent     |
| UEBER3_BIS_STD    | From 3: Hours       |
| UEBER4_BIS_PROZEI | From 4: Hours       |
| UEBER4_BIS_STD    | From 4: Hours       |
| VON_DATUM         | From Date           |

| Column     | Description         |
|------------|---------------------|
| ANDTSTAMP  | Date of Last Change |
| ANDUSER    | User of Last Change |
| DATUM_ID   | Date                |
| ERFTSTAMP  | Creation Date       |
| ERFUSER    | Typist              |
| PERS_ID    | Employee number     |
| SCHICHT_ID | Shift               |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BIS_DAT   | To Date             |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| INFO      | Info                |
| NUMMER    | Number              |
| PERS_ID   | Employee number     |
| VON_DAT   | From Date           |

| Column        | Description                |
|---------------|----------------------------|
| ANDTSTAMP     | Date of Last Change        |
| ANDUSER       | User of Last Change        |
| ANZMASCHPERS  | Number Machine or Personen |
| BEZEICHNUNG   | Description                |
| ERFTSTAMP     | Creation Date              |
| ERFUSER       | Typist                     |
| PERSGRP_ID    | Personnel group            |
| SOLLKAPSTDTAG | Planned Capacity Std.Tag   |

| Column            | Description                              |
|-------------------|--|
| ANDTSTAMP         | Date of Last Change                      |
| ANDUSER           | User of Last Change                      |
| ARTIKELEIGENSCHAF | Item properties                          |
| ARTIKELGRUPPE     | Item Group                               |
| BEMERKUNG         | Remark                                   |
| BEZUG             | Reference Pricing                        |
| EIGENTEIL         | Assembly Calculate                       |
| ERFTSTAMP         | Creation Date                            |
| ERFUSER           | Typist                                   |
| ID_NR             | Primary                                  |
| ITEMCODE_BIS      | Item To                                  |
| ITEMCODE_VON      | Item From                                |
| K_BEZUG           | Reference for Purchased Items            |
| K_KALKPR          | Calctd. price for Purchased Items füllte |
| K_KALKPR_BEZUG    | Calctd. price Reference for Purchases    |
| K_PREISLISTE      | Price List for Purchased Items füllen    |
| K_PREISLISTNUM    | Price List for Purchased Items           |
| K_SCHEMA_ID       | Schema Purchased Items                   |
| KALKPR            | Calctd. price Assembly füllen            |
| KALKPR_BEZUG      | Calctd. price Reference                  |
| KAUFTEIL          | Calculate Purchased Items                |
| PREISLISTE        | Price List for Assembly füllen           |
| PREISLISTNUM      | Price List for Assembly                  |
| SCHEMA_ID         | Schema Assembly                          |
| SHORTDESCRIPTION  | Short Description                        |
| TYP               | Type                                     |

| Column     | Description |
|------------|-------------|
| LOSGROESSE | Lot Size    |
| POS        | Position    |
| VK_GK      | FC / MC     |

| Column           | Description             |
|------------------|-------------------------|
| AEND_DATE        | Change Date             |
| AEND_DURCH       | Changed by              |
| AEND_GRUND       | Change Reason           |
| ANDTSTAMP        | Date of Last Change     |
| ANDUSER          | User of Last Change     |
| ANG_NR           | - not used -            |
| AUFTRAG          | Work Order              |
| BELNR_ID         | Document No             |
| BEWERTUNGSDATUM  | Valuation Date          |
| BEZ              | Description             |
| DISPLAYANZ       | Display Number Decimal  |
| DISPLAYLOS       | Display per Lot Size    |
| DocEntry         | Document                |
| DocNum           | Document No             |
| ERFTSTAMP        | Creation Date           |
| ERFUSER          | Typist                  |
| FERT_AUFTRAG     | - not used -            |
| FERTIGDATUM      | Finished Date           |
| GEWICHT_BRUTTO   | Weight Gross            |
| GEWICHT_MANUELL  | Weight Manually         |
| GEWICHT_ME       | Weight Unit             |
| GEWICHT_NETTO    | Weight Net              |
| GEWICHT_UMR      | Weight Conversion       |
| INFO             | Info                    |
| ItemCode         | Item                    |
| KALK_BEWERTUNG   | Calculation Valuation   |
| KND_ID           | Customer Number         |
| KNDART_ID        | Customer Item Number    |
| KNDNAME          | Customer name           |
| KNDZNR           | Customer Drawing Number |
| LineNum          | Document Line           |
| MELDEINFO        | message Info            |
| MENGE1           | Quantity 1              |
| MENGE2           | Quantity 2              |
| MENGE3           | Quantity 3              |
| MENGE4           | Quantity 4              |
| PRECALCNR        | Link to Work Order      |
| PREIS1           | Price 1                 |
| PREIS2           | Price 2                 |
| PREIS3           | Price 3                 |
| PREIS4           | Price 4                 |
| Project          | Project                 |
| SCHEMA_ID        | Schema                  |
| SDOCENTRY        | - not used -            |
| SHORTVARIANT     | Variant ID              |
| SLINENUM         | - not used -            |
| VERFAHRENSBESCHI | Process Description     |
| VERSIONS_NR      | Version                 |
| ZNR              | Drawing Number          |

| Column           | Description                          |
|------------------|--------------------------------------|
| AENDERUNG        | Changing Allowed                     |
| AG_AG_ID         | Operation                            |
| AG_ANZAHL        | Number                               |
| AG_ANZLS         | Number of Pay Slips                  |
| AG_APLATZ_ID     | Resource                             |
| AG_AUSWERTSBEAR  | External Processing                  |
| AG_BEAT          | Edit Type                            |
| AG_GRENZKOSTEN   | Marginal Cost                        |
| AG_KSTST_ID      | Cost Center                          |
| AG_MEHRMASCH_BE  | Machine Grouping                     |
| AG_MENGE_JE      | Quantity per                         |
| AG_MENGE_ZEITJE  | Quantity Time per                    |
| AG_NUTZEN        | Use                                  |
| AG_TE            | Mach+Labor Time/unit                 |
| AG_TGESAMT       | Total Time                           |
| AG_TH            | Machine Time / unit                  |
| AG_TL            | Idle Time                            |
| AG_TN            | Labor Time / unit                    |
| AG_TR_GES        | Setup total                          |
| AG_TR_JE_STCK    | setup time per Piece                 |
| AG_TR2           | Setup for Calculation                |
| AG_UEBLGRZ       | Transit time                         |
| AG_VOLLKOSTEN    | Full Cost                            |
| AKTIV            | Active                               |
| AKTIV_FORMEL     | Active Formula                       |
| AKTIV_WERT1      | Active Value 1                       |
| AKTIV_WERT2      | Active Value 2                       |
| ANDTSTAMP        | Date of Last Change                  |
| ANDUSER          | User of Last Change                  |
| ANZAHL_BAUGRUPPE | Number Assembly                      |
| ANZAHL_GESAMT    | Number Total                         |
| ART              | Type                                 |
| AUSSCHUSS        | Scrap                                |
| BELNR_ID         | Document No                          |
| BEZ              | Description                          |
| BMPNAME          | Bitmap Name                          |
| BUCHNR_ID        | Booking No                           |
| CardCode         | Supplier                             |
| CHILD            | Child-Entrys                         |
| Currency         | Currency as Format string            |
| ERFTSTAMP        | Creation Date                        |
| ERFUSER          | Typist                               |
| FAG_CURRENCY     | External operation Currency          |
| FAG_MINPRICE     | External operation Minimum price     |
| FAG_PRICE        | External operation Price             |
| FAG_PRICEJE      | External operation Price per         |
| FAG_TRANSPORTPRI | External operation Shipping price    |
| FAG_TRANSPORTPRI | External operation Shipment Lot Size |
| FARBE            | Color                                |
| FERTKST_GK       | Marginal Cost Rate                   |
| FERTKST_VK       | Full Cost Rate                       |

|                  |                            |
|------------------|----------------------------|
| FKGK1            | Production Marginal Cost 1 |
| FKGK2            | Production Marginal Cost 2 |
| FKGK3            | Production Marginal Cost 3 |
| FKGK4            | Production Marginal Cost 4 |
| FKVK1            | Production Full Cost 1     |
| FKVK2            | Production Full Cost 2     |
| FKVK3            | Production Full Cost 3     |
| FKVK4            | Production Full Cost 4     |
| GES_BEREICH      | Range                      |
| GES_GRENZKOSTEN  | Marginal Cost Percent      |
| GES_GRENZKOSTEN  | Marginal Cost Value        |
| GES_VOLLKOSTEN_F | Full Cost Percent          |
| GES_VOLLKOSTEN_V | Full Cost Value            |
| GES_WIK          | Total WIK                  |
| GUELTIG_BIS      | Valid to                   |
| GUELTIG_VON      | Valid from                 |
| HKGK1            | Production Marginal Cost 1 |
| HKGK2            | Production Marginal Cost 2 |
| HKGK3            | Production Marginal Cost 3 |
| HKGK4            | Production Marginal Cost 4 |
| HKVK1            | Production Full Cost 1     |
| HKVK2            | Production Full Cost 2     |
| HKVK3            | Production Full Cost 3     |
| HKVK4            | Production Full Cost 4     |
| INFO             | Info                       |
| LOSGR            | Lot Size                   |
| MATKST           | Mat Cost Rate              |
| MEHRMASCHINENBE  | Machine Grouping allowed   |
| MEHRMASCHINENBE  | Resource Allocation Type   |
| MENGE1           | Quantity 1                 |
| MENGE2           | Quantity 2                 |
| MENGE3           | Quantity 3                 |
| MENGE4           | Quantity 4                 |
| MK1              | Material Costs 1           |
| MK2              | Material Costs 2           |
| MK3              | Material Costs 3           |
| MK4              | Material Costs 4           |
| POS              | Position                   |
| POS_O            | Original-Position          |
| PREIS1           | Price 1                    |
| PREIS2           | Price 2                    |
| PREIS3           | Price 3                    |
| PREIS4           | Price 4                    |
| QS_ID            | Inspection Plan QC         |
| REVISION         | Revision                   |
| S_LEVEL          | Structure Level            |
| S_OPEN           | Opened                     |
| Selected         | Selected                   |
| SHORTVARIANTDEF  | Variantendefinition A-Z    |
| SIBLINGS         | siblings                   |
| ST_ABM1          | Length                     |
| ST_ABM2          | Width                      |
| ST_ABM3          | Height                     |
| ST_AUSSCHPROZ    | Scrap in Percent           |
| ST_DICHTE        | Density                    |
| ST_DIN           | DIN                        |

|                  |                                   |
|------------------|-----------------------------------|
| ST_DISPO         | Scheduling                        |
| ST_EKPREIS       | Purchase Price in Hauswährung     |
| ST_EKPREIS_GK    | Purchase Price MC                 |
| ST_EKPREIS_VK    | Purchase Price FC                 |
| ST_FAG_KOSTEN    | External operation Cost           |
| ST_FIRMCODE      | Manufacturer                      |
| ST_FORM          | Shape                             |
| ST_GES_MENGE_LAC | Total Quantity warehouse - Unit   |
| ST_GES_MENGE_VEF | Total Quantity bom - Unit         |
| ST_GESEKPREIS    | Total Purchase Price              |
| ST_GEWICHT       | Weight                            |
| ST_GEWICHT_ME    | Weight Unit                       |
| ST_GEWICHT_UMR   | Weight Conversion                 |
| ST_GEWICHTBR     | Weight Gross                      |
| ST_GRUPPE        | Group                             |
| ST_INFO          | Info                              |
| ST_ITEMCODE      | Itemcode                          |
| ST_KE            | Assembly / Purchased Item         |
| ST_MATCHCODE     | Match Code                        |
| ST_ME_LAGER      | unit Warehouse                    |
| ST_ME_VERBRAUCH  | Unit bom - Unit                   |
| ST_MENGE_JE      | Quantity per                      |
| ST_MENGE_LAGER   | Quantity warehouse - Unit         |
| ST_MENGE_VERBRAU | Quantity bom - Unit               |
| ST_OPTION        | Flag Option                       |
| ST_SA            | Employee                          |
| ST_SWW           | SWW                               |
| ST_TEXT_D        | Item Description                  |
| ST_TEXT_ENG      | Item Description Foreign language |
| ST_UMR           | Conversion                        |
| ST_VERFAHRENSBES | Process Description               |
| ST_VKPREIS       | Total Sales Price                 |
| ST_WKZ_ID        | Tool                              |
| ST_ZNR           | Drawing Number                    |
| TGES1            | Total Time 1                      |
| TGES2            | Total Time 2                      |
| TGES3            | Total Time 3                      |
| TGES4            | Total Time 4                      |
| TIMETYPE_ID      | Time Type                         |
| UDF_1            | userfield 1                       |
| UDF_2            | userfield 2                       |
| UDF_3            | userfield 3                       |
| UDF_4            | userfield 4                       |
| VKGK1            | Sales Price Marginal Cost 1       |
| VKGK2            | Sales Price Marginal Cost 2       |
| VKGK3            | Sales Price Marginal Cost 3       |
| VKGK4            | Sales Price Marginal Cost 4       |
| VKPRES1          | Sales Price 1                     |
| VKPRES2          | Sales Price 2                     |
| VKPRES3          | Sales Price 3                     |
| VKPRES4          | Sales Price 4                     |
| VVKV1            | Sales Price Full Cost 1           |
| VVKV2            | Sales Price Full Cost 2           |
| VVKV3            | Sales Price Full Cost 3           |
| VVKV4            | Sales Price Full Cost 4           |
| WIK              | Tool Cost                         |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BEZ       | Description         |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| SCHEMA_ID | Schema              |

| Column           | Description           |
|------------------|-----------------------|
| ANDTSTAMP        | Date of Last Change   |
| ANDUSER          | User of Last Change   |
| ART              | Item                  |
| BEZEICHNUNG      | Description           |
| BEZUG            | Reference Pricing     |
| BITMAP           | Picture               |
| BUCHNR_ID        | Booking No            |
| ERFTSTAMP        | Creation Date         |
| ERFUSER          | Typist                |
| FARBE            | Color                 |
| FRAGE            | Question              |
| GRENZKOSTEN_PZ   | Marginal Cost Percent |
| GRENZKOSTEN_WERT | Marginal Cost Value   |
| MARKTKST_PZ      | Marktkosten Percent   |
| PKVORGABE        | Default               |
| PREIS1           | Price 1               |
| PREIS2           | Price 2               |
| PREIS3           | Price 3               |
| PREIS4           | Price 4               |
| PROZENTBEZUG     | Percent Reference     |
| SAVEAS           | save as               |
| SCHEMA_ID        | Schema                |
| SORTIERUNG       | Sort                  |
| SUMMENBEREICH    | Sum Area              |
| SUMMENPREISTYP   | sum Price Type        |
| VOLLKOSTEN_PZ    | Full Cost Percent     |
| VOLLKOSTEN_WERT  | Full Cost Value       |
| WERT             | Value                 |

| Column            | Description                 |  |  |
|-------------------|-----------------------------|--|--|
| Base_BaseDocEntry | Base Base Docentry          |  |  |
| Base_BaseLine     | Base Base Line              |  |  |
| Base_BaseLine2    | Base Base Line 2            |  |  |
| Base_BaseType     | Base Base Type              |  |  |
| BASE_DOCENTRY     | Link Document               | Document entry<br>Example: work order =<br><u>BEAS_FTHAUPT.BELNR_ID</u>                        |  |
| BASE_DOCTYPE      | Link Document Type          | Type of base document<br>Example: WO = Workorder   |  |
| BASE_LINENUM      | Link Line 1                 | Document entry<br>Example: work order position =<br><u>BEAS_FTFTPOS.BELPOS_ID</u>              |  |
| BASE_LINENUM2     | Link Line 2                 | Document entry line 2<br>Example: work order bom position =<br><u>BEAS_FTSTL.POS_ID</u>        |  |
| BatchNum          | Batchnumber                 |  |  |
| BINCODE           | Bincode                     |  |  |
| CardCode          | Business partner            |  |  |
| CFOPCode          | CFOPCode (Argentina)        |  |  |
| Closeld           | Close Flag                  |  |  |
| Currency          | Currency                    |  |  |
| DistNumber        | DistNumber                  | The "visible" Batch- and Serial number   |  |
| DocDate           | Document Valid Date         | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |  |
| DocEntry          | Transaction Number          |  |  |
| DocType           | Transaction type            | Transaction type<br>Import: always "import"  |  |
| ExpDate           | Expir. date                 | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |  |
| FreeTxt           | freetext from document line |  |  |
| InDate            | date of entry               | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |  |
| ItemCode          | Itemcode                    |  |  |
| LifeTime          | Life time of this line      |  |  |
| LineNum           | Transaction line            |  |  |
| LineType          | Transaction Type            | transaction line per line. Import: it's mandatory  | issue work order<br>material=WOISSUE<br>receipt work order<br>assembly or<br>material=WORECEIPT<br>issue work order<br>material (compatible)<br>=WOIM<br>receipt work order<br>assemby or material<br>(compatible)=WORM<br>Manual<br>receipt=RECEIPT<br>Manual issue=ISSUE |
| linkeddistnumber  | Linked to batchnumber       |  |  |
| LotNumber         | Batch attribute 2           |  |  |
| MnfDate           | Manufacturing Date          | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |  |
| MnfSerial         | Batch attribute 1           |  |  |
| Notes             | Documetn remarks            |  |  |
| OnHand            | Warehouse stock             |  |  |
| PERS_ID           | personnel number            |  |  |
| Price             | Price                       |  |  |

|                  |                              |   |
|------------------|------------------------------|---|
| Project          | Project                      |   |
| PTICode          | PTI Code (Argentina)         |   |
| Quantity         | Quantity                     |   |
| Quantity2        | Quantity 2                   |   |
| Quantity3        | Quantity 3                   |   |
| Quantity4        | Quantity 4                   |   |
| RELEASED         | Release Flag                 |   |
| RES_DOCENTRY     | Link to Reservation          |   |
| RES_LINENUM      | Link to Reservation Line     |   |
| RFID             | RFID                         |   |
| SCRAP            | Scrap                        |   |
| STATION_ID       | Work station                 |   |
| Status           | Status                       |   |
| SUPPLIERBATCHNUM | --                           |   |
| SysNumber        | Internal Batch/Serial number | Describe the internal batch/serial number<br>you can define this in issue documents for define<br>exact correct Serial/Batch Number |
| ToBatchNum       | to Batch number              |   |
| TOBINCODE        | to bincode                   |   |
| ToItemCode       | to Item                      |   |
| TOPRICE          | Total Price                  |   |
| TOQUANTITY       | Total Quanitt                |   |
| TORFID           | to rfid                      |   |
| TOWHSCODE        | to Warehouse                 |   |
| UDF1             | Userfield 1                  |   |
| UDF2             | Userfield 2                  |   |
| UDF3             | Userfield 3                  |   |
| UDF4             | Userfield 4                  |   |
| UdfFields        | UDF Fields (JSON)            |   |
| Unit             | Unit                         |   |
| USER_ID          | User WEB User                |   |
| Version          | Version                      |   |
| WarrantyEnd      | Warranty End                 |   |
| WarrantyStart    | Warranty Start               |   |
| WhsCode          | Warehouse                    |   |

| Column              | Description                           |  |
|---------------------|---------------------------------------|--|
| ACTIVID             | Activ                                 |  |
| ANDTSTAMP           | Change Date                           |  |
| ANDUSER             | Change User                           |  |
| BITMAPID            | Bitmap (without function)             |  |
| chooselocation      | select location on client?            | Q=Question (optional)<br>P=Primary (allways)<br>N/Empty = no |
| clientid            | Name from Client                      |  |
| clienttype          | Clienttype (beas_pocket_clienttype)   |  |
| DESCRIPTIONID       | Client Description                    |  |
| ERFTSTAMP           | Create Date                           |  |
| ERFUSER             | Create User                           |  |
| IP                  | last ip                               |  |
| lastactivitydate    | last activity                         |  |
| lastactivitypers_id | last person                           |  |
| Location            | without function                      |  |
| LOCATION_ID         | current location (beas_pocket_locatio |  |
| MENUGROUP           | Menugroup (beas_pocket_menutyp)       |  |
| menutype            | Menu from (P)ersonal (C)lient         |  |
| OS                  | last Operating-System                 |  |
| Port                | last port                             |  |

| Column        | Description                        |
|---------------|------------------------------------|
| ANDTSTAMP     | Date of last change                |
| ANDUSER       | User of last change                |
| clienttype    | Client Type                        |
| DESCRIPTIONID | Descriprion                        |
| ERFTSTAMP     | Creation date                      |
| ERFUSER       | Typist                             |
| pixelx        | Display X-Pixel (without function) |
| pixely        | Display Y-Pixel (without function) |
| SupplierName  | Name of Supplier                   |

| Column     | Description       |
|------------|-------------------|
| client_id  | Client-Name       |
| loggedtime | Login-Date/Time   |
| MODUL_ID   | WEB-Apps Modul-Id |

| Column         | Description           |
|----------------|-----------------------|
| DESCRIPTION_ID | Description           |
| DRIVERNAME     | Printer: Driver-Name  |
| LOCATION_ID    | Location-Id           |
| PORNAME        | Printer: Port         |
| PRINTERNAME    | Printer: Printer-Name |

| Column        | Description                      |
|---------------|----------------------------------|
| DESCRIPTIONID | Description                      |
| fromtime      | Visible to time                  |
| fromtime_min  | without function                 |
| logout_sec    | Logout after Secs                |
| menutyp       | Menu-Id                          |
| terminalgroup | Menu-Group (clien- or Personnel) |
| totime        | Visible from time                |
| totime_min    | without function                 |

| Column    | Description                       |
|-----------|-----------------------------------|
| menutyp   | menutyp (beas_pocket_menutyp.men  |
| MODUL_ID  | modul (beas_pocket_modulpool.modu |
| sortmodul | sort in Menulist                  |

| Column        | Description                  |
|---------------|------------------------------|
| bpicture      | picture (without function)   |
| in_use        | activ                        |
| MODUL         | modul-name                   |
| MODUL_ID      | Primary Modul-Key            |
| modulanz      | License                      |
| modulfilename | Name of php-File             |
| sortmodul     | Sort in Modul-Pool-List      |
| Version       | Version of Modul             |
| versiondate   | Versiondate of Modul         |
| versionname   | Information of Modul-Package |

| Column                | Description                      |
|-----------------------|----------------------------------|
| ANDTSTAMP             | Date of last change              |
| ANDUSER               | User of last change              |
| apacheconfigdirectory | Directory Apache-Config-File     |
| configdirectory       | Directory ConfigFile WEB-Apps    |
| ERFTSTAMP             | Creation date                    |
| ERFUSER               | Typist                           |
| htdocsdirectory       | Directory HTDOCS                 |
| pagesdirectory        | Directory Pages for PHP-Files    |
| projectdirectory      | Directory Project-PHP-Files      |
| serverid              | Name Apache-Server (Stationname) |
| xamppdirectory        | Directory Apache-Server          |

| Column      | Description               |
|-------------|---------------------------|
| client_id   | Client-Name               |
| COUNTID     | PrimaryKey                |
| datetime_id | Date and Time from Action |
| MODUL_ID    | WEB-Apps Modul-Id         |
| PERS_ID     | Personal-Number           |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column      | Description |
|-------------|-------------|
| BEREICH     | Range       |
| DATUM       | Date        |
| INFORMATION | Info        |
| NR          | Number      |
| PRIOR       | Prior       |
| STATION     | Work Center |

| Column                 | Description         |
|------------------------|---------------------|
| AllwaysAfterError      | always by Error     |
| ANDTSTAMP              | Date of Last Change |
| ANDUSER                | User of Last Change |
| BEZ                    | Description         |
| BITMAP                 | Picture             |
| CardCode               | Supplier            |
| COLOR_ID               | Color               |
| DRUCKKZ                | set printing ID     |
| ERFTSTAMP              | Creation Date       |
| ERFUSER                | Creation User       |
| GROUP_ID               | QC Group            |
| ManualRelease          | manual Release      |
| ME_ID                  | Unit of M. ID       |
| OnlyAllMeasuredPositic | only All Samples    |
| OnlyAllPoReceipt       | only All Documents  |
| QS_ID                  | QC Templates        |
| ReleaseAutomatic       | automatic Release   |
| RELEVANT               | Check Relevant      |
| RuleId                 | Artikelverweis Rule |
| SCRIPT                 | Release Instruction |
| TYP                    | Meldungstyp         |
| TYPVALUE               | Type Value          |
| UDF1                   | Userfield 1         |
| UDF2                   | Userfield 2         |
| UDF3                   | Userfield 3         |
| UDF4                   | Userfield 4         |
| WKZ_ID                 | Resourcenkennung    |

| Column                 | Description  |                                      |
|------------------------|--|--------------------------------------|
| AllwaysAfterError      | Always by error  |                                      |
| ANDTSTAMP              | Date of Last Change  |                                      |
| ANDUSER                | User of Last Change  |                                      |
| bedingung_typ          | Condition Type   |                                      |
| BEZ                    | Methodology  |                                      |
| BILD1                  | Attachment 1   |                                      |
| BILD2                  | Attachment 2   |                                      |
| BILD3                  | Attachment 3   |                                      |
| BITMAP                 | Picture  |                                      |
| CardCode               | Business partner   |                                      |
| COLORID                | Color  |                                      |
| DRUCKKZ                | Print on Certificate   | Yes=J<br>No=N                        |
| ERFTSTAMP              | Creation Date  |                                      |
| ERFUSER                | Creation User  |                                      |
| GROUP_ID               | QC Group   |                                      |
| ItemCode               | QS-Plan-ID   |                                      |
| KND_ID                 | Empty  |                                      |
| ManualRelease          | Manually on ok set allow   |                                      |
| MAXIMAL                | Maximum  |                                      |
| ME_ID                  | Unit of M.   |                                      |
| MINIMAL                | Minimum  |                                      |
| OnlyAllMeasuredPositic | Only all x samples   |                                      |
| OnlyAllPoReceipt       | Only all x documents   |                                      |
| POS_ID                 | Internal position ID   |                                      |
| POS_TEXT               | QC measurement position  |                                      |
| QCPickList             | Attribute Selection<br><br>for measurement type "attribute"<br>You can insert the attribut list, which the user can<br>choose<br>one attribut per line |                                      |
| QS_ID                  | QC Order   |                                      |
| ReleaseAutomatic       | Additional release deactivate  |                                      |
| RELEVANT               | Check Relevant   | Yes=J<br>No=N                        |
| RuleId                 | Item rule  |                                      |
| SCRIPT                 | Script   |                                      |
| SOLLWERT               | Desired Value  |                                      |
| SORT_ID                | Sort ID  |                                      |
| sqlvalid               | SQL Value  |                                      |
| TYP                    | Type of input  | Measurement=<br>Attribut=L<br>Text=T |
| TYPVALUE               | Condition  |                                      |
| UDF1                   | userfield 1  |                                      |
| UDF2                   | Userfield 2  |                                      |
| UDF3                   | Userfield 3  |                                      |
| UDF4                   | Userfield 4  |                                      |
| WKZ_ID                 | Test tool  |                                      |

| Column                | Description   |
|-----------------------|---|
| ANDTSTAMP             | Date of Last Change   |
| ANDUSER               | User of Last Change   |
| BILD1                 | Attachment 1  |
| BILD2                 | Attachment 2  |
| BILD3                 | Attachment 3  |
| BITMAP                | Picture   |
| CloseOrderAutomatic   | QC order automatically close  |
| COLORID               | Color   |
| DRUCKKZ               | Print Code  |
| ERFTSTAMP             | Creation Date   |
| ERFUSER               | Typist  |
| GROUPID               | QC Group  |
| GUELTIIG_AB           | Valid from  |
| GUELTIIG_BIS          | Valid to  |
| INFO                  | Information   |
| ItemCode              | QC Inspection Plan Id   |
| KND_ID                | Empty   |
| MeasuringESignature   | Sample Electronic signature   |
| MeasuringEvaluationM: | electronic signatur per Measurement r   |
| MeasuringRelease      | Sample Release<br>automatic=0<br>manual only if ok=2<br>manual allways=3  |
| MESSUNG_ALLE_MIN      | Sample per minutes  |
| MESSUNG_ALLE_STK      | Sample all x Inventory Uom<br>create all x warehouse units a new sample<br>NULL or 0 = create only one sample                         |
| OrderESignature       | QC order electronic signature   |
| OrderEvaluationManda: | Valuation   |
| OrderRelease          | QC order Release<br>automatic=0<br>manual if ok=2<br>manual allways=3   |
| PERSERIALNUMBER       | Per serial number<br>if activ then create one sample per serialnumber<br>yes=1<br>no=0  |
| QcPlanVersion         | QC Plan Version   |
| QcReleaseBatchnumSt   | QC Release State  |
| QcReleased            | QC Plan Aproved<br>yes=1<br>no=0  |
| QcReleasedDate        | QC aproved date<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.                     |
| QcReleasedFromUser    | QC aproved by User ID   |
| QcReleasedFromUsern   | QC aproved by User Name   |
| RecordingType         | Input<br>Recording type<br>Define, if you record data by Sample, Test or both<br>per sample=1<br>per Test=2<br>All=0                  |
| ReleaseBatchnumStatu  | Batch status release<br>manual=0<br>automatic=1<br>manual after release=2   |
| SCRIPT                | Release Instruction   |
| TransferMandatory     | Transfer / Batch release  |
| TransferOnAllWhs      | Transfer<br>only transfer when ...<br>0;if item on a qc warehouse<br>1=allways<br>Only from QC<br>Warehouse=0<br>From all warehouse=1 |
| TransferOnlyReleased  | Transfer release  |
| TYPNAME               | Type Name   |
| TYPSQL                | Type SQL  |
| TYPVALUES             | Type Values   |
| UDF1                  | Userfield 1   |
| UDF10                 | Userfield 10  |

|       |              |
|-------|--------------|
| UDF11 | Userfield 11 |
| UDF12 | Userfield 12 |
| UDF13 | Userfield 13 |
| UDF14 | Userfield 14 |
| UDF15 | Userfield 15 |
| UDF2  | Userfield 2  |
| UDF3  | Userfield 3  |
| UDF4  | Userfield 4  |
| UDF5  | Userfield 5  |
| UDF6  | Userfield 6  |
| UDF7  | Userfield 7  |
| UDF8  | Userfield 8  |
| UDF9  | Userfield 9  |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column              | Description          |
|---------------------|----------------------|
| ANDTSTAMP           | Date of last change  |
| ANDUSER             | User of last change  |
| BITMAPNAME          | Picture              |
| CardCode            | Supplier             |
| Category            | Category             |
| COLORID             | Color                |
| ConfirmType         | Confirm Type         |
| CopyFile            | Create Copy          |
| DESCRIPTION         | Description          |
| ERFTSTAMP           | Creation date        |
| ERFUSER             | Recorder             |
| EXECUTESCRIPT       | execute Script       |
| FileName            | File name            |
| FromDate            | Valid from           |
| ItemCode            | ItemCode             |
| KND_ID              | Stichprobe           |
| LINEID              | Attachment Pos       |
| OriginalUniqueId    | Origin Unique Id     |
| POS_ID              | Measurement Pos      |
| QcPlanVersion       | QC Plan Version      |
| QcReleased          | Plan Release         |
| QcReleasedDate      | Release Date         |
| QcReleasedFromUser  | Release by User ID   |
| QcReleasedFromUserN | Release by User Name |
| RICHTEXT            | Rich Text            |
| RuleId              | Artikelverweis Rule  |
| RuleScript          | Rule Script          |
| SortId              | Sort                 |
| ToDate              | Valid to             |
| TYP                 | Typ                  |
| UNIQUEID            | UniqueId             |

| Column           | Description          |  |
|------------------|----------------------|--|
| ANDTSTAMP        | Date of last change  |  |
| ANDUSER          | User of last change  |  |
| BELNR_ID         | Document 2           |  |
| BITMAPNAME       | Picture              |  |
| Category         | Category             |  |
| CHARGE_ID        | Document             |  |
| COLORID          | Color                |  |
| ConfirmType      | Bestätigungstyp      |  |
| CopyFile         | Copy create          |  |
| DESCRIPTION      | Description          |  |
| DocEntry         | Internal Document Id |  |
| ERFTSTAMP        | Creation date        |  |
| ERFUSER          | Recorder             |  |
| EXECUTESCRIPT    | execute Script       |  |
| FileName         | File Name (original) |  |
| KND_ID           | Sample Id            |  |
| LINEID           | Line ID              |  |
| OriginalUniqueld | Original Number      |  |
| POS_ID           | Measurement Pos      |  |
| QcPlanVersion    | QC Plan Version      |  |
| RICHTEXT         | Rich Text            |  |
| SortId           | Sorting              |  |
| TYP              | Message type         | Type of attachment<br>File=A<br>Text=T |
| UNIQUEID         | Eindeutige Number    |  |
| USERDOCUMENT     | User document        |  |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column             | Description               |  |                            |
|--------------------|---------------------------|--|----------------------------|
| ABGKZ              | Closed                    | QC Order Closed?   | Yes=J<br>No=N              |
| ANDTSTAMP          | Date of Last Change       |  |                            |
| ANDUSER            | Aenderer                  |  |                            |
| BASEBASETYPE       | Parent Base Type          | The Parent Document from related base document<br>Example: Goods Receipt for work order assembly<br>base document = the goods receipt document<br>basebase type = the work order   |                            |
| BASEDOCENTRY       | Base Docentry             |  |                            |
| BASELINENUM        | Base Linenum              |  |                            |
| BASELINENUM2       | Base Line 2               |  |                            |
| BASEORDER          | Base Document Number      |  |                            |
| BaseType           | Base Type                 |  |                            |
| BatchNum           | Batch                     |  |                            |
| BEASVERSION        | Created with Beas Version |  |                            |
| BELNR_ID           | Document Number 2         |  |                            |
| BEWERTUNG          | Valuation                 |  |                            |
| BEWERTUNGINFO      | Valuation Info            |  |                            |
| BEZ                | Description               |  |                            |
| BILD1              | Picture 1                 |  |                            |
| BILD2              | Picture 2                 |  |                            |
| BILD3              | Picture 3                 |  |                            |
| BPLId              | Branche                   |  |                            |
| BPLName            | Branche Name              |  |                            |
| CardCode           | Business partners         | Business Partner Id  |                            |
| CHARGE_ID          | Document Number           | Id of the QC order document<br>First letter present the document type<br>Goods receipt (I) Purchase goods receipt<br>Production (E) Assembly posting in production<br>Sales-Return (R) Sales credit or offset<br>Reaching Date of Expiry (C) Set at "batches to be verified"<br>Stock transfer (T) for stock transfer<br>Goods Receipt (M) for all manual postings<br>AP Invoice (X) purchase invoices<br>Negative Purchase returns (Y) for returns from purchase with negative amounts<br>Credit Memos (O) credit memos<br>Negative Delivery (P) deliveries with negative amounts<br>Negative Invoices (Q) invoices with negative amounts<br>Split batch (A) At batch split<br>Transfer batch (B) At a batch transfer<br><br>At the end, the number of the origin document is displayed (goods receipt, work order document etc.) |                            |
| CloseOrderDate     | Close order Date          |  |                            |
| CloseOrderPersName | Close order by            |  |                            |
| DocEntry           | Objektbelegnummer         |  |                            |
| DRUCKKZ            | Print sign                | QC order printed?  | Printed=J<br>Not printed=N |
| ERFTSTAMP          | Creation Date             |  |                            |
| ERFUSER            | Typist                    |  |                            |
| FERT_BELNR_ID      | Production Document       |  |                            |
| FERT_BELPOS_ID     | Production Position       |  |                            |
| FERT_MESSUNG       | Measurement Number        |  |                            |
| FERT_POS_ID        | Production BOM            |  |                            |
| herkunft           | Origin                    |  |                            |

|                  |                          |   |  |
|------------------|--------------------------|---|--|
| INFO             | Info                     |   |  |
| INTERNAL_K       | User Sign                | Internal User Sign  |  |
| ItemCode         | Item Number              |   |  |
| KND_ID           | Empty                    |   |  |
| KORREKTURFAKTOR  | Adjusting Factor         | This field is current not used in Beas Standard   |  |
| MaterialTransfer | Material transfer status |   | no transfer needed=0<br>open=1<br>booked=2   |
| ME_ID            | Unit                     | Stock onut  |  |
| MENGE            | Quantity                 | Quantity in Stock unit  |  |
| ParentChargeld   | Parent QC Order          | If defined: This QC order is part of QC order ....<br>lined to field BEAS_QSFTHAUP.CHARGE_ID<br>(DocumentNumber)      |  |
| PERS_ID          | Employee Number          | Created by Personell Id   |  |
| PRJUID           | Project Task             | Link to Project Line  |  |
| PRODUZIERT_AM    | Production Date          |   |  |
| Project          | Project                  | Project Id  |  |
| PRUEFAUFTRAG     | Inspection Plan          |   |  |
| QclInfo          | QC order Information     |   |  |
| QcltemNr         | Item QC Rule Id          | In Item Master Data you can define the link to the<br>QC Inspection plan<br>In this field the Number of link is saved |  |
| Release          | Release                  |   |  |
| ReleaseDate      | Release Date             |   |  |
| ReleasePersId    | ReleasePersId            |   |  |
| ReleasePersName  | Release From             |   |  |
| ReleaseStationId | Release on Work station  |   |  |
| RuleId           | Artikelverweis Rule      | In Item QC Link you can define a rule<br>This rule is additional check for parallel qc orders.                        |  |
| SPERRGRUND       | Blockage Reason          |   |  |
| SPERRGRUNDID     | Blockage Reason          |   |  |
| STATION          | Work station             |   |  |
| Status           | Status (not used)        |   |  |
| STATUS_INFO      | Info Status (not used)   |   |  |
| TYP              | Type                     | Type of Base document   | Goods receipt PO=W<br>Manufacturing<br>Access=E<br>Operation=F<br>Exceeded Expiry date=C<br>Stock transfer=U<br>Book in manually=M<br>Return=R<br>Stock transfer=T<br>Batch=B<br>A/P invoice=X<br>Shopping return=Y<br>Incoming credit note=Z<br>Outgoing credit=O<br>Delivery=P<br>Outgoing invoice=Q |
| TYPVALUE         | Type Value               |   |  |
| U_beas_ver       | Item Version             |   |  |
| UDF1             | Userfield 1              |   |  |
| UDF10            | Userfield 10             |   |  |
| UDF11            | Userfield 11             |   |  |
| UDF12            | Userfield 12             |   |  |
| UDF13            | Userfield 13             |   |  |
| UDF14            | Userfield 14             |   |  |
| UDF15            | Userfield 15             |   |  |
| UDF2             | Userfield 2              |   |  |
| UDF3             | Userfield 3              |   |  |
| UDF4             | Userfield 4              |   |  |
| UDF5             | Userfield 5              |   |  |
| UDF6             | Userfield 6              |   |  |

|             |                    |
|-------------|--------------------|
| UDF7        | Userfield 7        |
| UDF8        | Userfield 8        |
| UDF9        | Userfield 9        |
| Version     | Version            |
| WhsCode_ORG | Warehouse original |
| ZNR         | Drawing Number     |

| Column           | Description                 |  |               |
|------------------|-----------------------------|--|---------------|
| ANDTSTAMP        | Date of Last Change         |  |               |
| ANDUSER          | User of Last Change         |  |               |
| BELNR_ID         | Document Nr 2               |  |               |
| CHARGE_ID        | Document Nr / QC Order Nr   |  |               |
| DistNumber       | Batch Number                |  |               |
| DocEntry         | Document                    |  |               |
| ERFTSTAMP        | Creation Date               |  |               |
| ERFUSER          | Typist                      |  |               |
| FERT_BELNR_ID    | Production Document         |  |               |
| FERT_BELPOS_ID   | Production Position         |  |               |
| FERT_MESSUNG     | Measurement Number          |  |               |
| FERT_POS_ID      | Production BOM              |  |               |
| KND_ID           | Sample Nr                   |  |               |
| PRUEFKZ          | Release 1                   | Open=O<br>Locked=E<br>Released=F<br>Manually Locked=I        |               |
| Release          | Release 2                   | For 4 eyes check<br>Need a second release from second person | Yes=1<br>No=0 |
| ReleaseAutomatic | Release Automatic           |  |               |
| ReleaseDate      | Release Date                |  |               |
| ReleasePersId    | Release Personell Id        |  |               |
| ReleasePersName  | Release Personell Name      |  |               |
| ReleaseStationId | Release Station             |  |               |
| SPERRGRUND       | Blockage reason description |  |               |
| SPERRGRUNDID     | Blockage reason ID          |  |               |
| SysNumber        | Serial Id                   |  |               |
| UDF1             | UDF 1                       |  |               |
| UDF2             | UDF 2                       |  |               |
| UDF3             | UDF 3                       |  |               |
| UDF4             | UDF 4                       |  |               |
| ValuationId      | Valuation ID                |  |               |
| ValuationText    | Valuation text description  |  |               |

| Column               | Description   |
|----------------------|---|
| ANDTSTAMP            | Date of Last Change   |
| ANDUSER              | User of Last Change   |
| BELNR_ID             | Document Number 2   |
| BEZ                  | Description   |
| BILD1                | Attachment 1  |
| BILD2                | Attachment 2  |
| BILD3                | Attachment 3  |
| BITMAP               | Picture   |
| CHARGE_ID            | Document Number   |
| COLORID              | Color   |
| DocEntry             | DocEntry  |
| DRUCKKZ              | Print Certificate   |
| ERFTSTAMP            | Creation Date   |
| ERFUSER              | Typist  |
| FERT_BELNR_ID        | Production Document   |
| FERT_BELPOS_ID       | Production Position   |
| FERT_MESSUNG         | Measurement Number  |
| FERT_POS_ID          | Production BOM  |
| GROUP_ID             | QC Group  |
| KND_ID               | Sample Id   |
| ManualRelease        | Manual Release  |
| MAXIMAL              | Maximum   |
| ME_ID                | Unit of M. ID   |
| MeasurementDate      | MeasurementDate   |
| MeasurementPersId    | MeasurementPersId   |
| MeasurementPersName  | MeasurementPersName   |
| MeasurementStationId | MeasurementStationId  |
| MESSWERT             | Value Number  |
| MESSWERTC            | Value Text  |
| MINIMAL              | Minimal   |
| OK                   | Ok - ID<br>valid values for<br>- Yes: Y,J,1<br>- No: N,0  |
| POS_ID               | Position  |
| POS_TEXT             | Pos_Text  |
| QCPickList           | Attribute Selection<br><br>Define the list for all possible valuations. User can choose this by dropdown list<br>every value is defined in one line (delimiter = CR LF) |
| QS_ID                | QC Description  |
| Release              | Release<br>valid values for<br>- Yes: Y,J,1<br>- No: N,0  |
| ReleaseAutomatic     | ReleaseAutomatic  |
| ReleaseDate          | ReleaseDate   |
| ReleasePersId        | ReleasePersId   |
| ReleasePersName      | ReleasePersName   |
| ReleaseStationId     | ReleaseStationId  |
| RELEVANT             | Check Relevant  |
| SOLLWERT             | Desired Value   |
| SORT_ID              | Sorting   |
| SPERRGRUND           | Blockage Reason Text  |
| SPERRGRUNDID         | Blockage Reason Id  |

| TYP           | Type           | Type of measurement input                          | Measurement=<br>Attribut=L<br>Text=T |
|---------------|----------------|--|--------------------------------------|
| UDF1          | Userfield 1    |  |                                      |
| UDF10         | Userfield 10   |  |                                      |
| UDF11         | Userfield 11   |  |                                      |
| UDF12         | Userfield 12   |  |                                      |
| UDF13         | Userfield 13   |  |                                      |
| UDF14         | Userfield 14   |  |                                      |
| UDF15         | Userfield 15   |  |                                      |
| UDF2          | Userfield 2    |  |                                      |
| UDF3          | Userfield 3    |  |                                      |
| UDF4          | Userfield 4    |  |                                      |
| UDF5          | Userfield 5    |  |                                      |
| UDF6          | Userfield 6    |  |                                      |
| UDF7          | Userfield 7    |  |                                      |
| UDF8          | Userfield 8    |  |                                      |
| UDF9          | Userfield 9    |  |                                      |
| ValuationId   | Valuation ID   |  |                                      |
| ValuationText | Valuation Text |  |                                      |
| WKZ_ID        | Resources ID   | Define the needed resource (tool)<br>only for info |                                      |

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of last change |
| ANDUSER     | User of last change |
| BITMAP      | Picture             |
| COLORID     | Color               |
| DESCRIPTION | Description         |
| ERFTSTAMP   | Creation date       |
| ERFUSER     | Recorder            |
| GROUP_ID    | Groups ID           |

| Column         | Description                        |
|----------------|------------------------------------|
| ANDTSTAMP      | Date of Last Change                |
| ANDUSER        | User of Last Change                |
| BITMAP         | Picture                            |
| BlockOk        | Release Block                      |
| COLORID        | Color                              |
| ERFTSTAMP      | Creation Date                      |
| ERFUSER        | Typist                             |
| FromDate       | Valid from                         |
| GROUP_ID       | QC Group                           |
| InMeasuring    | selectable in Sample               |
| InMeasuringPos | selectable in measurement position |
| InOrder        | selectable in QC order             |
| SPERRGRUND     | Blocked Reason                     |
| SPERRGRUNDID   | Blocked ID                         |
| ToDate         | Valid to                           |

| Column           | Description             |                    |
|------------------|-------------------------|--------------------|
| ANDTSTAMP        | Date of Last Change     |                    |
| ANDUSER          | User of Last Change     |                    |
| CHARGE_ID        | Batch                   |                    |
| ERFTSTAMP        | Creation Date           |                    |
| ERFUSER          | Typist                  |                    |
| INFO             | Info                    |                    |
| ItemCode         | QC Inspection Plan      | QC Inspection Plan |
| KND_ID           | Customer Number         |                    |
| MENGE            | Quantity Warehouse unit |                    |
| MESSUNG_ALLE_STK | Measurement All x Piece |                    |
| TYP              | Meldungstyp             | Per=<br>Fix=F      |

|                |                                    |
|----------------|------------------------------------|
| ANDTSTAMP      | Date of last change                |
| ANDUSER        | User of last change                |
| BITMAP         | Picture                            |
| COLORID        | Color                              |
| DESCRIPTION    | Description                        |
| ERFTSTAMP      | Creation date                      |
| ERFUSER        | Recorder                           |
| FromDate       | Valid from                         |
| GROUP_ID       | QC Group                           |
| InMeasuring    | selectable in Sample               |
| InMeasuringPos | selectable in measurement position |
| InOrder        | selectable in QC order             |
| ToDate         | Valid to                           |
| ValuationId    | Valuation No.                      |

| Column              | Description                |  |
|---------------------|----------------------------|--|
| AllwaysAfterError   | always by Error            |  |
| ANDTSTAMP           | Date of Last Change        |  |
| ANDUSER             | User of Last Change        |  |
| BITMAP              | Picture                    |  |
| CardCode            | Supplier                   |  |
| COLORID             | Color                      |  |
| DATE_FROM           | Date From                  | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| DATE_TO             | Date To                    | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.  |
| ERFTSTAMP           | Creation Date              |  |
| ERFUSER             | Typist                     |  |
| INFO                | Info                       |  |
| ItemCode            | Item                       |  |
| NR                  | Number                     |  |
| OnlyAllPoReceipt    | only All Documents         |  |
| QcCounterHeader     | Interner Counter           |  |
| QcCounterMeasuremer | Interner Positions Counter |  |
| QcErrorHeader       | Interner Error Counter     |  |
| QclInfo             | QC order Information       |  |
| QSAUFTTRAG          | QC Work Order              |  |
| QUANTITY_FROM       | Quantity From              |  |
| QUANTITY_TO         | Quantity To                |  |
| RuleId              | Item Rule                  |  |
| SCRIPT              | Release Instruction        |  |
| SORT_ID             | Sorting                    |  |
| TYP                 | Type                       | Alle=<br>Wareneingang=W<br>Fertigung=E<br>VK-Retoure=R<br>Überschreitung<br>Haltbarkeitsdatum=C<br>Bestandsumlagerung=T<br>Manuell einbuchen=M<br>Eingangsrechnung=X<br>Einkaufretoure=Y<br>Eingangsgutschrift=Z<br>Ausgangsgutschrift=O<br>Lieferung=P<br>Ausgangsrechnung=Q<br>Storno=S<br>Manuell=U |
| UDF1                | Userfield 1                |  |
| UDF2                | Userfield 2                |  |
| UDF3                | Userfield 3                |  |
| UDF4                | Userfield 4                |  |
| Version             | Version                    |  |
| WhsCode             | Warehouse                  |  |

| Column                                     | Description                |  |
|--|----------------------------|--|
| AKTIV                                      | Active                     | Yes=1<br>No=0  |
| ANDTSTAMP                                  | Chaged date                |  |
| ANDUSER                                    | Chaged by                  |  |
| BITMAPNAME                                 | Bitmap                     |  |
| CheckQuantity                              | Quantity part of total sum | In Time receipt you can insert the quantity for every scrap<br>If the flag "CheckQuantity" is disabled, the system ignore the Quantity<br>You can use this, if you need the possibility to define different scraps for one unit... |
| Color                                      | Color                      |  |
| ERFTSTAMP                                  | Created date               |  |
| ERFUSER                                    | Created by                 |  |
| FilterAplatz_id                            | Filter by Resource Type    | You can define filter by resource. The user can choose the Scrap reason only, if Resource part of this list, which you can define here   |
| FilterFtTyp                                | Filter by Workorder Type   | You can define the filter by work order type . The user can choose the Scrap reason only, if work order type part of this list, which you can define here  |
| FilterPers_id                              | Filter by Employee         | You can define filter by Employee. The user can choose the Scrap reason only, if Employee (BEAS_PERS.PERS_ID) part of this list, which you can define here   |
| LockDescription                            | Description not editable   | In Time receipt - Scrap reason you can see the description and you can change this description if this flag is active, the user can't change the description   |
| Changes allowed=0<br>Changes not allowed=1 |                            |  |
| SCRAP_ID                                   | Scrap Id                   | ID of the scrap reason   |
| SCRAPDESCRIPTION                           | Description of this scrap  | Description of this Scrap. The System copy this in the Scrap Table from Time receipt. User can change this, if Description Changeable not disabled.  |
| UDF1                                       | Udf 1                      |  |
| UDF2                                       | Udf 2                      |  |
| UDF3                                       | Udf 3                      |  |
| UDF4                                       | UDf 4                      |  |

| Column            | Description              |
|-------------------|--------------------------|
| ANDTSTAMP         | Date of Last Change      |
| ANDUSER           | User of Last Change      |
| BASEBELNR_ID      | Base Workorder           |
| BASEBELPOS_ID     | Base Workorder Position  |
| BASEDOCENTRY      | Base Docentry            |
| BaseDocNum        | Base Document number     |
| BASELINENUM       | Base Linenum             |
| BASEOBJTYPE       | Base Object              |
| BatchNum          | Batch Number             |
| CardCode          | Supplier                 |
| CardName          | Card Name                |
| CreateDate        | Date of Last Change      |
| CREATEINFO        | Erstellung Info          |
| CreateUser        | User of Last Change      |
| DELIVERYDATE      | Delivery Date            |
| deliveryleterno   | Delivery Number          |
| deliveryquqty     | Delivery Quantity        |
| ERFTSTAMP         | Creation Date            |
| ERFUSER           | Typist                   |
| FinishDate        | Finished Date            |
| ID_NR             | Primary                  |
| ItemCode          | Item                     |
| ItemName          | Description              |
| ORDERQUANTITY     | Base Work Order Quantity |
| PrjCode           | Project                  |
| RECLAMATIONINFO   | Info                     |
| RECLAMATIONS_CUST | Work Order               |
| RECLAMATIONS_DATE | Work Order Date          |
| RECLAMATIONS_MEN  | Work Order Quantity      |
| RECLAMATIONUNIT   | Unit                     |
| REPAIR_ID         | Repair Item              |
| scrapping         | Scrap Reason             |
| Status            | Status                   |
| STATUSINFO        | Status Info              |
| TOBALCOSTS        | Total Cost               |
| TYP               | Type                     |
| UDF1              | Userfield 1              |
| UDF2              | Userfield 2              |
| UDF3              | Userfield 3              |
| UDF4              | Userfield 4              |
| UDF5              | Userfield 5              |

| Column     | Description |
|------------|-------------|
| CAUSER_ID  | Originator  |
| ID_NR      | Primary     |
| INFOTEXT   | Info Text   |
| PERCENT_ID | Percent ID  |
| POS_ID     | Position    |

| Column     | Description     |
|------------|-----------------|
| ID_NR      | Primary         |
| INFOTEXT   | Info Text       |
| PERCENT_ID | Percent ID      |
| PERS_ID    | Employee number |
| POS_ID     | Position        |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Typist              |
| INFO      | Info                |
| NR_ID     | Primary             |
| POS       | Position            |
| VERWEIS   | Link                |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column           | Description         |
|------------------|---------------------|
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Typist              |
| FORBUY           | for buy             |
| FORSALE          | for sale            |
| FORWORKORDER     | for workorder       |
| SHORTDESCRIPTION | Short Description   |
| TYP_ID           | Type                |

| Column       | Description            |
|--------------|------------------------|
| ANDTSTAMP    | Date of Last Change    |
| ANDUSER      | User of Last Change    |
| DESCRIPTION  | Name Output definition |
| ERFTSTAMP    | Creation Date          |
| ERFUSER      | Typist                 |
| FORBUY       | for buy                |
| FORSAIL      | for sale               |
| FORWORKORDER | for workorder          |
| REPAIR_ID    | Repair Item            |

| Column   | Description |
|----------|-------------|
| ID_NR    | Primary     |
| INFOTEXT | Info Text   |
| POS_ID   | Position    |
| TYP_ID   | Type        |

| Column             | Description                    |
|--------------------|--------------------------------|
| ACTIVE_ACCESSRIGHT | Active at Authorization Script |
| ACTIVE_BATCHPRINT  | Active at Batchdruck           |
| ACTIVE_CARDCODE    | Active at Business partners    |
| ACTIVE_EMAIL       | Active at E-mail               |
| ACTIVE_EXCEL       | Active at EXCEL                |
| ACTIVE_EXPORT      | Active at Export               |
| ACTIVE_FAX         | Active at Fax                  |
| ACTIVE_LABEL       | Active bel Label               |
| ACTIVE_MODULE      | Active at Module               |
| ACTIVE_PDF         | Active at PDF                  |
| ACTIVE_PREVIEW     | Active at Preview              |
| ACTIVE_PRINT       | Active at Print                |
| ACTIVE_SCRIPT      | Active at Script               |
| ACTIVE_STATION     | Active at Work Center          |
| ACTIVE_USER        | Active at User                 |
| ACTIVE_WORD        | Active at Word                 |
| ANDTSTAMP          | Date of Last Change            |
| ANDUSER            | User of Last Change            |
| APIID              | API                            |
| ERFTSTAMP          | Creation Date                  |
| ERFUSER            | Typist                         |
| FileName           | Reportname                     |
| LOOPSCRIPT         | Loop Script                    |
| MAKROID            | Macro ID                       |
| MAKRONAME          | Makroname                      |
| PARAMETER1         | Parameter 1                    |
| PARAMETER2         | Parameter 2                    |
| PARAMETER3         | Parameter 3                    |
| PARAMETER4         | Parameter 4                    |
| PARAMETER5         | Parameter 5                    |
| PRINTKZ            | - not used -                   |
| SBOSTD             | SBO Default verwenden          |
| SCRIPT_END         | Script at End                  |
| SCRIPT_START       | Script at Start                |
| SIMPLEINPUT        | Simple Input                   |
| SortId             | Sort                           |
| SYSTEMMAKRO        | System Macro                   |
| TYP                | Type                           |
| WINDOWNAME         | Window ID                      |

| Column                        | Description                 |
|-------------------------------|-----------------------------|
| ACTIVE_BATCHPRINT             | Active at Batchdruck        |
| ACTIVE_CARDCODE               | Active at Business partners |
| ACTIVE_EMAIL                  | Active at E-mail            |
| ACTIVE_EXCEL                  | Active at EXCEL             |
| ACTIVE_EXPORT                 | Active at Export            |
| ACTIVE_FAX                    | Active at Fax               |
| ACTIVE_LABEL                  | Active bel Label            |
| ACTIVE_PDF                    | Active at PDF               |
| ACTIVE_PREVIEW                | Active at Preview           |
| ACTIVE_PRINT                  | Active at Print             |
| ACTIVE_RIGHT                  | Active at Authorization     |
| ACTIVE_SCRIPT                 | Active at Script            |
| ACTIVE_STATION                | Active at Work Center       |
| ACTIVE_USER                   | Active at User              |
| ACTIVE_WORD                   | Active at Word              |
| CRYSTAL_CONNECT               | Crystal: Connect Compare    |
| CRYSTAL_EXTERNAL              | Crystal: ExternalReport     |
| CRYSTAL_OUTPUTTY              | Crystal: Output Type        |
| CRYSTAL_PARAMETE              | Crystal: Parameter Check    |
| FileName                      | report name                 |
| LOOPSCRIPT                    | SQL query for Loop          |
| MAKROID                       | Macro ID                    |
| OUTPUTFILETEMPLA <sup>T</sup> | Template Footer Asciifile   |
| OUTPUTFILETEMPLA <sup>H</sup> | Template Header Asciifile   |
| OUTPUTFILETEMPLA <sup>L</sup> | Template Line Asciifile     |
| PRINTKZ                       | - not used -                |
| REPORTGENERATEAI              | Reports generate with Api   |
| SCRIPT_END                    | Script at End               |
| SCRIPT_START                  | Script Start                |
| SortId                        | Sort                        |
| SQLQUERY                      | SQL query for Reports       |
| StepId                        | Macro Step ID               |
| STEPNAME                      | Name Macro Step             |

| Column            | Description                   |
|-------------------|-------------------------------|
| ACTIVE_BATCHPRINT | Active at Batchdruck          |
| ACTIVE_EMAIL      | Active at E-mail              |
| ACTIVE_EXCEL      | Active at EXCEL               |
| ACTIVE_EXPORT     | Active at Export              |
| ACTIVE_FAX        | Active at Fax                 |
| ACTIVE_LABEL      | Active bel Label              |
| ACTIVE_PDF        | Active at PDF                 |
| ACTIVE_PREVIEW    | Active at Preview             |
| ACTIVE_PRINT      | Active at Print               |
| ACTIVE_SCRIPT     | Active at Script              |
| ACTIVE_WORD       | Active at Word                |
| COMMANDID         | Command ID                    |
| COPYCOUNT         | Copy Count                    |
| COPYCOUNTSCRIPT   | Copy Count Script             |
| DELFILE           | Delete temporary file         |
| DESCRIPTION       | Name Output Definition        |
| EMAIL_ADDRESS     | E-mail Address                |
| EMAIL_ATTACHMENT  | E-mail Attachment 1           |
| EMAIL_ATTACHMENT  | E-mail Attachment 1 Script    |
| EMAIL_ATTACHMENT  | E-mail Attachment 1 File Name |
| EMAIL_ATTACHMENT: | E-mail Attachment 2           |
| EMAIL_ATTACHMENT: | E-mail Attachment 2 Script    |
| EMAIL_ATTACHMENT: | E-mail Attachment 2 File Name |
| EMAIL_ATTACHMENT: | E-mail Attachment 3           |
| EMAIL_ATTACHMENT: | E-mail Attachment 3 Script    |
| EMAIL_ATTACHMENT: | E-mail Attachment 3 File Name |
| EMAIL_CC1         | E-mail cc1                    |
| EMAIL_CC1_ACTIVE  | E-mail cc1 Script             |
| EMAIL_CC2         | E-mail cc2                    |
| EMAIL_CC2_ACTIVE  | E-mail cc2 Script             |
| EMAIL_FILENAME    | E-mail File Name              |
| EMAIL_OPENWINDOW  | E-mail Open Parameter Window  |
| EMAIL SUBJECT     | E-mail Subject                |
| EMAIL_TEXT        | E-mail Text                   |
| FAX_ADDRESS       | Fax address                   |
| FAX_DOCUMENTNAME  | Fax document Name             |
| FAX_HEADER        | Fax header                    |
| MAKROID           | Macro ID                      |
| OPENFILE          | directly open file            |
| OUTPUTFILENAME    | Output File Name              |
| OUTPUTFILENAME_S  | Output File Script Name       |
| OUTPUTFILETYPE    | Output File Type              |
| OUTPUTID          | Output ID                     |
| PARAMETER1        | Parameter 1                   |
| PARAMETER2        | Parameter 2                   |
| PARAMETER3        | Parameter 3                   |
| PARAMETER4        | Parameter 4                   |
| PARAMETER5        | Parameter 5                   |
| PARAMETER6        | Parameter 6                   |
| PARAMETER7        | Parameter 7                   |
| SCRIPT_END        | Script at End                 |

|              |                  |
|--------------|------------------|
| SCRIPT_START | Script Start     |
| SENDWITHSBO  | E-mail send with |
| StepId       | Macro Schritt ID |

| Column        | Description            |
|---------------|------------------------|
| BOTTOMMARGIN  | Bottom Margin          |
| COLLATEID     | Collate                |
| Color         | Print with Color       |
| DRIVERNAME    | Driver Name            |
| DUPLEX        | Use Duplex             |
| DW_ZOOMFAKTOR | DataWindow Zoom Factor |
| FIRSTPAGE     | First Page             |
| LASTPAGE      | Last Page              |
| LEFTMARGIN    | Left Margin            |
| MAKROID       | Macro ID               |
| ORIENTATION   | Orientation            |
| OUTPUTID      | Output ID              |
| PAGEHEIGHT    | Page height            |
| PAGELENGTH    | Page length            |
| PAGERANGE     | Page Range             |
| PaperSize     | Paper Size             |
| PAPERSOURCE   | Paper Source           |
| PORTNAME      | Port Name              |
| PRINTERNAME   | Printer Name           |
| PROMPT        | Display Prompt         |
| QUALITY       | Print with quality     |
| RIGHTMARGIN   | Right Margin           |
| STATIONNAME   | Work Center Name       |
| StepId        | Macro Schritt ID       |
| TOPMARGIN     | Top Margin             |

| Column            | Description           |
|-------------------|-----------------------|
| ALLWAYSPROMT      | Allways Prompt        |
| CHECKBOXNO        | Checkbox No           |
| CHECKBOXYES       | Checkbbox Yes         |
| DEFAULTVALUE      | Default Value         |
| MAKROID           | Macro ID              |
| ONLYDROPDOWN      | Only Drop down        |
| OUTPUTID          | Output ID             |
| QUESTIONTEXT      | Question Text         |
| SortId            | Sort                  |
| StepId            | Macro Schritt ID      |
| VARIABLECHECKSCR  | Variable check script |
| VARIABLEDROPDOWNI | Variable Dropdown     |
| VARIABLEID        | Variable ID           |
| VARIABLETYP       | Variable Type         |

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| LANGUAGE_ID | language ID         |
| LONGTEXT    | longtext from item  |
| Subject     | Subject for E-mail  |
| TEXTID      | Text ID             |
| TYP         | Meldungstyp         |

| Column            | Description                     |
|-------------------|---------------------------------|
| ABGANG_FA         | Debit Production                |
| ABGANG_KD         | Debit Sales Order               |
| AG_ID             | Operation ID                    |
| ANZAHL            | Number                          |
| APLATZ_ID         | Work Center                     |
| ART               | Item                            |
| BAUGRUPPE         | Assembly                        |
| BEDARFSDATUM      | Date of requirement             |
| BELNR_ID          | Document No                     |
| BELPOS_ID         | Doc. Position                   |
| BEREITGESTELLT    | Reserved                        |
| BEZEICHNUNG       | Description                     |
| DATUM             | Date                            |
| FEHLBESTAND       | Shortage                        |
| FEHLMENGE         | Shortage                        |
| FEHLMENGE_BEREIT  | Shortage Reservation            |
| FERTIGUNGSKOSTEN  | Non Material Mfg Cost MC Actual |
| FERTIGUNGSKOSTEN  | Non Material Mfg Cost FC Actual |
| FERTIGUNGSKOSTEN  | Non Material Mfg Cost MC Plan   |
| FERTIGUNGSKOSTEN  | Non Material Mfg Cost FC Plan   |
| GEMEINKOSTENINFO  | Overhead Info MC                |
| GEMEINKOSTENINFO  | Gemeinkosten Info FC            |
| GEMEINKOSTENTEXT  | Overhead Text                   |
| HERSTELLUNGSKOS   | Production Cost MC Actual       |
| HERSTELLUNGSKOS   | Production Cost MC Actual       |
| HERSTELLUNGSKOS   | Production Cost MC Plan         |
| HERSTELLUNGSKOS   | Herstellungskosten FC Plan      |
| ID                | ID                              |
| ItemCode          | Item                            |
| ItemName          | Description                     |
| KOSTEN_ISt_GK     | Cost MC Actual                  |
| KOSTEN_ISt_VK     | Cost FC Actual                  |
| KOSTEN_SOLL_GK    | Cost MC Plan                    |
| KOSTEN_SOLL_VK    | Cost FC Plan                    |
| Level             | Step                            |
| MATERIALKOSTEN_IS | Material Costs MC Actual        |
| MATERIALKOSTEN_IS | Material Costs FC Actual        |
| MATERIALKOSTEN_SI | Materailkosten MC Plan          |
| MATERIALKOSTEN_SI | Material Costs FC Plan          |
| MENGE_LAGER_SOLI  | Quantity Warehouse Plan         |
| MENGE_VERBRAUCH   | Quantity Consumption Actual     |
| MENGE_VERBRAUCH   | Quantity Consumption Plan       |
| NR                | Number                          |
| NUTZEN            | Use                             |
| OBERBAUGRUPPE     | father Item                     |
| OnHand            | Warehouse stock                 |
| ONHAND_STD        | Warehouse stock Default         |
| PERS_ID           | Employee number                 |
| PERS_NAME         | Personnel Name                  |
| POS               | Position                        |
| ZEIT_ISt          | Time Actual                     |

|                  |                       |
|------------------|-----------------------|
| ZEIT_SOLL        | Time Plan             |
| ZEIT_TE          | Mach+Labor Time/unit  |
| ZEIT_TR          | setup time            |
| ZNR              | Drawing Number        |
| ZU_BELPOS_ID     | to Doc. Position      |
| ZUGANG_BESTELLUN | Credit Purchase Order |
| ZUGANG_FA        | Credit Work Order     |
| ZUGANGSDATUM     | Date of receipt       |

| Column          | Description                |   |   |
|-----------------|----------------------------|---|---|
| ANDTSTAMP       | Date of last change        |   |   |
| ANDUSER         | User of last change        |   |   |
| BASE_DOCENTRY   | Assignment Document        | Assign to document<br>Workorder (BEAS_FHHAUPT.BELNR_ID) or<br>Document example (ORDR.DocEntry)  |   |
| BASE_LINENUM    | Assignment Belegzeile 1    | Assign to document line<br>Workorder (BEAS_FTPOS.BELPOS_ID) or<br>Document example (RDR1.LineNum)   |   |
| BASE_LINENUM2   | Assignment Belegzeile 2    | Assign to work order Bill of Material position<br>Workorder (BEAS_FTSTL.POS_ID)   |   |
| BASE_TYPE       | Assignment Document Type   | Assigned to document  | Work order=wo<br>Sales order=17<br>Pre Invoice=13         |
| BatchNum        | Batch number               | Batch related item: The Batch Number<br>Serial realted item: The Dist Number<br>Please use in general the property "DistNumber"   |   |
| BINCODE         | Bin Location               |   |   |
| DistNumber      | Dist Number                | Dist Number from Batch / Serial related item  |   |
| DocDate         | Valuation date             |   |   |
| DocEntry        | Objektbelegnummer          |   |   |
| ERFTSTAMP       | Creation date              |   |   |
| ERFUSER         | Recorder                   |   |   |
| ItemCode        | Item Code                  |   |   |
| LifeTime        | life time this Line        | Life time for this reservation<br>The system delete all reservation after this defined day<br>If you don't define this, then life time is today + 900 calender days   |   |
| LineNum         | Objektzeile                |   |   |
| LINK_DOCENTRY   | second Assignment document |   |   |
| LINK_LINENUM    | second Assignment Line     |   |   |
| LINK_LINENUM2   | second Assignment Line 2   |   |   |
| LINK_TYPE       | second Assignment Type     | Second Link, example Pick list<br><br>Picklist:<br>If you work with link to a Picklist, then beas change automatically the picked quantity in the pick list, if you make a reservation<br>beas use for this the DI API. It don't create a batch reservation or serial number reservation in SAP. It change only the picked quantity | Pick List=picklist<br>Work order=wo                       |
| PERS_ID         | personnel number           | The current Personnel Id<br>It is not possible to define this. The system use always current logged in Personnel Id   |   |
| Quantity        | Reserved Quantity          |   |   |
| RESERVATIONTYPE | Reservation Type           | Describe Reservation Type   | Stock reservation=S<br>Planned reservation=P<br>Archive=A |
| RFID            | RFID                       |   |   |
| SETQUANTITY     | original reserved          |   |   |
| STATION_ID      | Work station               | Created from Station Id<br>Not possible to change this<br>BSL: The name of client<br>Remote Terminal Server: The current Remote user  |   |
| SUPPLIERBATCH   | Supplier batch num         |   |   |
| USER_ID         | SAP User id                | The current SAP User Id<br>It is not possible to change or define this. Always current User Id will be used   |   |
| Version         | Version                    |   |   |
| WhsCode         | Warehouse                  |   |   |

| Column           | Description                    |
|------------------|--------------------------------|
| BELNR_ID         | Workorder Number               |
| BELPOS_ID        | Workorder Position             |
| BIS              | To Date                        |
| DocEntry         | Document                       |
| INTNR            | Internal No.                   |
| ItemCode         | Item                           |
| KW               | Calendar Week                  |
| LineNum          | Document Line                  |
| NR               | Number                         |
| POS_ID           | BOM Position                   |
| RESOURCE         | Resource                       |
| RESOURCENR       | Resource Number                |
| RESOURCENTYP     | Resource Type                  |
| TYP              | Type                           |
| VERURSACHER      | Originator                     |
| VERURSACHER_AGB  | Originator - Description       |
| VERURSACHER_BAU  | Originator - Assembly          |
| VERURSACHER_BAUQ | Originator - Assembly Quantity |
| VERURSACHER_INF  | Originator - Info              |
| VERURSACHER_MEN  | Originator - Quantity          |
| VON              | From Date                      |
| ZEIT             | Time                           |

| Column       | Description         |
|--------------|---------------------|
| ANDTSTAMP    | Date of Last Change |
| ANDUSER      | User of Last Change |
| ANF_BIS      | Begin To            |
| ANF_VON      | Begin From          |
| BDE_ENDE     | automatic: End      |
| BDE_START    | automatic: Start    |
| BDE_TYP      | autoamtic: Type     |
| BEZ          | Description         |
| ENDE_BIS     | End To              |
| ENDE_VON     | End From            |
| ERFTSTAMP    | Creation Date       |
| ERFUSER      | Typist              |
| MITTAG_BIS   | Lunch to            |
| MITTAG_DAUER | Lunch Duration      |
| MITTAG_VON   | Lunch from          |
| PAUSE1_BIS   | Break 1 To          |
| PAUSE1_VON   | Break 1 From        |
| PAUSE2_BIS   | Break 2 To          |
| PAUSE2_VON   | Break 2 From        |
| PAUSE3_BIS   | Break 3 To          |
| PAUSE3_VON   | Break 3 From        |
| SCHICHT_ID   | Shift               |
| TAG_STD      | Day Type 1 Hours    |
| TAG_STD2     | Day Type 2 Hours    |
| TAG_STD3     | Day Type 3 Hours    |
| TAGMUSTER_ID | Day Template        |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column    | Description |
|-----------|-------------|
| ADDON     | Name Addon  |
| NR        | Number      |
| QUELLTEXT | Sourcecode  |
| SPR_ID    | Language    |
| VON       | From Date   |
| ZU        | Language    |

| Column | Description |
|--------|-------------|
|--------|-------------|

|                      |                          |   |
|----------------------|--------------------------|---|
| AENDERUNGERLAUB      | Changing Allowed         | Yes=J<br>No=N   |
| AKTIV                | Active                   | Yes=J<br>No=N   |
| ANDTSTAMP            | Date of Last Change      |   |
| ANDUSER              | User of Last Change      |   |
| BITMAPNAME           | Bitmap Name              |   |
| Color                | Color                    |   |
| CreateMaintenance    | Create Maintenance order | Create mainentance order, if interruption started<br>Yes=1<br>No=0            |
| DontStoppTimeCounter | Times continue           | Yes=1<br>No=0   |
| ERFTSTAMP            | Creation Date            |   |
| ERFUSER              | Typist                   |   |
| FilterAplatz_id      | Filter Resource          | Empty = available for all Resources / Tools<br>Or 'Resource1','Resource2',... |
| FilterBaseType       | For Resource or Tools    | Ressource=resource<br>Werkzeug=tool<br>Alle=all                               |
| FilterPers_id        | Filter Personnel         | Empty = available for all<br>Or 'Personnel1','Personnel2' ...                 |
| GRUNDID              | Reason ID                |   |
| GRUNDINFO            | Reason Information       |   |
| UDF1                 | UDF1                     |   |
| UDF2                 | UDF2                     |   |
| UDF3                 | UDF3                     |   |
| UDF4                 | UDF4                     |   |

| Column            | Description                |  |
|-------------------|----------------------------|--|
| ABM1              | Length                     |  |
| ABM2              | Width                      |  |
| ABM3              | Height                     |  |
| AKTIV             | Active                     | activ=J<br>not activ=N   |
| ALTERNATIVMATERIA | Alternative Material       |  |
| ANDTSTAMP         | Modification Date          |  |
| ANDUSER           | Modified by                |  |
| APLANPOS_ID       | linked to operation        | Bom linked to this operation<br>Operation is linked with<br>item without separat bom: same id as the bom<br>item with separat bom: id of routing is in<br>BEAS_STL_HEADER.ROUTINGID<br>Attention: Import don't check the link information. |
| ApId              | --                         |  |
| ART1_ID           | Item code (consumed)       | Material number of item<br>linked to OITM.ItemCode<br>Import: If you insert a unknown itemcode, beas<br>move this imtocode in field "userfield" and insert<br>the "unknown itemcode" which you can set in the<br>configuration wizzard     |
| AUSSCHUSS         | Scrap                      | Scrap for bom  |
| BINCODE           | Bin Location               | The bin location must be a valid location for the<br>warehouse selected  |
| BITMAPNAME        | Picture                    |  |
| CAFTINFO          | Formula Definition Variant | Define all Formulas for the current BoM Position<br>FieldName=F/T/V=Information=VariableTyp=Varia<br>bleLen=Changeable=Unit=ChoseList=Instructions/<br>Formulas<linefeed><br>F=Formula<br>T=Table<br>V=Variablelename                      |
| COLORID           | Color                      |  |
| DESCRIPTION       | Description                | Item description about the bom position<br>beas ignore this, if "UseOwnDescription" not 1  |
| DontBookScrap     | Dont book scrap            | if activ, the backflushig process don't book the<br>scrap quantity yes=1<br>no=0   |
| ERFTSTAMP         | Creation Date              |  |
| ERFUSER           | Creator                    |  |
| EXPANDID          | Breakdown                  | Breakdown (expandid) No=N<br>Always=A<br>Only Shortage=W   |
| FORMEL            | Formula                    |  |
| GUELIG_BIS        | Valid to                   | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.   |
| GUELIG_VON        | Valid from                 | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.   |
| INFO              | Info                       |  |
| INPUT_FACTOR      | Input unit factor          |  |
| INPUT_QTY         | Quantity                   | Determines the requirement in entry units per<br>assembly in Input UoM.<br>Usually, the entry unit is the consumption unit of<br>the selected item,  |
| INPUT_UNIT        | Input unit                 |  |
| ItemCode          | Item code header (BoM ID)  | Id of bill of material<br>Linked to header of bom (BEAS_STL_HEADER)  |
| MENGE_JE          | Quantity per Finished Item |  |
| MENGE_LAGER       | Quantity Store             | Quantity in Stock unit (OITM.InvntryUom)<br>This is only for information. beas don't work with it<br>More information see "MENGE_LAGER"  |

|                     |                         |  |   |
|---------------------|-------------------------|--|---|
| MENGE_VERBRAUCH     | Quantity Consumption    | Needed Quantity in Consumption Unit<br>(OITM.U_BEAS_ME_VERBR)<br>Internal beas work with this quantity column<br>beas is filling the quantity automatically if you set<br>input_qty<br>MENGE_VERBRAUCH = INPUT_QTY /<br>INPUT_FACTOR<br>Negativ value allowed  |   |
| nonSynch            | Synchronisation         | Define the synchronisation option  | synchronisation on<br>(import: delete and<br>import new)=0<br>synchronisation on, but<br>don't delete this line=1<br>don't synchronise this<br>position=2     |
| OnlyReservation     | only Reservation issue  |  | yes=1<br>no=0   |
| PlaningSysNoSubMate | Planning Method         |  | automatic=0<br>no=1   |
| POS_ID              | Position id             | internal position number id (not visible)  |   |
| POS_TEXT            | Position                |  |   |
| RestChargeOff       | IssueRemains from qty   |  |   |
| ROUND_DEC           | Rounding Decimal count  |  |   |
| ROUND_TYPE          | Rounding Type           | type of rounding   | no rounding=-1<br>commercial=0<br>round up=1<br>round down=2<br>multiple of=3   |
| ScrapPercent        | Scrap                   |  |   |
| SCRIPTS             | Script Variant          | Define beas scripts for define properties in current<br>BoM<br>Changeable left icon from BoM Position  |   |
| SHORTVARIANT        | Breakdown Variant       | Define, with which variant the subassembly have to<br>breakdown<br>if empty, then use Variant from parent<br>Value can be empty or A-Z   | A=A<br>B=B<br>C=C<br>D=D<br>E=E<br>F=F<br>G=G<br>H=H<br>I=I<br>J=J<br>K=K<br>L=L<br>M=M<br>N=N<br>O=O<br>P=P<br>Q=Q<br>R=R<br>S=S<br>T=T<br>X=X<br>Y=Y<br>Z=Z |
| SHORTVARIANTDEF     | Variantendefinition A-Z | Variant Definition<br>A-Z, String with<br>JNJNNNNNNNNNNNNNNNNNNNNNNNN<br>J=Activ, N=not Activ<br>First Position=Version A<br>Second Position=Version B<br>and so on<br>Example<br>JNJNNNNNNNNNNNNNNNNNNNNNNNN =<br>A:Activ, B:not activ, C:Activ<br>Attention: The string need 26 letters. If you insert<br>less then 26 letters, it's not working |   |
| SortId              | Sorting                 | Define the sorting in the bom list self  |   |
| StId                | --                      |  |   |
| U_beas_ver          | --                      |  |   |
| UDF1                | Userfield 1             |  |   |
| UDF10               | Userfield 10            |  |   |
| UDF11               | Userfield 11            |  |   |

|                   |                     |   |
|-------------------|---------------------|---|
| UDF12             | Userfield 12        |   |
| UDF13             | Userfield 13        |   |
| UDF14             | Userfield 14        |   |
| UDF15             | Userfield 15        |   |
| UDF2              | Userfield 2         |   |
| UDF3              | Userfield 3         |   |
| UDF4              | Userfield 4         |   |
| UDF5              | Userfield 5         |   |
| UDF6              | Userfield 6         |   |
| UDF7              | Userfield 7         |   |
| UDF8              | Userfield 8         |   |
| UDF9              | Userfield 9         |   |
| UNIT_IN           | --                  |   |
| UseOwnDescription | Use own description | if activ, beas use description and drawing number<br>from this position (Field DESCRIPTION and ZNR)<br>if not activ, beas use the description and drawing<br>number from the item or choosed Version number |
| yes=1             |                     |   |
| no=0              |                     |   |
| UserText          | Additional Text     |   |
| Version           | I-Version           |   |
| VersionArea       | Valid for Version   | Activ for Versions, CSV-Format<br>Example: Activ for Version 3,5 and 7<br>"3","5","7"<br>Attention:<br>if you insert the value in wrong format, beas<br>generate SQL errors.                                |
| VersionFrom       | Valid From Version  | Only activ for Version from ...<br>attention: beas check this alphanumeric<br>Example Versions 1-12<br>1,10,11,12,2,3,4,5,6,7,8,9   |
| VersionTo         | Valid To Version    | Only activ for Version up to ...<br>attention: beas check this alphanumeric<br>Example Versions 1-12<br>1,10,11,12,2,3,4,5,6,7,8,9  |
| WhsCode           | Warehouse Id        |   |
| ZNR               | Drawing number      | Item drawing number about the bom position<br>beas ignore this, if "UseOwnDescription" not 1  |

| Column     | Description                  |
|------------|------------------------------|
| ALTERNATIV | alternativ item number       |
| INFO       | Information                  |
| ItemCode   | Bom Id                       |
| POS_ID     | Bom internal position number |
| Quantity   | Quantity                     |

| Column           | Description  |
|------------------|--|
| AccessGroup      | Authorization group  |
| ANDTSTAMP        | Date of last change  |
| ANDUSER          | User of last change  |
| BITMAPNAME       | Bitmap   |
| Block            | Blocked yes=1<br>no=0  |
| BlockDate        | Blocked Date best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.         |
| BlockName        | Blocked Name   |
| BlockReason      | Blocked Reason   |
| COLORID          | Color  |
| DateFrom         | Valid from Valid Date.<br>Attention: beas check this field, but current it is not visible in the program         |
| DateTo           | Valid to Valid Date.<br>Attention: beas check this field, but current it is not visible in the program           |
| DESCRIPTION      | Description Description for the bill of material definition  |
| ERFTSTAMP        | Creation date  |
| ERFUSER          | Recorder   |
| ForItemCode      | Linked to Item Describe, for which item you use this bill of material (linked to OITM)                           |
| ItemCode         | Bill of materials Id The id of bill of material list<br>It can be the same as the item but can have a own number |
| MatchCode        | Match code   |
| Release          | Release yes=1<br>no=0  |
| ReleaseDate      | Release Date best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.         |
| ReleasePersName  | Release From   |
| ReleaseStationId | Release on Work station  |
| Remarks          | Remark   |
| RevisionLevel    | Revision Nummmer   |
| RoutingId        | Routing  |
| Status           | Status Status field is not visible in the program  |
| TYP              | Type standard=bom  |
| UDF1             | Userfield 1  |
| UDF10            | Userfield 10   |
| UDF11            | Userfield 11   |
| UDF12            | Userfield 12   |
| UDF13            | Userfield 13   |
| UDF14            | Userfield 14   |
| UDF15            | Userfield 15   |
| UDF2             | Userfield 2  |
| UDF3             | Userfield 3  |
| UDF4             | Userfield 4  |
| UDF5             | Userfield 5  |
| UDF6             | Userfield 6  |
| UDF7             | Userfield 7  |
| UDF8             | Userfield 8  |
| UDF9             | Userfield 9  |
| Version          | Version Version field is not visible in the program  |
| ZNR              | Drawing number   |

| Column           | Description                 |
|------------------|-----------------------------|
| ANDTSTAMP        | Date of Last Change         |
| ANDUSER          | User of Last Change         |
| BEGNACHRUNDUNG   | Start Round by Core Time    |
| BEGVORKERNZT     | Start Round pre Core Time   |
| BEGWAEHKERNZT    | Start Round while Kernnzeit |
| BEZ              | Description                 |
| ENDNACHGLTZT     | End Round by Gleitzeit      |
| ENDNACKERNZT     | End Round by Core Time      |
| ENDWAEHKERNZT    | End Round During Core Time  |
| ERFTSTAMP        | Creation Date               |
| ERFUSER          | Typist                      |
| GLEITZEITGRENZE  | Gleitzeit Grenze            |
| GLEITZEITGRENZE2 | Gleitzeit Grenze 2          |
| PAUSE_STMP       | Break evaluate              |
| SPERREN          | Blocked                     |
| STDRLG_ID        | Period rule                 |
| TOLZTBEG         | Tolerance Time Start        |
| TOLZTENDE        | Tolerance Time End          |
| URLSTD           | Vacation Hours              |
| ZUSCHL1_BIS      | Allowance 1-1 To            |
| ZUSCHL1_VON      | Allowance 1-1 From          |
| ZUSCHL1B_BIS     | Allowance 1-2 To            |
| ZUSCHL1B_VON     | Allowance 1-2 From          |
| ZUSCHL2_BIS      | Allowance 2 To              |
| ZUSCHL2_VON      | Allowance 2 From            |

| Column       | Description    |
|--------------|----------------|
| DATUM        | Date           |
| ID           | ID             |
| syntaxname   | Name of Syntax |
| syntaxsource | Sourcecode     |

| Column | Description |
|--------|-------------|
| ADDON  | Name Addon  |
| AKTIV  | Active      |
| SortId | Sort        |
| USERS  | User        |

| Column           | Description      |
|------------------|------------------|
| AENDERBAR        | changeable       |
| ANSICHT          | View             |
| ANWENDERAENDER   | User changeable  |
| ANWENDERAUSSWAHI | User can choose  |
| AUSRICHTUNG      | alignment        |
| BENUTZER_ID      | User Id          |
| ColName          | Column Name      |
| COLTEXT          | Column Text      |
| COLTEXTTYP       | Column Type      |
| DROPDOWN         | Dropdown Script  |
| EXPRESSION       | Formula          |
| FARBE            | Color            |
| FARBEFORMEL      | Color Script     |
| FETT             | bold             |
| FORMATIERUNG     | Formatting       |
| KURSIV           | Italic           |
| NR               | Number           |
| PROTECTEDSCRIPT  | Protect Script   |
| SICHTBAR         | visible          |
| SICHTBARFORMEL   | Visible Script   |
| SPERREN          | Blocked          |
| SUCHEN           | Search Script    |
| VERWEIS          | Reference Script |
| Width            | Width            |
| WINDOWNAME       | Window ID        |

| Column           | Description           |
|------------------|-----------------------|
| ALIGNMENT        | alignment             |
| AREADESCRIPTION  | area description      |
| COLUMNNAME       | column Name           |
| CONSTRAINTS      | constraints           |
| DEFAULTVALUE     | Default Value         |
| DROPDOWNVALUE    | dropdown script       |
| FORMATID         | Format                |
| FROMCOLUMNS      | reference from column |
| FROMTABLE        | reference from table  |
| INFO_DE          | Info german           |
| INFO_EN          | Info english          |
| LEVELID          | Level ID              |
| LONGDESCRIPTION  | long description      |
| RELATED          | related               |
| RELATEDWINDOW    | related Window        |
| SHORTDESCRIPTION | Short Description     |
| SortId           | Sort                  |
| STANDARD         | Default value         |
| TableName        | Table Name            |
| TOPICID          | topic ID              |
| TRANSLATED       | translated            |
| USERINFO         | user Info             |
| VERSIONINFO      | Version Info          |
| VORGABE          | Default               |
| WINDOWINFO       | Name of Window        |

| Column       | Description   |
|--------------|---------------|
| FUNKTIONNAME | function Name |
| INFO         | Info          |
| MODULOBJECT  | Module Name   |
| NR           | Number        |
| SQLINFO      | SQL Info      |
| WINDOWNAME   | Window ID     |

BEAS\_SYS\_DEVICE

**Station Type (Device)**

extra

Column Description

| Column          | Description            |
|-----------------|------------------------|
| ADDON           | Name Addon             |
| CardCode        | Supplier               |
| DESCRIPTION     | Name Ausgabedefinition |
| EXECUTESCRIPT   | execute script         |
| FormID          | Shape ID               |
| PARAMETER1      | Parameter 1            |
| PARAMETER2      | Parameter 2            |
| PARAMETER3      | Parameter 3            |
| PARAMETER4      | Parameter 4            |
| PARAMETERNAME1  | parametername 1        |
| PARAMETERNAME2  | parametername 2        |
| PARAMETERNAME3  | parametername 3        |
| PARAMETERNAME4  | parametername 4        |
| PRIMARYOBJECTID | primary object         |
| SYSTEMTYP       | System type            |

| Column   | Description |
|----------|-------------|
| FormID   | Shape ID    |
| ObjectID | object ID   |
| SCRIPT1  | script      |
| TYP      | Meldungstyp |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description      |
|--------|------------------|
| BEFEHL | commands         |
| BITMAP | Picture          |
| CHILD  | Child-Entrys     |
| Line   | Line             |
| MODUL  | Active at Module |
| Name   | Name             |
| NR     | Number           |
| RECHT  | access           |
| STUFE  | Strukturstufe    |

| Column           | Description          |
|------------------|----------------------|
| ADDON            | Name Addon           |
| BUSINESSOBJECTNA | business object Name |
| DESCRIPTION      | Description          |
| ObjectID         | object ID            |
| ObjectType       | object type          |
| PRIMARYTABLE     | primary table        |
| SALE0PURCHASE1   | sale or purchase     |
| SYSTEMTYP        | System type          |

| Column           | Description            |
|------------------|------------------------|
| ADDON            | Name Addon             |
| DESCRIPTION      | Name Ausgabedefinition |
| EDITSCRIPT1      | Edit Script            |
| L1_INFO          | Info                   |
| L1_PARAMETERNAME | Parameter 1            |
| L1_PARAMETERNAME | Parameter 2            |
| L1_PARAMETERNAME | Parameter 2_1          |
| L1_PARAMETERNAME | Parameter 2_2          |
| L1_PARAMETERNAME | Parameter 2_3          |
| L1_PARAMETERNAME | Parameter 2_4          |
| L1_PARAMETERNAME | Parameter 2_5          |
| L1_PARAMETERNAME | Parameter 3            |
| L1_PARAMETERNAME | Parameter 4            |
| L1_PARAMETERNAME | Parameter 5            |
| L2_PARAMETERNAME | Parameter Type 2 - 1   |
| L2_PARAMETERNAME | Parameter Type 2 - 2   |
| L2_PARAMETERNAME | Parameter Type 2 - 3   |
| L2_PARAMETERNAME | Parameter Type 2 -4    |
| Objectld         | object ID              |
| SCRIPT1          | script                 |
| SYSTEMTYP        | System type            |
| TYP              | Meldungstyp            |
| VARIABLESTEPID   | Variable Step          |

| Column           | Description         |
|------------------|---------------------|
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| AUSFUEHRUNG      | Command Script      |
| BEZEICHNUNG      | Description         |
| BISUHRZEIT       | to Clock            |
| EMPFAENGER       | Receiver            |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Typist              |
| LETZTE_AUSFUEHRU | Last Start          |
| LETZTE_MELDUNG   | Last Message        |
| NR               | Number              |
| UHRZEIT          | Clock               |
| WIEDERHOLUNG     | Repeat time         |
| WIEDERHOLUNGUNIT | Repeat Unit         |
| WOCHENTAG        | Day of the week     |

| Column      | Description                    |
|-------------|--------------------------------|
| ANDTSTAMP   | Date of Last Change            |
| ANDUSER     | User of Last Change            |
| BENUTZER    | setup for user (must be empty) |
| ERFTSTAMP   | Creation Date                  |
| ERFUSER     | Typist                         |
| INHALT      | value                          |
| MD_ID       | - not used -                   |
| statusId    | Status ID                      |
| STATUSTEXT  | Status Text                    |
| VARIABLE_ID | variable-id                    |

| Column           | Description         |
|------------------|---------------------|
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| AUTOINSTALL      | auto install activ  |
| BEZEICHNUNG      | Description         |
| BUCHSTABENBREITE | width - factor      |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Creation User       |
| GUI              | Gui                 |
| SBO_LANGUAGE     | sbo - language - ID |
| SBO_LANGUAGECOD  | sbo - language code |
| SPR_ID           | Language            |
| STANDARD         | Default             |
| UNICODE          | Unicode             |
| WINDOWCODE       | Window code         |

| Column         | Description     |
|----------------|-----------------|
| COLUMNNAME     | column Name     |
| LANGUAGEID     | language ID     |
| PRIMARYVALUE   | primary value   |
| SourceText     | source Text     |
| TableName      | Table Name      |
| TRANSLATEDTEXT | translated Text |

| Column  | Description |
|---------|-------------|
| INHALT  | Contents    |
| KENNUNG | Kennung     |
| SPR_ID  | Language    |
| TYP     | Meldungstyp |

| Column   | Description           |
|----------|-----------------------|
| ADDON    | name of addon         |
| SPR_ID   | Language              |
| UserText | own Translation toppt |
| VON      | German                |
| ZU       | Language              |

| Column | Description |
|--------|-------------|
| ADDON  | Name Addon  |
| SPR_ID | Language    |
| VON    | From Date   |
| window | Window ID   |
| ZU     | Language    |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column      | Description     |
|-------------|-----------------|
| BENUTZER_ID | Benutzerkennung |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column       | Description         |
|--------------|---------------------|
| ANDTSTAMP    | Date of Last Change |
| ANDUSER      | User of Last Change |
| BEZ          | Description         |
| ERFTSTAMP    | Creation Date       |
| ERFUSER      | Creation User       |
| TAGMASTER_ID | Day Template        |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| BEREICH     | Range               |
| BEZEICHNUNG | Description         |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Creation User       |
| INHALT      | Contents            |
| NR          | Number              |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column           | Description            |
|------------------|------------------------|
| account_from     | Account from           |
| account_to       | account to             |
| ACCOUNT_WIP      | account wip            |
| ANDTSTAMP        | Date of Last Change    |
| ANDUSER          | User of Last Change    |
| DESCRIPTION      | Name Ausgabedefinition |
| ERFTSTAMP        | Creation Date          |
| ERFUSER          | Typist                 |
| GEKO_COST        | ov.cost Cost           |
| MACHINCE_COST    | Machine Cost           |
| PERONAL_COST     | Personnel Cost         |
| POSTCALC_GK      | Postcalc MC            |
| POSTCALC_VK      | Postcalc FC            |
| PRECALC_GK       | Precalc MC             |
| PRECALC_VK       | Precalc FC             |
| PRODUCTION       | Production             |
| TIMETYPE_ID      | Time Type              |
| TIMETYPEGROUP_ID | Time types Group       |

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| DESCRIPTION | Description         |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Typist              |
| GROUP_ID    | Time Type Group     |

|         |         |
|---------|---------|
| BEREICH | Range   |
| DATUM   | Date    |
| KENNUNG | Kennung |

| Column       | Description            |
|--------------|------------------------|
| ANDTSTAMP    | Date of Last Change    |
| ANDUSER      | User of Last Change    |
| BatchNum     | Batch Number           |
| DocEntry     | Docentry               |
| DocNum       | Docnum                 |
| ERFTSTAMP    | Creation Date          |
| ERFUSER      | Creation User          |
| lieferschein | Delivery Note          |
| LineNum      | Linenum                |
| MENGE        | Quantity Unit of Store |
| NR           | Number                 |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BEZ       | Description         |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| VERSCHN   | Scrap Id            |

| Column    | Description            |
|-----------|------------------------|
| ANDTSTAMP | Date of Last Change    |
| ANDUSER   | User of Last Change    |
| BIS       | To Date                |
| ERFTSTAMP | Creation Date          |
| ERFUSER   | Creation User          |
| MENGE     | Quantity Unit of Store |
| PROZENT   | Percent                |
| VERSCHN   | Scrap Id               |
| VON       | From Date              |

BEAS\_WAGETYPE

wage type

attendance

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column           | Description            |
|------------------|------------------------|
| ANDTSTAMP        | Date of Last Change    |
| ANDUSER          | User of Last Change    |
| BINTYP           | Bin Location Type      |
| Color            | Print with Color       |
| ERFTSTAMP        | Creation Date          |
| ERFUSER          | Creation User          |
| LENGTH           | Length                 |
| LENGTH_IN_M      | Length in m            |
| STARTTRANSAKTION | Start with Transaktion |
| VISUALENDSCRIPT  | Visualization Script   |
| WhsCode          | Store                  |
| Width            | Width                  |
| WIDTH_IN_M       | Width in m             |

| Column           | Description                       |               |
|------------------|-----------------------------------|---------------|
| ANDTSTAMP        | Date of Last Change               |               |
| ANDUSER          | User of Last Change               |               |
| AREACODE         | Warehouse area                    |               |
| AREACOLOR        | Color for Area                    |               |
| BINCOLOR         | Color for Bin Location            |               |
| binheight        | Bin Location Height               |               |
| binlength        | Bin Location Length               |               |
| BINMASK          | Bin code mask                     |               |
| BINVOLUME        | Bin Location Volume               |               |
| binvolumeunit    | Bin Location Volume Unit          |               |
| BINWEIGHT        | Bin Location Weight               |               |
| binweightunit    | Bin Location Weight Unit          |               |
| binwidth         | Bin Location Width                |               |
| DIMENSION1TEXT   | Property for dimension 1          |               |
| DIMENSION2TEXT   | Property for dimension 2          |               |
| DIMENSION3TEXT   | Property for dimension 3          |               |
| DIMENSION4TEXT   | Property for dimension 4          |               |
| DIMENSIONCOUNT   | Number Dimensions                 |               |
| ERFTSTAMP        | Creation Date                     |               |
| ERFUSER          | Creation User                     |               |
| HEIGHT_IN_M      | Height in m                       |               |
| INFO             | Info                              |               |
| LENGTH_IN_M      | Length in m                       |               |
| MANUELBINCREATE  | Create automatically              | Yes=J<br>No=N |
| MAX_VOLUME_IN_DM | Max. volume in dm <sup>3</sup>    |               |
| MAX_WEIGHT_IN_KG | Max. weight in kg                 |               |
| POS_X_IN_M       | Position from lower left in M (X) |               |
| POS_Y_IN_M       | Position from lower left in M (Y) |               |
| REMOVELOCKED     | Block withdraw                    | Yes=J<br>No=N |
| REMOTESORTMASK   | create Mask Sort Issue            |               |
| STORAGELOCKED    | Block storage                     | Yes=J<br>No=N |
| STORAGESORTMASK  | create Mask Sort Receipt          |               |
| TYP              | Type                              |               |
| UDF1             | Userfield 1                       |               |
| UDF2             | Userfield 2                       |               |
| UDF3             | Userfield 3                       |               |
| UDF4             | Userfield 4                       |               |
| VISUALENDSCRIPT  | Visualization Script              |               |
| VISUALISATION    | Visualization Item                |               |
| WhsCode          | Warehouse code                    |               |
| WIDTH_IN_M       | Width in m                        |               |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |
| Name      | Type Name           |
| TYPICODE  | Type Code           |

| Column           | Description                            |                          |  |
|------------------|--|--------------------------|--|
| AREACODE         | Area code                              |                          |  |
| BINCODE          | Bin Location                           | Unique key for the bin   |  |
| BINVOLUME        | Ma. Volume in dm3                      |                          |  |
| BINWEIGHT        | Max. Wieight in Kg.                    |                          |  |
| Color            | Color                                  |                          |  |
| COLORRULE        | color rule                             |                          | Weight in % ..50 green,<br>,,80 yello, 81... red=1<br>green:empty, red:on<br>stock=0 |
| CURRENTVOLUME_IN | Actual volume in dm³                   |                          |  |
| CURRENTWEIGHT_IN | Actual weight in Kg.                   |                          |  |
| DELETEFLAG       | Deleted                                | Entry marked as deleted  | No=N<br>Yes=J  |
| DIMENSION1       | Dimension 1                            |                          |  |
| DIMENSION2       | Dimension 2                            |                          |  |
| DIMENSION3       | Dimension 3                            |                          |  |
| DIMENSION4       | Dimension 4                            |                          |  |
| HEIGHT_IN_M      | Height in m                            |                          |  |
| INFO             | Info                                   |                          |  |
| LENGTH_IN_M      | Length in m                            |                          |  |
| OnHand           | Inventory                              |                          |  |
| POS_HEIGHT_IN_M  | View Height in m                       |                          |  |
| POS_LENGTH_IN_M  | View Length in m                       |                          |  |
| POS_X_IN_M       | Position X in m - Viewed from lower le |                          |  |
| POS_Y_IN_M       | Position Y in m - Viewed from lower le |                          |  |
| REMOVELOCKED     | Block withdraw                         |                          | Yes=J<br>No=N  |
| REMOTESORT       | Withdrawal sorting                     |                          |  |
| STORAGEDATE      | Last receipt                           |                          |  |
| STORAGELOCKED    | Block storage                          |                          | Yes=J<br>No=N  |
| STORAGESORT      | Storage sorting                        |                          |  |
| UDF1             | Userfield 1                            |                          |  |
| UDF2             | Userfield 2                            |                          |  |
| UDF3             | Userfield 3                            |                          |  |
| UDF4             | Userfield 4                            |                          |  |
| WhsCode          | Warehouse code                         | Linked to this warehouse |  |
| WIDTH_IN_M       | Width in m                             |                          |  |

| Column      | Description   |
|-------------|---------------|
| BatchNum    | Batch Number  |
| BINCODE     | Bin Location  |
| ItemCode    | Item          |
| OnHand      | Inventory     |
| RFID        | RFID          |
| STORAGEDATE | Last movement |
| Volume      | Volume        |
| Weight      | Weight        |
| WhsCode     | Store         |

| Column       | Description         |
|--------------|---------------------|
| BATCHLINENUM | batchnumber line    |
| BatchNum     | Batch Number        |
| BINCODE      | Bin Location        |
| CreateDate   | Date of Last Change |
| CreateUser   | User of Last Change |
| IN0OUT1      | in (0) or out (1)   |
| Instance     | instance            |
| ItemCode     | Item                |
| Quantity     | Quantity            |
| RFID         | RFID                |
| TransLine    | transaction line    |
| TransNum     | transaktion number  |
| Volume       | Volume              |
| Weight       | Weight              |
| WhsCode      | Store               |

| Column         | Description                          |  |
|----------------|--------------------------------------|--|
| AKTIV          | Active                               | Yes=1<br>No=0  |
| ANDTSTAMP      | Date of Last Change                  |  |
| ANDUSER        | User of Last Change                  |  |
| APSVIEW        | View in APS                          | No=0<br>Yes=1  |
| ART            | Type                                 |  |
| BEMERKUNG      | Remark                               |  |
| BESTIMMT_ZEIT  | Defines lead time                    | if active, the tool define the duration time of work<br>order position<br>yes=1<br>no=0        |
| BETRIEBSDAUER  | Product life in units                |  |
| BETRIEBSZEIT   | Operation Time:                      |  |
| BEZ            | Description                          |  |
| BILD1          | Attachment 1                         |  |
| BILD2          | Attachment 2                         |  |
| BILD3          | Attachment 3                         |  |
| CardCode       | Customer                             |  |
| CHOOSEABLE     | Selectable at time receipt           | yes=1<br>no=0  |
| DATUM          | Date of purchase                     | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| DOCUMENTS      | Edit documents                       |  |
| ERFTSTAMP      | Creation Date                        |  |
| ERFUSER        | Creation User                        |  |
| FERTIGER       | Manufacturer (Name)                  |  |
| GESPERRT       | Block availability                   | Yes=1<br>No=0  |
| GESPERRT_BIS   | Block availability to                | best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| GESPERRT_GRUND | Locked reason                        |  |
| INSTKST        | Maintenance costs                    |  |
| INSTKSTJE      | Maintenance costs per units of measu |  |
| ItemCode       | Item number                          |  |
| KAPACHECKLIMIT | Consider resource limits             | No=0<br>Yes=1  |
| KAPAPLANUNG    | Capacity planning                    | Yes=1<br>No=0  |
| KAUFBEMERKUNG  | Remark                               |  |
| KOSTENJE       | Cost input in                        | Quantity=0<br>Time=1   |
| KST            | Purchased price                      |  |
| KTIMETYPE_ID   | Cost element for buy                 |  |
| LAGO_ID        | Store location (Warehouse)           |  |
| LIEF_ID        | Supplier                             |  |
| LIEGEZEIT      | Idle time                            |  |
| LIEGEZEIT_TYP  | --                                   |  |
| LPLATZ_ID      | Bin location                         |  |
| MENGE          | Quantity tools                       |  |
| NUTZEN         | Use factor by (shot/pass)            |  |
| Project        | Project                              |  |
| UDF1           | Userfield 1                          |  |
| UDF2           | Userfield 2                          |  |
| UDF3           | Userfield 3                          |  |
| UDF4           | Userfield 4                          |  |
| WARTUNG_INFO   | Maintenance info                     |  |

|                 |                                    |   |
|-----------------|------------------------------------|---|
| WARTUNG LETZTE  | Last maintenance                   | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| WARTUNG_MAX     | Maintenance all per unit           |   |
| WARTUNG_ZAEHLER | Maintenance counter                |   |
| WKZ_ID          | Tool Key                           |   |
| WKZTYP_ID       | Type                               | Tool=W<br>Help Tool=H   |
| WTIMETYPE_ID    | Cost element for maintenance       |   |
| ZAEHLER_VOM     | Counter status from                | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| ZAEHLERSTAND    | Counter status                     | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| ZEITKSTGK       | Cost per time unit / Marginal Cost |   |
| ZEITKSTVK       | Cost per time unit / Full Cost     |   |
| ZEITKSTZEITJE   | Cost unit                          |   |
| ZNR             | Drawing number                     |   |
| ZUSTAND         | Status                             |   |

| Column      | Description         |
|-------------|---------------------|
| ANDTSTAMP   | Date of Last Change |
| ANDUSER     | User of Last Change |
| BETRAG      | Costs               |
| ERFTSTAMP   | Creation Date       |
| ERFUSER     | Creation User       |
| MITTEILUNG  | Message             |
| VERURSACHER | Originator          |
| WKZ_ID      | Resourcenkennung    |

| Column    | Description           |
|-----------|-----------------------|
| ANDTSTAMP | Date of Last Change   |
| ANDUSER   | User of Last Change   |
| ERFTSTAMP | Creation Date         |
| ERFUSER   | Creation User         |
| INFO      | Information           |
| MENGE     | Quantity              |
| POS_ID    | Position              |
| WKZ_ID    | Resource ID           |
| WKZ1_ID   | Tool Bill of Material |

| Column    | Description         |
|-----------|---------------------|
| ANDTSTAMP | Date of Last Change |
| ANDUSER   | User of Last Change |
| BEZ       | Description         |
| DICHTE    | Density             |
| ERFTSTAMP | Creation Date       |
| ERFUSER   | Creation User       |

| Column           | Description         |
|------------------|---------------------|
| ACTIV_IN_GANTT   | Active in gantt     |
| ACTIV_IN_LIST    | Active in Report    |
| ANDTSTAMP        | Date of Last Change |
| ANDUSER          | User of Last Change |
| DESCRIPTION_ID   | Description         |
| EINLASTUNGSBEHAN | Include Dispatch    |
| ERFTSTAMP        | Creation Date       |
| ERFUSER          | Typist              |
| MATERIALTEST     | Material Compare    |
| METHODE_ID       | Methode ID          |
| ONLYNOTPLANED    | only ungeplante     |
| RESETSTARTDATE   | Reset start date    |

| Column           | Description                 |
|------------------|-----------------------------|
| AGFIXIERUNG      | Operation fixieren          |
| AGMATERIAL       | Material consider           |
| AGSPLITTING      | Operations zusammen halten  |
| ANDTSTAMP        | Date of Last Change         |
| ANDUSER          | User of Last Change         |
| ANMELDEFIXIERUNG | Login fixieren              |
| AUSFUEHRUNGSBED  | Run only, when              |
| DATUMEINTRAGEN   | Date eintragen              |
| DESCRIPTION_ID   | Description                 |
| ERFTSTAMP        | Creation Date               |
| ERFUSER          | Typist                      |
| FEINPLANUNG      | Detailed planning           |
| KAPAGRENZE       | Notice resource limiting    |
| METHODE_ID       | Methode ID                  |
| RICHTUNG         | Direction                   |
| SCRIPTSEQUENZ    | Script Sequenz - not used - |
| Simulation       | Simulation                  |
| SORT_ID          | Sort                        |
| SPERRELOESEN     | Scheduling lösen            |
| Step_Id          | Step                        |
| UEBERGANSZEITPZ  | Transit time Percent        |
| UEBERLASTPZ      | Überlastung Percent         |

| Column            | Description         |
|-------------------|---------------------|
| ANDTSTAMP         | Date of Last Change |
| ANDUSER           | User of Last Change |
| APSKZ             | Scheduling Code     |
| BEGINNKZ          | Start Code          |
| DESCRIPTION_ID    | Description         |
| DRUCKKZ           | Print Code          |
| ERFTSTAMP         | Creation Date       |
| ERFUSER           | Typist              |
| GRUPPE            | Group               |
| LIEFERZEITFENSTER | Delivery Range      |
| PLANING_ID        | Scheduling ID       |
| PrjCode           | Project             |
| SACHB_ID          | Employee            |
| SORTKZSTRING      | Sort Code           |
| SPERRUNGKZ        | Blocked Code        |
| STARTZEITFENSTER  | Start Range         |
| STD_ID            | Default             |

| Column     | Description   |
|------------|---------------|
| METHODE_ID | Methode ID    |
| PLANING_ID | Scheduling ID |
| SORT_ID    | Sort          |

| Column | Description |
|--------|-------------|
|--------|-------------|

| Column       | Description    |
|--------------|----------------|
| BITMAP_ID    | Picture        |
| command_id   | Command Script |
| commandnr_id | Command Number |
| DISPLAY_ID   | Display ID     |
| filter_id    | Filter Script  |
| filternr_id  | Filter Number  |
| PLANING_ID   | Scheduling ID  |
| POS_ID       | Position       |
| sql_id       | SQL Script     |
| sqlnr_id     | SQL Number     |
| TEXT_ID      | Text           |
| TYP_ID       | Type           |
| VIEW_ID      | View ID        |

| Column         | Description                 |
|----------------|-----------------------------|
| DESCRIPTION_ID | Description                 |
| DISPLAY_ID     | Display ID                  |
| ONMOUSESRIPT   | On Mouse Script             |
| PLANING_ID     | Scheduling ID               |
| SCRIPTSEQUENZ  | Script Sequenz - not used - |
| SETUPSEQUENZ   | Setup as Script             |
| STD_ID         | Default                     |
| TYP_ID         | Type                        |
| VIEW_ID        | View ID                     |

| Column          | Description                |
|-----------------|----------------------------|
| ANDTSTAMP       | Date of Last Change        |
| ANDUSER         | User of Last Change        |
| DAYEND          | Day End                    |
| DAYOPTIMAL      | Set Day Optimal            |
| DAYSTART        | Day Start                  |
| DESCRIPTION_ID  | Description                |
| ERFTSTAMP       | Creation Date              |
| ERFUSER         | Typist                     |
| LINE1           | Script Line 1              |
| LINE2           | Script Line 2              |
| LINE3           | Script Line 3              |
| MOVEMODUS       | To do after move           |
| ONLYCHECKEDRESO | Load only checked Resource |
| PLANING_ID      | Scheduling ID              |
| SOFORTBERECHNUN | Calc after move            |
| STD_ID          | Default                    |
| UDF1            | Userfield 1                |
| UDF1NAME        | Name for userfield 1       |
| UDF2            | Userfield 2                |
| UDF2NAME        | Name for userfield 2       |
| UDF3            | Userfield 3                |
| UDF3NAME        | Name for userfield 3       |
| UDF4            | Userfield 4                |
| UDF4NAME        | Name for userfield 4       |
| VIEW_ID         | View ID                    |

| Column     | Description         |                      |
|------------|---------------------|----------------------|
| Address    | Address ID          |                      |
| Address2   | Address name 2      |                      |
| Address3   | Address name 3      |                      |
| AddrType   | AddrType            |                      |
| AdresType  | AdresType           | BillTo=B<br>ShipTo=S |
| AltCrdName | AltCrdName          |                      |
| AltTaxId   | AltTaxId            |                      |
| Block      | Block               |                      |
| Building   | Building/Floor/Room |                      |
| CardCode   | Card code           |                      |
| City       | City                |                      |
| Country    | Country             |                      |
| County     | County              |                      |
| GlbLocNum  | GLN                 |                      |
| LicTradNum | LicTradNum          |                      |
| LineNum    | LineNum             |                      |
| LogInstanc | LogInstanc          |                      |
| Ntnlty     | Ntnlty              |                      |
| ObjType    | ObjType             |                      |
| State      | State               |                      |
| Street     | Street / PO box     |                      |
| StreetNo   | Street No.          |                      |
| TaaSEnbl   | Taas enabled        |                      |
| TaxCode    | TaxCode             |                      |
| TaxOffice  | Tax office          |                      |
| UserSign   | UserSign            |                      |
| ZipCode    | Zip code            |                      |

| Column     | Description  |
|------------|--|
| Active     | Active   |
| Address    | Address  |
| BirthCity  | City of birth  |
| birthDate  | Date of birth<br>best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working. |
| BirthPlace | Country of birth   |
| BirthState | BirthState   |
| BlockComm  | BlockComm  |
| CardCode   | CardCode   |
| Cellolar   | Mobile phone   |
| DataSource | DataSource   |
| E_MailL    | E-Maill  |
| EmlGrpCode | E-Mail Group   |
| Fax        | Fax  |
| FirstName  | First name   |
| GENDER     | Gender   |
| LastName   | Last name  |
| LogInstanc | LogInstanc   |
| MiddleName | MiddleName   |
| Name       | Name   |
| NFeRcpn    | NFeRcpn  |
| Notes1     | Remarks 1  |
| Notes2     | Remarks 2  |
| ObjType    | ObjType  |
| pager      | Pager  |
| PASSWORD   | Password   |
| Position   | Position   |
| Profession | Profession   |
| ResidCity  | ResidCity  |
| ResidCntry | ResidCntry   |
| ResidState | ResidState   |
| Tel1       | Telephone 1  |
| Tel2       | Telephone 2  |
| Title      | Title  |
| UpdateDate | updateDate   |
| UpdateTime | updateTime   |
| UserSign   | UserSign   |

| Column      | Description   |
|-------------|---|
| AccCritria  | Accrual criteria  |
| AddID       | ID No. 2  |
| Address     | Address   |
| AddrType    | AddrType  |
| Affiliate   | Affiliate   |
| AgentCode   | AgentCode   |
| AliasName   | Alias Name  |
| AtcEntry    | AtcEntry  |
| Attachment  | Attachment  |
| AutoCalBCG  | AutoCalBCG  |
| AutoPost    | AutoPost  |
| AverageLate | Average delay   |
| BackOrder   | Allow partial delivery per row  |
| Balance     | Account balance   |
| BalanceFC   | BalanceFC   |
| BalanceSys  | BalanceSys  |
| BalTrnsfrd  | BalTrnsfrd  |
| BankCode    | Bank name   |
| BankCountr  | Bank country  |
| BankCtlKey  | Ctrl. Int. ID   |
| BCACode     | Bank charges allocation code  |
| BillToDef   | Bill to default   |
| Block       | Block   |
| BlockComm   | Block Sending Marketing content   |
| BlockDunn   | BlockDunn   |
| BNKCounter  | BNKCounter  |
| BoEDisnt    | Customer bill of exchange Discount  |
| BoEOnClct   | Bill of exchange on collection  |
| BoEPrsn     | BoEPrsn   |
| Box1099     | 1099 Box  |
| Building    | Building / Floor / Room   |
| Business    | Business  |
| CardCode    | Card Code   |
| CardFName   | Foreign name  |
| CardName    | Name  |
| CardType    | Card Type   |
| CardValid   | CardValid<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| CDPNum      | Closing date procedure number   |
| Cellular    | Cellular  |
| CertBKeep   | CertBKeep   |
| CertWHT     | CertWHT   |
| chainStore  | chainStore  |
| ChannlBP    | ChannlBP  |
| ChecksBal   | ChecksBal   |
| Chrctrstcs  | Chrctrstcs  |
| City        | City  |
| CmpPrivate  | Business partner type   |
| CntctPrsn   | Contact person  |
| CollecAuth  | Collection authorization  |
| CommGrCode  | Commission group code   |

|            |                                  |
|------------|----------------------------------|
| Commission | Commission percent               |
| ConCerti   | ConCerti                         |
| ConnBP     | Connected customer               |
| Country    | Country                          |
| County     | County                           |
| CpnNo      | CpnNo                            |
| CrCardNum  | CrCardNum                        |
| CreateDate | CreateDate                       |
| CreditCard | Credit Card                      |
| CreditLine | Credit limit                     |
| CrtfcateNO | Crtfcate number                  |
| Currency   | Currency                         |
| DataSource | DataSource                       |
| DateFrom   | DateFrom                         |
| DateTill   | DateTill                         |
| DatevAcct  | DatevAcct                        |
| DatevFirst | DatevFirst                       |
| DdctFileNo | DdctFileNo                       |
| DdctOffice | Deduction office                 |
| DdctPrcnt  | DdctPrcnt                        |
| DdctStatus | DdctStatus                       |
| DdgKey     | Withholding tax deduction group  |
| DdtKey     | DdtKey                           |
| DebPayAcct | Account Receivable Payables      |
| DebtLine   | Commitment limit                 |
| DeferrTax  | Deferred tax                     |
| Deleted    | Deleted                          |
| DflAccount | Account                          |
| DflAgrmnt  | DflAgrmnt                        |
| DflBankKey | Default bank code                |
| DflBranch  | Branch                           |
| DflIBAN    | IBAN                             |
| DflSwift   | BIC / SWIFT code                 |
| DfTcnician | Default technician               |
| DisclnRet  | DisclnRet                        |
| DISCOUNT   | Total discount %                 |
| DiscRel    | Effective discount groups        |
| DME        | DME                              |
| DNoteBalFC | DNoteBalFC                       |
| DNoteBalSy | DNoteBalSy                       |
| DNotesBal  | Goods receipt POs                |
| DocEntry   | DocEntry                         |
| DpmClear   | Down payment clear act           |
| DpmIntAct  | DpmIntAct                        |
| DscntObjct | Discount base object             |
| DscntRel   | Discount Relations               |
| DunnDate   | Dunning date                     |
| DunnLevel  | Dunning level                    |
| DunTerm    | DunTerm                          |
| E_Mail     | E_Mail                           |
| ECVatGroup | ECVatGroup                       |
| EDocExpFrm | EDocExpFrm                       |
| EdrsFromBP | Endorsable checks from this BP   |
| EdrsToBP   | This BP acceptst endorsed checks |
| EffecPrice | Effective Price                  |
| Equ        | Equalization                     |

|            |   |
|------------|---|
| ExemptNo   | Exempt number   |
| ExMatchNum | ExMatchNum  |
| ExpireDate | ExpireDate  |
| ExportCode | ExportCode  |
| FatherCard | Consolidating BP  |
| FatherType | Consolidation Type  |
| Fax        | Fax   |
| FeeAcc     | FeeAcc  |
| FormCode   | 1099 Form   |
| Free_Text  | Remarks   |
| FromDate   | FromDate  |
| FrozenComm | Inactive remarks  |
| frozenFor  | Inactive for  |
| frozenFrom | Inactive from<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| frozenTo   | Inactive to<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.   |
| GlbLocNum  | GLN   |
| GroupCode  | Group   |
| GroupNum   | Payment terms   |
| GTSBankAct | GTSBankAct  |
| GTSBilAddr | GTSBilAddr  |
| GTSRegNum  | GTSRegNum   |
| HierchDdct | HierchDdct  |
| HldCode    | Holidays  |
| HousActKey | HousActKey  |
| HousBnkAct | House bank - Account  |
| HousBnkBrn | House bank - Branch   |
| HousBnkCry | House bank - Country  |
| HousCtlKey | House bank - Control No.  |
| HouseBank  | House bank - Bank   |
| HsBnkIBAN  | House bank - IBAN   |
| HsBnkSwift | House bank - Swift  |
| IBAN       | Default IBAN  |
| Indicator  | Factoring indicator   |
| Industry   | Industry  |
| IndustryC  | Industry  |
| InMatchNum | InMatchNum  |
| InstrucKey | Instruction key   |
| InsurOp347 | Insurance operation 347   |
| IntrAcc    | IntrAcc   |
| IntrntSite | Web site  |
| IntrstRate | Interest on Arrears %   |
| IsDomestic | IsDomestic  |
| ISRBillId  | ISR Biller ID   |
| IsResident | IsResident  |
| ITWTCode   | ITWTCode  |
| KBKCode    | KBKCode   |
| LangCode   | Language code   |
| LetterNum  | Tax exemption letter number   |
| LicTradNum | Federal tax ID  |
| ListNum    | Price list  |
| LocMth     | LocMth  |
| LogInstanc | LogInstanc  |
| MailAddres | MailAddres  |
| MailAddrTy | MailAddrTy  |

|            |                                       |
|------------|---------------------------------------|
| MailBlock  | Mail Address                          |
| MailBuildi | Ship to building floor room           |
| MailCity   | MailCity                              |
| MailCountr | MailCountr                            |
| MailCounty | Mail county                           |
| MailStrNo  | MailStrNo                             |
| MailZipCod | Mail zip code                         |
| MainUsage  | MainUsage                             |
| MandateID  | Mandate ID                            |
| MaxAmount  | Max amount of exemption               |
| MinIntrst  | Min interest                          |
| MivzExpSts | MivzExpSts                            |
| MltMthNum  | MltMthNum                             |
| MTHCounter | MTHCounter                            |
| NINum      | NINum                                 |
| NoDiscount | Do not apply discount groups          |
| Notes      | Notes                                 |
| NTSWebSite | NTSWebSite                            |
| Number     | Number                                |
| ObjType    | ObjType                               |
| OKATO      | OKATO                                 |
| OKTMO      | OKTMO                                 |
| OpCode347  | Operation code 347                    |
| OprCount   | Open oportunities                     |
| OrderBalFC | Open orders balance                   |
| OrderBalSy | OrderBalSy                            |
| OrdersBal  | Purchase orders                       |
| OtrCtlAcct | Other receivable payable              |
| OwnerCode  | OwnerCode                             |
| OwnerIdNum | OwnerIdNum                            |
| pager      | Pager                                 |
| PartDelivr | Allow partial delivery of Sales Order |
| PASSWORD   | Password                              |
| PaymBlock  | Payment block                         |
| Phone1     | Phone 1                               |
| Phone2     | Phone 2                               |
| picture    | Picture                               |
| PlngGroup  | Planning group                        |
| PrevYearAc | PrevYearAc                            |
| priority   | Priority                              |
| Profession | Profession                            |
| ProjectCod | BP Project                            |
| Protected  | Protected                             |
| PyBlckDesc | Payment block description             |
| PymCode    | PymCode                               |
| QryGroup1  | QryGroup1                             |
| QryGroup10 | QryGroup10                            |
| QryGroup11 | QryGroup11                            |
| QryGroup12 | QryGroup12                            |
| QryGroup13 | QryGroup13                            |
| QryGroup14 | QryGroup14                            |
| QryGroup15 | QryGroup15                            |
| QryGroup16 | QryGroup16                            |
| QryGroup17 | QryGroup17                            |
| QryGroup18 | QryGroup18                            |
| QryGroup19 | QryGroup19                            |

|            |                   |
|------------|-------------------|
| QryGroup2  | QryGroup2         |
| QryGroup20 | QryGroup20        |
| QryGroup21 | QryGroup21        |
| QryGroup22 | QryGroup22        |
| QryGroup23 | QryGroup23        |
| QryGroup24 | QryGroup24        |
| QryGroup25 | QryGroup25        |
| QryGroup26 | QryGroup26        |
| QryGroup27 | QryGroup27        |
| QryGroup28 | QryGroup28        |
| QryGroup29 | QryGroup29        |
| QryGroup3  | QryGroup3         |
| QryGroup30 | QryGroup30        |
| QryGroup31 | QryGroup31        |
| QryGroup32 | QryGroup32        |
| QryGroup33 | QryGroup33        |
| QryGroup34 | QryGroup34        |
| QryGroup35 | QryGroup35        |
| QryGroup36 | QryGroup36        |
| QryGroup37 | QryGroup37        |
| QryGroup38 | QryGroup38        |
| QryGroup39 | QryGroup39        |
| QryGroup4  | QryGroup4         |
| QryGroup40 | QryGroup40        |
| QryGroup41 | QryGroup41        |
| QryGroup42 | QryGroup42        |
| QryGroup43 | QryGroup43        |
| QryGroup44 | QryGroup44        |
| QryGroup45 | QryGroup45        |
| QryGroup46 | QryGroup46        |
| QryGroup47 | QryGroup47        |
| QryGroup48 | QryGroup48        |
| QryGroup49 | QryGroup49        |
| QryGroup5  | QryGroup5         |
| QryGroup50 | QryGroup50        |
| QryGroup51 | QryGroup51        |
| QryGroup52 | QryGroup52        |
| QryGroup53 | QryGroup53        |
| QryGroup54 | QryGroup54        |
| QryGroup55 | QryGroup55        |
| QryGroup56 | QryGroup56        |
| QryGroup57 | QryGroup57        |
| QryGroup58 | QryGroup58        |
| QryGroup59 | QryGroup59        |
| QryGroup6  | QryGroup6         |
| QryGroup60 | QryGroup60        |
| QryGroup61 | QryGroup61        |
| QryGroup62 | QryGroup62        |
| QryGroup63 | QryGroup63        |
| QryGroup64 | QryGroup64        |
| QryGroup7  | QryGroup7         |
| QryGroup8  | QryGroup8         |
| QryGroup9  | QryGroup9         |
| RateDifAct | Rate Diff Account |
| RcpntID    | RcpntID           |
| RefDetails | Reference details |

|             |   |
|-------------|---|
| RegNum      | Company registration number   |
| RelCode     | RelCode   |
| Remark1     | Remark1   |
| RepName     | RepName   |
| ResidenNum  | ResidenNum  |
| RoleTypCod  | RoleTypCod  |
| SCAdjust    | SCAdjust  |
| SCNCounter  | SCNCounter  |
| SefazCheck  | SefazCheck  |
| SefazDate   | SefazDate   |
| SefazReply  | SefazReply  |
| SelfInvoic  | SelfInvoic  |
| sEmployed   | sEmployed   |
| SenderId    | SenderId  |
| Series      | Series  |
| ShipToDef   | Ship to default   |
| ShipType    | Shipping type   |
| SignDate    | Date of signature<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working. |
| SinglePaym  | Single payment  |
| SlpCode     | Buyer   |
| SPGCounter  | Discount Relations  |
| SPPCounter  | SPPCounter  |
| State1      | State1  |
| State2      | State2  |
| StreetNo    | StreetNo  |
| SurOver     | Surcharge overlook  |
| SysMatchNo  | SysMatchNo  |
| TaxIdIdent  | TaxIdIdent  |
| TaxRndRule  | TaxRndRule  |
| Territory   | Territory   |
| ThreshOver  | Threshold overlook  |
| ToDate      | ToDate  |
| TolrncDays  | TolrncDays  |
| TpCusPres   | TpCusPres   |
| Transferred | Transferred   |
| TypeOfOp    | TypeOfOp  |
| TypWTReprt  | Type report   |
| U_beas_asp  | U_beas_asp  |
| U_beas_fht  | U_beas_fht  |
| U_beas_fkm  | U_beas_fkm  |
| U_beas_spr  | U_beas_spr  |
| U_beas_vsi  | U_beas_vsi  |
| U_ECNA_001  | U_ECNA_001  |
| U_XXX       | U_XXX   |
| UnpaidBoE   | UnpaidBoE   |
| UpdateDate  | UpdateDate  |
| UserSign    | UserSign  |
| UserSign2   | UserSign2   |
| UseShpdGd   | UseShpdGd   |
| ValidComm   | Active remarks  |
| ValidFor    | Active for  |
| ValidFrom   | Active from<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.       |
| ValidTo     | Active to<br>best date format: yyyy/mm/dd hh:mm in 24 hour<br>format<br>Time format with am/pm not working.         |

|            |                            |
|------------|----------------------------|
| ValidUntil | Deduction valid until      |
| VatGroup   | VatGroup                   |
| VatIDNum   | VatIDNum                   |
| VatIdUnCmp | VatIdUnCmp                 |
| VATRegNum  | VATRegNum                  |
| VatStatus  | VatStatus                  |
| VendorOcup | VendorOcup                 |
| VendTID    | VendTID                    |
| VerifNum   | Verification number        |
| WHShaamGrp | WHShaamGrp                 |
| WTCode     | WTCode                     |
| WTLiable   | Subject to withholding tax |
| WTTaxCat   | WTTaxCat                   |
| ZipCode    | Zip Code                   |

| Column      | Description                      |   |   |
|-------------|----------------------------------|---|---|
| AssetItem   | Fixed assets                     | Yes=Y<br>No=N   |   |
| AvgPrice    | Item costs                       |   |   |
| BHeight1    | Buy Height                       |   |   |
| BHeight2    | Buy Height 2                     |   |   |
| BHght1Unit  | Buy height unit                  |   |   |
| BHght2Unit  | Buy height unit 2                |   |   |
| BLen1Unit   | Buy length unit                  |   |   |
| BLen2Unit   | Buy length unit 2                |   |   |
| BLength1    | Buy length                       |   |   |
| Blength2    | Buy length 2                     |   |   |
| BlockOut    | Block Out                        |   |   |
| BuyUnitMsr  | Purchasing UoM                   |   |   |
| BVolume     | Buy Volume                       |   |   |
| BVolUnit    | Buy volume unit                  |   |   |
| BWdth1Unit  | Buy width unit                   |   |   |
| BWdth2Unit  | Buy width unit 2                 |   |   |
| BWeight1    | Buy Weight                       |   |   |
| BWeight2    | Buy Weight 2                     |   |   |
| BWght1Unit  | Buy weight unit                  |   |   |
| BWght2Unit  | Buy weight unit 2                |   |   |
| BWidth1     | Buy Width                        |   |   |
| BWidth2     | Buy Width 2                      |   |   |
| ByWh        | Stock management by Warehouse No | Yes=Y<br>No=N   |   |
| CardCode    | Preferred vendor                 |   |   |
| CntUnitMsr  | Count unit                       |   |   |
| CodeBars    | Bar code                         |   |   |
| CreateDate  | Date of last change              |   |   |
| CstGrpCode  | Custom group                     |   |   |
| DfltWH      | Primary Warehouse                |   |   |
| Employee    | Employee                         |   |   |
| EvalSystem  | Valuation Method                 | Define the CostAccounting Method (Evaluation Method)  | Moving Average=A<br>Standard=S<br>FIFO=F<br>Serie   Charge=B<br>= |
| FirmCode    | Manufacturer                     | Firmcode, Manufacturer<br>Import: You can import with FirmName (Manufacturename) or the id from OMRC<br>Attention: You can't update this field! Use this only for create new item entries |   |
| FrgnName    | Description in foreing language  |   |   |
| FrozenComm  | locked Comment                   |   |   |
| frozenFor   | Inactive                         | Yes=1<br>No=0   |   |
| frozenFrom  | Locked from                      | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |   |
| frozenTo    | Locked To                        | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |   |
| GLMethod    | Set G/L account by               |   |   |
| InvntItem   | Stock item                       | Yes=Y<br>No=N   |   |
| InvntryUom  | Inventory UoM                    |   |   |
| IsCommitted | Customer order                   |   |   |

|            |                        |  |                          |
|------------|------------------------|--|--------------------------|
| IssueMthd  | Issue method           | Issue methode of the item<br>Attention: Serial and batch items: You must set this to "M" | Backflush=B<br>Manuell=M |
| ItemCode   | Itemcode               |  |                          |
| ItemName   | Description            |  |                          |
| ItemType   | Item type              |  |                          |
| ItmsGrpCod | ItemGroup              |  |                          |
| lUomEntry  | Inventory Uom Entry    |  |                          |
| LeadTime   | Lead time              |  |                          |
| Location   | without function       |  |                          |
| LstSalDate | Last sale date         |  |                          |
| ManBtchNum | Batch management       | activ = Item per batch number.<br>Attention: set issue method to NO                      | Yes=Y<br>No=N            |
| ManSerNum  | Stock by serial number | activ = Item per serial number.<br>Attention: set issue method to NO                     | Yes=Y<br>No=N            |
| MaxLevel   | Max. Stock             |  |                          |
| MinLevel   | Minimum Inventory      |  |                          |
| MinOrdrQty | Min order quantity     |  |                          |
| MngMethod  | Only at issue          |  |                          |
| NumInBuy   | Items per purchase UoM |  |                          |
| NumInCnt   | Count unit factor      |  |                          |
| NumInSale  | Items per Sales Unit   |  |                          |
| ObjType    | Object type            |  |                          |
| OnHand     | Warehouse stock        |  |                          |
| OnOrder    | Purchase Quantity      |  |                          |
| OrdrMulti  | Order multiple         |  |                          |
| Phantom    | Phantom Item           | Phantom Item   | Yes=Y<br>No=N            |
| PicturName | Picture 1              |  |                          |
| PlaningSys | Planning method        |  | Keine=N<br>Disposition=M |
| PrchseItem | Purchase item          |  | Yes=Y<br>No=N            |
| PrfrmntMtd | Production method      |  |                          |
| PuMEEntry  | Purchase Uom Code      |  |                          |
| PurFactor1 | Factor 1               |  |                          |
| PurFactor2 | Factor 2               |  |                          |
| PurFactor3 | Factor 3               |  |                          |
| PurFactor4 | Factor 4               |  |                          |
| PurPackMsr | Packaging UoM          |  |                          |
| QryGroup1  | Property 1             |  | Yes=Y<br>No=N            |
| QryGroup10 | Property 10            |  | Yes=Y<br>No=N            |
| QryGroup11 | Property 11            |  | Yes=Y<br>No=N            |
| QryGroup12 | Property 12            |  | Yes=Y<br>No=N            |
| QryGroup13 | Property 13            |  | Yes=Y<br>No=N            |
| QryGroup14 | Property 14            |  | Yes=Y<br>No=N            |
| QryGroup15 | Property 15            |  | Yes=Y<br>No=N            |
| QryGroup16 | Property 16            |  | Yes=Y<br>No=N            |
| QryGroup17 | Property 17            |  | Yes=Y<br>No=N            |
| QryGroup18 | Property 18            |  | Yes=Y<br>No=N            |
| QryGroup19 | Property 19            |  | Yes=Y<br>No=N            |
| QryGroup2  | Property 2             |  | Yes=Y<br>No=N            |
| QryGroup20 | Property 20            |  | Yes=Y<br>No=N            |

|            |             |               |
|------------|-------------|---------------|
| QryGroup21 | Property 21 | Yes=Y<br>No=N |
| QryGroup22 | Property 22 | Yes=Y<br>No=N |
| QryGroup23 | Property 23 | Yes=Y<br>No=N |
| QryGroup24 | Property 24 | Yes=Y<br>No=N |
| QryGroup25 | Property 25 | Yes=Y<br>No=N |
| QryGroup26 | Property 26 | Yes=Y<br>No=N |
| QryGroup27 | Property 27 | Yes=Y<br>No=N |
| QryGroup28 | Property 28 | Yes=Y<br>No=N |
| QryGroup29 | Property 29 | Yes=Y<br>No=N |
| QryGroup3  | Property 3  | Yes=Y<br>No=N |
| QryGroup30 | Property 30 | Yes=Y<br>No=N |
| QryGroup31 | Property 31 | Yes=Y<br>No=N |
| QryGroup32 | Property 32 | Yes=Y<br>No=N |
| QryGroup33 | Property 33 | Yes=Y<br>No=N |
| QryGroup34 | Property 34 | Yes=Y<br>No=N |
| QryGroup35 | Property 35 | Yes=Y<br>No=N |
| QryGroup36 | Property 36 | Yes=Y<br>No=N |
| QryGroup37 | Property 37 | Yes=Y<br>No=N |
| QryGroup38 | Property 38 | Yes=Y<br>No=N |
| QryGroup39 | Property 39 | Yes=Y<br>No=N |
| QryGroup4  | Property 4  | Yes=Y<br>No=N |
| QryGroup40 | Property 40 | Yes=Y<br>No=N |
| QryGroup41 | Property 41 | Yes=Y<br>No=N |
| QryGroup42 | Property 42 | Yes=Y<br>No=N |
| QryGroup43 | Property 43 | Yes=Y<br>No=N |
| QryGroup44 | Property 44 | Yes=Y<br>No=N |
| QryGroup45 | Property 45 | Yes=Y<br>No=N |
| QryGroup46 | Property 46 | Yes=Y<br>No=N |
| QryGroup47 | Property 47 | Yes=Y<br>No=N |
| QryGroup48 | Property 48 | Yes=Y<br>No=N |
| QryGroup49 | Property 49 | Yes=Y<br>No=N |
| QryGroup5  | Property 5  | Yes=Y<br>No=N |
| QryGroup50 | Property 50 | Yes=Y<br>No=N |
| QryGroup51 | Property 51 | Yes=Y<br>No=N |
| QryGroup52 | Property 52 | Yes=Y<br>No=N |
| QryGroup53 | Property 53 | Yes=Y<br>No=N |
| QryGroup54 | Property 54 | Yes=Y<br>No=N |
| QryGroup55 | Property 55 | Yes=Y<br>No=N |

|            |                           |  |
|------------|---------------------------|--|
| QryGroup56 | Property 56               | Yes=Y<br>No=N  |
| QryGroup57 | Property 57               | Yes=Y<br>No=N  |
| QryGroup58 | Property 58               | Yes=Y<br>No=N  |
| QryGroup59 | Property 59               | Yes=Y<br>No=N  |
| QryGroup6  | Property 6                | Yes=Y<br>No=N  |
| QryGroup60 | Property 60               | Yes=Y<br>No=N  |
| QryGroup61 | Property 61               | Yes=Y<br>No=N  |
| QryGroup62 | Property 62               | Yes=Y<br>No=N  |
| QryGroup63 | Property 63               | Yes=Y<br>No=N  |
| QryGroup64 | Property 64               | Yes=Y<br>No=N  |
| QryGroup7  | Property 7                | Yes=Y<br>No=N  |
| QryGroup8  | Property 8                | Yes=Y<br>No=N  |
| QryGroup9  | Property 9                | Yes=Y<br>No=N  |
| ReorderQty | Required (Purchasing UoM) |  |
| SalFactor1 | Sales Factor 1            |  |
| SalFactor2 | Sales Factor 2            |  |
| SalFactor3 | Sales Factor 3            |  |
| SalFactor4 | Sales Factor 2            |  |
| SalFormula | Sales Formular            |  |
| SalPackMsr | Packaging UoM Name        |  |
| SalPackUn  | Quantity per Package UoM  |  |
| SalUnitMsr | Sales UoM Name            | Unit of Measurement for sales  |
| SellItem   | Sell item                 | Yes=Y<br>No=N  |
| SerialNum  | serial number             |  |
| Series     | Serie                     | For number generation you can define the series in system init - Document Numbering - Object "Items"<br>DIH: here you can define the name of series (NNM1.Series) as Number<br>If you've only series name, you can use follow script :<br>select "Series" into value from "NNM1" where "SeriesName"=<import.series> and "ObjectCode"=4 |
| SHeight1   | Sale height               |  |
| SHeight2   | Sale height 2             |  |
| SHght1Unit | Sales height unit         |  |
| SHght2Unit | Sales height unit 2       |  |
| SLen1Unit  | Sales length unit         |  |
| SLen2Unit  | Sales length unit 2       |  |
| SLength1   | Sale length               |  |
| Slength2   | Sale length 2             |  |
| SUoMEntry  | Sales Uom Code            |  |
| SuppCatNum | Mf. Catalog Number        |  |
| SVolume    | Sale volume               |  |
| SVolUnit   | Sales volume unit         |  |
| SWdth1Unit | Sales width unit          |  |
| SWheight1  | Sale Weight               |  |
| SWght1Unit | Sales weight unit         |  |
| SWWidth1   | Sale width                |  |
| SWW        | Additional identifier     |  |
| TaxType    | Tax group                 |  |
| ToleranDay | tolerance days            | Tolerance days   |

| TreeType             | Item type              |  |   |
|----------------------|------------------------|--|---|
| U_aussch             | Cut-Off (%)            |  |   |
| U_batchroh           | Batch determination    | <p>Define automatic batch number / serial number generation</p> <p>can generate the batch automatically for a receipt transaction.</p> <p>Here you can set up whether the batch is entered manually or generated automatically when posing in material.</p> <p>Batch according to material</p> <p>=====</p> <p>If an assembly is posted in, as batch number is determined that one of the first material in the BOM of the assembly which was last posted in.</p> <p>Example:</p> <p>Assembly: "Paste y in container x"</p> <p>  - Bill of Materials: Paste y</p> <p> -- - 1. issue batch aaa</p> <p> -- - 2. issue batch bbb</p> <p>If "Paste y in container x" is now produced and posted in, the batch number of "Paste y" of the last posting, i.e. batch "bbb" is assigned.</p> <p>Automatic batch determination</p> <p>=====</p> <p>Batches are generated automatically, at stock correction the next number can be requested.</p> <p>see Batch generation</p> <p>Special case at SAP-posting processes:</p> <p>If the entry field for quantity is left with Ctrl-Tab, the batch assignment screen opens. There is a button "next batch"</p> <p>Clicking there, the next batch number according to SAP - batch determination program is determined and entered to the current field.</p> <p>Batches are always determined automatically.</p> <p>Manual batch input</p> <p>=====</p> <p>If activated, manual batch input is always performed for this item.</p> | <p>batchnum is same as last consumed material=J</p> <p>automatic batch number generation=N</p> <p>manual batch number=M</p> |
| U_beas_BinGroup      | Warehouse Rule         |  |   |
| U_beas_kumulierung   | MRP Sum grouping       |  | Detail=<br>Day=D<br>Week=W<br>Month=M<br>Sum=S  |
| U_beas_mps           | MPS Code               |  |   |
| U_beas_prodrelease   | Release production     |  |   |
| U_beas_RoutingId     | --                     |  |   |
| U_beas_shortvariantd | Variant Description    |  |   |
| U_beas_StlItemCode   | --                     |  |   |
| U_beas_ver           | Item Version           | Version number of the item<br>editable. If it's defined in Item Version Control, it's not editable and the system is working with Item Version control   |   |
| U_beas_VerControl    | Version Administration |  | No=0<br>extented view=1<br>separate bom=2   |
| U_beas_vri           | Variant                |  |   |
| U_beasprio           | Priority               |  |   |
| U_bereist            | Allocate               |  |   |
| U_bestellt           | Pur. order description |  |   |
| U_brgew              | Gross weight           |  |   |
| U_din                | DIN                    |  |   |
| U_dispo              | Breakdown              |  |   |

|            |                     |   |
|------------|---------------------|---|
| U_fert_gk  | --                  |   |
| U_fert_vk  | --                  | Yes=Y<br>No=N   |
| U_form     | --                  |   |
| U_gruppe   | Material group      |   |
| U_haltbar2 | Shelf Life 2 Batch  |   |
| U_haltbark | Shelf life in days  |   |
| U_kalk_pr  | Calculation price   |   |
| U_kalksche | Calculation schema  |   |
| U_ke       | --                  |   |
| U_kzdruck  | Withdrawal document |   |
| U_losgr    | Lot size production |   |
| U_losgr_ka | Lotsize caclulation |   |
| U_mat_gk   | --                  | Yes=Y<br>No=N   |
| U_mat_vk   | --                  |   |
| U_match    | Match code          |   |
| U_me_lager | --                  |   |
| U_me_verbr | Cosumption unit     |   |
| U_nag      | --                  |   |
| U_nag_eng  | --                  |   |
| U_picture2 | Picture 2           |   |
| U_picture3 | Picture 3           |   |
| U_prccode  | Cost center         |   |
| U_preis_gk | --                  |   |
| U_preis_vk | --                  |   |
| U_sa       | Made-to-order       |   |
| U_sachb_id | Employee            |   |
| U_spezgew  | Spezifisches Weight |   |
| U_text_d   | Long description    |   |
| U_text_eng | Foregn language     |   |
| U_uland    | Originating country |   |
| U_un_nr    | --                  |   |
| U_verschn  | Verschnittfaktor    |   |
| U_vg       | --                  |   |
| U_wbz      | --                  |   |
| U_wst_id   | Raw material        |   |
| U_znr      | Drawing number      |   |
| U_zollt    | Customs Tariff No   |   |
| UgpEntry   | Unit Group Id       | Unit of measure groups (UoM groups) are groups of one or more units of measure that you either allow as units of measure for a product or exclude from the set of possible UoMs for the product. You can assign UoM groups for the products of both the delivering and receiving locations.<br><br>Linked BSL objects:<br>UnitGroup, UnitGroupLines |
| UserText   | Description User    |   |
| ValidComm  | Available Comment   |   |
| ValidFor   | Active              | Yes=1<br>No=0   |
| ValidFrom  | Available From      | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |
| ValidTo    | Available To        | best date format: yyyy/mm/dd hh:mm in 24 hour format<br>Time format with am/pm not working.   |
| VatGourpSa | Sales VAT Group     |   |
| VatGroupPu | Purchase VAT Group  |   |
| VATLiable  | VAT binding         | Yes=Y<br>No=N   |

OnHand

Inventory

| Column     | Description            |  |
|------------|------------------------|--|
| AbsEntry   | Absolute entry         |  |
| CANCELED   | Canceled               |  |
| CreateDate | Creation Date          |  |
| LogInstac  | Log Instance - History |  |
| Name       | Name                   |  |
| ObjType    | Object Type            |  |
| OwnerCode  | Owner Code             |  |
| OwnerName  | Owner Name             |  |
| PickDate   | Pick Date              |  |
| Printed    | Printed                | Copy=Y<br>Original=N   |
| Remarks    | Remarks                |  |
| ShipType   | Shipping Type          |  |
| Status     | Status                 | Released=R<br>Picked=Y<br>Partially Delivered=P<br>Partially Delivered=D<br>Closed=C |
| UpdateDate | Date of Update         |  |
| UseBaseUn  | Inventory UoM          |  |
| UserSign   | User Signature         |  |
| UserSign2  | Updating User          |  |

| Column     | Description         |
|------------|---------------------|
| BaseUom    | Basic UoM           |
| CreateDate | Date of last change |
| DataSource | DataSource          |
| Locked     | Locked              |
| LogInstanc | LogInstanc          |
| UgpCode    | Unit Group Id       |
| UgpEntry   | Unit Group          |
| UgpName    | Unit Group Name     |
| UpdateDate | updateDate          |
| UserSign   | UserSign            |
| UserSign2  | UserSign2           |

| Column     | Description                  |   |
|------------|------------------------------|---|
| AbsEntry   | Internal Number              |   |
| BaseObject | Base Object Type             | Order=17<br>Reserve Invoice=13<br>Production Order (SAP)=202<br>Inventory Transfer Request=1250000001 |
| LogInsac   | Log Instance - History       |   |
| OrderEntry | Order Entry                  |   |
| OrderLine  | Order Row ID                 |   |
| PickEntry  | Row Number                   |   |
| PickQty    | Picked Quantity              |   |
| PickStatus | Pick Status                  | Released for Picking=R<br>Picked=Y<br>Partially Picked=P<br>Partially Delivered=D<br>Closed=D         |
| PrevReleas | Previously Released Quantity |   |
| RelQty     | Released Quantity            |   |

| Column     | Description              |  |
|------------|--------------------------|--|
| AltQty     | Alternative Quantity     | Base Unit * Base Quantity is this Quantity from Alternative Unit per this Alternative Quantity |
| BaseQty    | Base Unit of Measurement |  |
| LineNum    | Line Number              |  |
| LogInstanc | Instance                 |  |
| UgpEntry   | Unit Group               |  |
| UomEntry   | Alternative Unit Id      | UoM Id from alternative Unit of Measurement  |

